



**muswellbrook
shire council**

Muswellbrook Shire Council

ORDINARY COUNCIL MEETING

SUPPLEMENTARY BUSINESS PAPER

30 JULY 2019



Order of Business

ITEM	SUBJECT	PAGE NO
11	COMMUNITY INFRASTRUCTURE	3
11.7	2019-20 CAPITAL WORKS PROGRAM ROADS AND DRAINAGE	3
12	CORPORATE AND COMMUNITY SERVICES	45
12.11	FUTURE FUND POLICY	45
18	ADJOURNMENT INTO CLOSED COUNCIL	56
19.10	MANGOOLA COAL CONTINUED OPERATIONS PROJECT <i>Item 19.10 is classified CONFIDENTIAL under the provisions of Section10A(2)(d)(I) of the local government act 1993, as it deals with commercial information of a confidential nature that would, if disclosed prejudice the commercial position of the person who supplied it, and Council considers that discussion of the matter in an open meeting would be, on balance, contrary to the public interest.</i>	
19.11	EDDERTON ROAD CLOSURE <i>Item 19.11 is classified CONFIDENTIAL under the provisions of Section10A(2)(c) of the local government act 1993, as it deals with information that would, if disclosed, confer a commercial advantage on a person with whom the council is conducting (or proposes to conduct) business, and Council considers that discussion of the matter in an open meeting would be, on balance, contrary to the public interest.</i>	

11 COMMUNITY INFRASTRUCTURE

11.7 2019-20 CAPITAL WORKS PROGRAM ROADS AND DRAINAGE

Attachments:	A. Footpath Renewal Priorities B. Non Compliant Access Ramps C. Kerb and Gutter Priorities D. Urban Reseal Program E. Rural Reseal Program F. Crack Sealing Priorities G. New Footpath Priorities H. Road Safety Devices Program I. Heavy Patching Priorities
Responsible Officer:	Derek Finnigan - Acting General Manager
Author:	Kellie Scholes - Manager - Roads, Drainage & Technical Services
Community Plan Issue:	<i>Our community's infrastructure is planned well, is safe and reliable and provides required levels of service</i>
Community Plan Goal:	<i>Maintain and continually improve community infrastructure across the Shire.</i>
Community Plan Strategy:	<i>Implement prioritised (but responsive) rolling works program of maintenance.</i>

PURPOSE

To provide Council with prioritised lists of proposed and alternative projects for funding under various Capital Expenditure Road and Drainage programs for the 2019-20 financial year.

OFFICER'S RECOMMENDATION

1. Council endorse the following priority lists of work and the undertaking of the 2019-20 Capital Works Programs to the extent of funding under the various programs:
 - Footpath Renewals as per attachments A and B,
 - Kerb and Gutter Renewals as per attachment C,
 - Road Resealing as per attachment D, E and F,
 - New Footpath construction as per attachment G with the missing link in Palace St (Turtle to Anglican Church) to be constructed using the current allocation,
 - Safety Devices as per attachment H,
 - Heavy Patching as per attachment I.
2. Council accept the grant funding of \$134,640 from the 2019-20 Active Transport Program for construction of a cycleway in the Olympic Park Precinct and Council's co contribution of \$134,640 required to implement the work be sourced from Corporate directorate -Wilkinson Bridge Carryover. .

Moved: _____ Seconded: _____

CONSULTATION

Manager Financial Services

Assets Management Engineer and Roads and Drainage Staff

Manager Works and Property and Building

CONSULTATION WITH COUNCILLOR SPOKESPERSON

A copy of the report has been forwarded to the Mayor, Councillor Rush, the Deputy Mayor, Councillor Scholes, and the Councillor Spokesperson for Infrastructure, Councillor Woodruff, for review.

REPORT

At the June 2019 extra ordinary meeting, Council adopted a budget containing a number of Capital Works for Roads and Drainage.

The Operational Plan requires Council to be provided with a list of proposed and alternative projects prior to construction. The attachments provide prioritised lists of works for Council's consideration and endorsement. These lists far exceed the available funding in any single year, and therefore, it is proposed that funds be applied to these priorities to the extent of funding under the various funding programs.

Footpath / Cycleway Renewal Program - \$:160,000

A list of footpath defects is provided as Attachment A. The list provides the locations of the defect, the extent of the area of paths which needs renewal and the priority ranking. The estimated cost of Priority 1 renewals is \$128,990. The estimated cost of Priority 2 is \$213,660. The allocation will achieve the renewal of all priority 1 defects.

Further to the above list of footpath defects, a list of kerb ramps that do not meet the current standard for access is provided as Attachment B. By modifying the existing ramps, these ramps can be brought up to current standards in some locations without major associated works. However, in some locations, major works such as relocation of utility services pits, and /or road works have to be undertaken to provide compliant access.

It is proposed to carry out a combination of footpath renewals and modification of kerb ramps utilising the funds available in the footpath renewal allocation.

Kerb and Gutter Replacement Program - \$:130,000

A prioritised list of kerb and gutter which requires renewal is provided as Attachment C.

Resealing Programs \$577,898:

Proposed urban and rural road segments that are recommended to be resurfaced are listed in the Attachment D and Attachment E.

There are a few segments of roads where there are cracks on the wearing surface. These cracks can be treated by application of a crack sealant to prevent water penetration into the road pavement. Prioritised crack sealing works are listed in the Attachment F. It is proposed that the programs are to be developed from the lists in the order of priority and on an as need basis so as to achieve the best value for money outcome.

New Footpaths and Cycleway Program \$43,000

A prioritised footpath and cycle way program is attached as Attachment G.

The footpath link between Thompson Street and Bell Street has the highest priority ranking. However it is recommended this link be considered for construction only after the installation of traffic signals at the Thompson Street/NE Highway intersection. Due to the limitation of the available funding, the next priority aligned with the budget is Palace St Eastern side 40m (Turtle to Anglican Church). This section would link the Denman CBD from the existing path on the eastern side of Palace St to the Anglican Church,

improving accessibility thus providing benefit to the residents of this precinct including those at the aged care facility in Ogilvie St.

In addition to the prioritised program Council has been successful in obtaining funding of \$134,640 for the construction of 400m of concrete cycleway (Hayden to Olympic Park) in Fitzgerald Avenue through Transport NSW 2019-20 Active Transport Program. This proposed project would form part of the Olympic Park Masterplan project and would construct an active transport link to Olympic Park from the existing walk / cycle paths in the precinct. Acceptance of this funding is conditional on Council providing a matching co contribution towards the construction. Council is asked to consider the acceptance of this funding with sources of the co contribution provided in the financial section of the report.

Traffic Safety/Control Devices Program \$ 138,137

A list of priorities for installation of guard rails is provided as Attachment H.

SOCIAL IMPLICATIONS

The implementation of the Capital Works Program will provide positive impacts to the Community through the provision of improved assets, amenity, access and road safety. It is acknowledged that there would be a short term inconvenience during the construction phase of this program but this would be managed and minimised where possible.

FINANCIAL IMPLICATIONS

Council has allocated funds in the 2019-20 Budget for various Capital Work Programs. It is proposed that funds be applied to the attached priorities to the extent of funding under the following programs:

- Footpath Renewal Program
- Kerb & Gutter Renewal Program
- Resealing Program
- New Footpath Program
- Safety Devices Program

If Council accepts the funding of \$134,640 under the 2019-20 Active Transport Program it is required to provide a matching co contribution towards the for the construction. Council could consider the following option for the funding of this contribution;

\$177,640 from Corporate directorate -Wilkinson Bridge Carryover which has a current budget of approx. \$300,000. This option would allow new footpath to be constructed in Wilkinson Ave.

Capital Works Projects which are part of the Resources for Regions Round five (5) and six (6) programs and the Roads and Maritime Services roads programs for the 2019-2020 will be reported to the August meeting of Council, after the end of year adjustments and financials are completed.

POLICY IMPLICATIONS

Not applicable.

STATUTORY IMPLICATIONS

Not applicable.

LEGAL IMPLICATIONS

Not applicable.

OPERATIONAL PLAN IMPLICATIONS

This report relates to the Operational Plan. Section 19.

RISK MANAGEMENT IMPLICATIONS

Not applicable.

Attachment A

FOOTPATH RENEWAL PRIORITIES 2019-20							
Road Name	Number/Locator		Description	Width	Length	m2	Priority
Bloodwood Rd	17	Muswellbrook	Crack/ using for driveway	1.2	3	3.6	1
Bimbadeen Dr	1c	Muswellbrook	Service Valve reinstatement/ no continuing footpath	1.2	4	4.8	1
Bimbadeen Dr	1A	Muswellbrook	Cracking / settled - trees removed	1.2	10	12	1
Brook St	St Albans Anglican Church	Muswellbrook	A/C footpath undulating	5.5	50	275	1
Paterson Place	Various locations	Muswellbrook	Cracked and broken path 3 locations	1.2	14	16.8	1
Hunter Park	Jersey to Dangar	Muswellbrook	Join	1.2	10	12	1
Brook Park	Behind 17 Dalwood Pl	Muswellbrook	Severe step next to storm water drain	1.2	15	18	1
Brook St	99	Muswellbrook	Trench and cracks. Pram ramp being used as driveway by resident	1.2	9	10.8	1
King St	7	Muswellbrook	Join - has been filled	1.2	12	14.4	1
King St	Muswellbrook High School	Muswellbrook	Cracking and weeds	4	85	340	1
King St	Cnr Clendinning (High School)	Muswellbrook	Replace AC surface at the extension of the footpath at corner	1.5	5	7.5	1
Brook St	Path (George St)	Muswellbrook	Connection from path to pram ramp cut	1.2	5	6	1
Brook St	87/89a	Muswellbrook		1.2	20	24	1
Bridge St	path from View Place	Muswellbrook	Cracked and lifting path	1.2	8	9.6	1
Casuarina Cl	12 Casuarina	Muswellbrook	Cracked	2	5	10	1
Northerly Cl	6	Muswellbrook	Crack - footpath raised	1.2	10	12	1
Skellatar Stock Route	Various locations	Muswellbrook	Cracking various locations	1.2	60	72	1
Brentwood St	9	Muswellbrook	Join - has been filled	3	3	9	1
Highbrook Park	Various locations	Muswellbrook	Cracked	1.2	15	18	1
Denman Wetland	1951 (Jock Brown)	Muswellbrook	Cracking	2	2	4	1
Denman Wetland	1963 (Richard Le brocq)	Denman	Cracking	2	2	4	1
Denman Wetland	1971 (Gillian Garland)	Denman	Cracking	2	2	4	1
Ogilvie St	NRMA	Denman	Extensively cracked path	2	15	30	1
Ogilvie St	Corner Virginia (56 Ogilvie)	Denman		2	2	4	1
Hunter Park	Dangar to Wollombi cross path	Denman	Various locations joins	2	4	8	1/2
Lorne St	Bowman Park path	Muswellbrook	Pram Ramp	2	4	8	1/2
McGregor St	3	Muswellbrook		1.2	5	6	1/2
McGregor St	1	Muswellbrook		1.2	5	6	1/2
Belmore St	6	Muswellbrook	Cracking	1.2	4	4.8	1/2
Belmore St	8	Muswellbrook	Cracking	1.2	6	7.2	1/2
Bimbadeen Dr	1B	Muswellbrook	Join (tree removed)	1.2	3	3.6	1/2
Sydney St	Matildas - subject to roadhouse	Muswellbrook	A/C footpath is cracked, uneven and potholed (water main?)	5.5	15	82.5	1/2
Black St	2	Muswellbrook	Cracking	1.2	3	3.6	1/2
Bloodwood Rd	17	Muswellbrook		1.2	6	7.2	1/2
Bridge St	Beta	Muswellbrook		1.2	6	7.2	1/2
Brook St	99	Muswellbrook	Crack	1.2	2	2.4	1/2
Brook St	98	Muswellbrook	Trench	1.2	2	2.4	1/2
Brook St	87	Muswellbrook		1.2	20	24	2
Brook St	82	Muswellbrook	Crack	1.2	4	4.8	2
Casuarina Cl	Path to Mbk Fair	Muswellbrook	Cracked	2	8	16	2
Crinoline St	3	Muswellbrook	2 X 10m sites	1.2	20	24	2
Day St	Opp 5	Denman	Cracking	1.2	3	3.6	2
Fitzgerald Park	Various locations	Muswellbrook	Cracked edges	10	2	20	2
Hill St	Marketplace	Muswellbrook		1.2	3	3.6	2
Hill St	Bridge to Sowerby St	Muswellbrook	Various locations - cracks and delamination	1.2	180	216	2
Hill St	124	Muswellbrook	Street tree	1.2	5	6	2
Hunter Park	Jersey to Dangar	Muswellbrook	Joins	1.2	3	3.6	2
King St	High School path	Muswellbrook	Cracking	1.2	18	21.6	2
King St	High School Bus Stop	Muswellbrook	Cracking and weeds - sealed surface	3	200	600	2
King St	Muswellbrook High School	Muswellbrook	Cracking	3	1.2	3.6	2
		Muswellbrook					
Ogilvie St	Indoor Sports Centre		Slab needs replacement - shrub has lifted	3	5	15	1/2
Ogilvie St	Indoor Sports Centre	Denman	Crack	1.2	7	8.4	1/2
Ogilvie St	Dapkos	Denman	Cracking	2.5	3	7.5	1/2
Wanaruah Cct	23	Denman		1.2	3	3.6	2
Maitland St	between Weemala and Bimbadeen	Muswellbrook	2 x filled trenches	2	10	20	2
Maitland St	Lorne Street - Remington	Muswellbrook	Some cracks and trenches - match new path	1.2	75	90	2
Maitland St	Opp Reece/Supercheap	Muswellbrook	Grinded edges (Street tree)	2	10	20	2
Maitland St	Opp Reece	Muswellbrook	Grinded edges (Street tree)	2	6	12	2
Maitland St	Opp Reece	Muswellbrook	Grinded edges (Street tree)	2	6	12	2
Maitland St	Opp Pirtek	Muswellbrook	New Slab edged grinded (Street tree)	2	3	6	2
Maitland St	Opp Pirtek	Muswellbrook	New Slab edged grinded (Street tree)	2	6	12	2
Maitland St	Opp Pirtek	Muswellbrook	Grinded edges (Street tree)	2	7	14	2
Maitland St	Opp Caltex	Muswellbrook	Grinded edges (Street tree)	2	10	20	2
Maitland St	Opp Caltex	Muswellbrook	Grinded edges (Street tree)	2	3	6	2
Maitland St	Opp Caltex	Muswellbrook	Grinded edges (Street tree)	2	6	12	2
Maitland St	Opp Caltex	Muswellbrook	Grinded edges (Street tree)	2	3	6	2
Maitland St	Opp St Andrews	Muswellbrook	New Slab edged grinded (Street tree)	2	5	10	2
Maitland St	Opp St Andrews	Muswellbrook	Grinded edges (Street tree)	2	10	20	2
Maitland St	Opp 78	Muswellbrook	Grinded edges (Street tree)	2	7	14	2
Maitland St	Opp 76	Muswellbrook	Grinded edges (Street tree)	2	7	14	2
Maitland St	Crossfit	Muswellbrook	Grinded edges (Street tree)	2	6	12	2
Maitland St	Crossfit	Muswellbrook	Grinded edges (Street tree)	2	6	12	2
Maitland St	Crossfit	Muswellbrook	Grinded edges (Street tree)	2	3	6	2
Maitland St	Crossfit	Muswellbrook	Grinded edges (Street tree)	2	16	32	2
Maitland St	Crossfit	Muswellbrook	Grinded edges (Street tree)	2	8	16	2
Mill St	Length	Muswellbrook	Footpath is cracked and in poor condition, replacement for the length is recommended	1.2	80	96	2
Mill St	Cnr Sydney St	Muswellbrook	Cracking various locations	1.2	36	43.2	2
Ogilvie St	Cnr Virginia St	Muswellbrook	Sinking temp repairs done	2	2	4	2
Ogilvie St	Dapkos	Denman	Trench	2.8	0.5	1.4	2
Ogilvie St	Dapkos	Denman	Trench	2.8	0.5	1.4	2
Ogilvie St	Shell Garage	Denman	Small Pit	0.5	1	0.5	2

Attachment A

FOOTPATH RENEWAL PRIORITIES 2019-20							
Road Name	Number/Locator		Description	Width	Length	m2	Priority
Palace St	36	Denman	street tree	1.2	3	3.6	2
Paxton St	48	Denman	Trench	2	2	4	2
Paxton St	40	Denman		2	5	10	2
Paxton St	42	Denman	Around street tree	0.5	4	2	2
Paxton St	60	Denman	Crack	1.2	1	1.2	2
Paxton St	62	Denman	two locations	1.2	10	12	2
Paxton St	22	Denman	Trench	1.2	2	2.4	2
Paxton St	Carpark	Denman		2	2	4	2
Queen St	133	Denman	Footpath rising	1.2	3	3.6	2
Roger St	Primary School (main gates)	Muswellbrook	Cracking	1.3	2	2.6	2
Roger St	Primary School (near 11)	Muswellbrook	Cracking	1.3	4	5.2	2
Roger St	Koombahla to Primary School	Muswellbrook	Poor quality concrete at school	1.3	137	178.1	2
Rutherford Rd	Toyota Dealership	Muswellbrook	Replace uneven and cracked AC footpath	4	16	64	2
Sydney St	Cnr Bridge to 29	Muswellbrook	From corner Bridge St across full length of Workers Club is cracked and has many uneven joins	5	100	500	2
Sydney St	1	Muswellbrook	Cracking	1	4	4	2
Sydney St	7	Muswellbrook	Cracking	1.5	10	15	2
Sydney St	122	Muswellbrook	Cracking	1.2	7	8.4	2
Sydney St	Workers Club	Muswellbrook	Cracking	1.5	2	3	2
Sydney St	Workers Club	Muswellbrook	Cracking	1.2	4	4.8	2
Sydney St	Workers Club	Muswellbrook		1.2	10	12	2
Sydney St	Upper Hunter Fire Protection	Muswellbrook		1.2	3	3.6	2
Turtle St	12	Muswellbrook		1.2	2	2.4	2
Turtle St	12	Denman		1.2	4	4.8	2
Turtle St	20	Denman	Cracking	1.2	3	3.6	2
Turtle St	18	Denman	Trench	1.2	2	2.4	2
Virginia St	45	Denman	Crack	1.2	5	6	2
Virginia St	43/45	Denman	Premix join	1.2	2	2.4	2
Virginia St	55	Denman	Crack	1.2	8	9.6	2
Wanaruah Cct	9	Denman	Next to Telstra pit - sunk	1.2	3	3.6	2
William St	Police Station	Muswellbrook	Cracking various locations	1.2	15	18	2
William St	Shamrock Hotel	Muswellbrook	AC footpath is cracked, uneven and potholled	3	19	57	2
Sydney St	Muswellbrook Nissan	Muswellbrook	Includes pram ramp - various locations	2	15	30	2
Sydney St	122	Muswellbrook		1.2	6	7.2	2/3
Sydney St	114	Muswellbrook	Cracking	1.2	6	7.2	3
Sydney St	114	Muswellbrook	Trench	1.2	3	3.6	3
Verdelho Reserve	Various locations	Muswellbrook	Cracking - minimum of 10 locations along length	2	20	40	3
Anzac Pde	Path to Tindale	Muswellbrook	Cracking	1.2	2	2.4	3
Arbor Park	Path from Virginia St (near bridge)	Muswellbrook	Cracks and joins	1.2	6	7.2	3
Bell Street	Olympic Park driveway	Denman	join	2	5	10	3
Bell Street	Olympic Park driveway	Muswellbrook	join	2	5	10	3
Bell Street	cnr Victoria	Muswellbrook	join	2	5	10	3
Belmore St	4	Muswellbrook	Cracking	1.2	3	3.6	3
Belmore St	10	Muswellbrook	Cracking	1.2	6	7.2	3
Belmore St	12	Muswellbrook	cracking	1.2	3	3.6	3
Belmore St	Opp 21	Muswellbrook	Cracking	1.2	6	7.2	3
Belmore St	Opp 23	Muswellbrook	Cracking	1.2	2	2.4	3
Bimbadeen Dr	1c	Muswellbrook	cracking	1.2	3	3.6	3
Bimbadeen Dr	26	Muswellbrook		1.2	3	3.6	3
Bimbadeen Dr	32	Muswellbrook	cracking	1.2	3	3.6	3
Bimbadeen Dr	39	Muswellbrook	Join	1.2	3	3.6	3
Bimbadeen Dr	45	Muswellbrook	Street tree (temp fill needed)	1.2	5	6	3
Bimbadeen Dr	45	Muswellbrook	Pram ramp	1.2	5	6	3
Bimbadeen Dr	45	Muswellbrook	Join	1.2	3	3.6	3
Bimbadeen Dr	47	Muswellbrook	Street tree (temp fill needed)	1.2	6	7.2	3
Bimbadeen Dr	49	Muswellbrook	Join	1.2	3	3.6	3
Bimbadeen Dr	51	Muswellbrook	Join	1.2	3	3.6	3
Bimbadeen Dr	53	Muswellbrook	Join x 2	1.2	5	6	3
Bimbadeen Dr	59	Muswellbrook	Crack	1.2	6	7.2	3
Bimbadeen Dr	61	Muswellbrook	join	1.2	5	6	3
Bimbadeen Dr	26	Muswellbrook		1.2	5	6	3
Bimbadeen Dr	26	Muswellbrook	Crack	1.2	2	2.4	3
Black St	10	Muswellbrook	Join	1.2	2	2.4	3
Bloodwood Rd	31	Muswellbrook	Grinding done	1.2	2	2.4	3
Bloodwood Rd	29	Muswellbrook	Grinding done	1.2	5	6	3
Bloodwood Rd	29	Muswellbrook	Crack	1.2	5	6	3
Bloodwood Rd	25	Muswellbrook	Crack	1.2	3	3.6	3
Bloodwood Rd	11	Muswellbrook	Trench	1.2	3	3.6	3
Brentwood St	15	Muswellbrook		2	3	6	3
Brook Park	Various locatons	Muswellbrook	Joins	1.2	4	4.8	3
Brook St	95	Muswellbrook	Cracks	1.2	2	2.4	3
Brook St	98	Muswellbrook	Cracked path + pram ramp	1.2	20	24	3
Brook St	121	Muswellbrook	Trench	1.2	3	3.6	3
Brook St	114	Muswellbrook	Crack	1.2	3	3.6	3
Brook St	108	Muswellbrook		1.2	2	2.4	3
Brook St	94	Muswellbrook	Crack	1.2	3	3.6	3
Brook St	86	Muswellbrook		1.2	3	3.6	3
Brook St	79/81	Muswellbrook		1.2	30	36	3
Brook St	95	Muswellbrook	Crack	1.2	22	26.4	3
Casuarina Cl	12 Casuarina	Muswellbrook	Cracked	2	15	30	3
Crinoline St	23/25	Muswellbrook		1.2	2	2.4	3
Crinoline St	25/27	Denman	Trench	1.2	3	3.6	3
Crinoline St	19/17	Denman	Trench	1.5	3	4.5	3
Crinoline St	13/15	Denman	Trench	1.2	2	2.4	3

Attachment A

Road Name	Number/Locator		Description	Width	Length	m2	Priority
Crinoline St	RSL	Denman	Trench	1.2	4	4.8	3
Crinoline St	7	Denman		1.2	4	4.8	3
Crinoline St	9	Denman		1.2	2	2.4	3
Crinoline St	9	Denman		1.2	2	2.4	3
Dangar Pl	Path to Wollombi Road	Denman	Cracking	2	2	4	3
Day St	opp 1/3	Muswellbrook	Cracking	1.2	6	7.2	3
Day St	6	Muswellbrook	Cracking	1.2	6	7.2	3
Denman Wetland	1953 (Gary Day)	Muswellbrook	Cracking	2	2	4	3
Denman Wetland	1973 (Shaun Martin)	Denman	Cracking	2	2	4	3
Denman Wetland	At creek crossing (Path to Virginia)	Denman	Poor Repair	2	6	12	3
Denman Wetland	1995 (Mitchell Collins)	Denman	Cracking	2	2	4	3
Denman Wetland	1998 (Josh Smith)	Denman	Cracking	2	2	4	3
Finnigan Cres	5	Denman	Cracking	1.2	5	6	3
Finnigan Cres	13	Muswellbrook	Cracking	1.2	10	12	3
Finnigan Cres	27	Muswellbrook	Cracking	1.2	2	2.4	3
Finnigan Cres	39	Muswellbrook	Cracking	1.2	2	2.4	3
Fitzgerald Park	Various locations	Muswellbrook	Cracked edges	16	2	32	3
Glenbawn Place	path to Tobruk Ave	Muswellbrook	Join - has been filled with premix x 3	2	9	18	3
Henry Dangar Dr	Roundabout (Bimbadeen/Day)	Muswellbrook	Cracking	1.2	6	7.2	3
Henry Dangar Dr	21	Muswellbrook	Cracking	1.2	0.5	0.6	3
Hunter Park	Side no 5 Jersey	Muswellbrook	Join - premix	1.2	2	2.4	3
Hunter Park	Jersey to Dangar	Muswellbrook	Joins various locations	1.2	5	6	3
Hunter Park	Jersey to Wollombi	Muswellbrook	Various locations	1.2	15	18	3
Ironbark Road	1 Plashett (house boundary)	Muswellbrook	Has been filled with premix	2	5	10	3
Ironbark Road	64 (w of driveway)	Muswellbrook	Chip - not yet filled with premix	2	3	6	3
Ironbark Road	64 (e of driveway)	Muswellbrook	Chip - filled with premix	2	3	6	3
Ironbark Road	114	Muswellbrook	2 x badly restored trenches	2	3	6	3
Ironbark Road	68/70	Muswellbrook	Badly restored trench - grinding has been done	2	4	8	3
John Howe Cct	1	Muswellbrook	Cracking	1.2	3	3.6	3
John Howe Cct	13	Muswellbrook	Cracking	1.2	2	2.4	3
John Howe Cct	30 (vacant block)	Muswellbrook	Cracking	1.2	4	4.8	3
John Howe Cct	2	Muswellbrook	Join x 2	1.2	4	4.8	3
John Howe Cct	5	Muswellbrook	Cracking	1.2	2	2.4	3
John Howe Cct	11	Muswellbrook	Cracking	1.2	2	2.4	3
John Howe Cct	17	Muswellbrook	Join	1.2	5	6	3
John Howe Cct	30	Muswellbrook	Join	1.2	2	2.4	3
John Howe Cct	34	Muswellbrook	Cracks	1.2	5	6	3
John Howe Cct	36	Muswellbrook	Cracks	1.2	2	2.4	3
John Howe Cct	61 Bimbadeen	Muswellbrook	Street tree	1.2	3	3.6	3
John Howe Cct	28	Muswellbrook	Street tree	1.2	2	2.4	3
King St	3	Muswellbrook	Cracking	1.2	2	2.4	3
King St	Muswellbrook High School	Muswellbrook	Cracking - various locations	1.2	11	13.2	3
Kinji Reserve	Calgaroo entrance	Muswellbrook	Join	2	10	20	3
Kinji Reserve	Rear 33 Calgaroo	Muswellbrook	Join	2	5	10	3
Loftberg Court	2	Muswellbrook	Cracking	1.2	2	2.4	3
Lou Fisher Pl	4	Muswellbrook	2 x trenches (Have been ground) and 1 join	1.2	5	6	3
Maitland St	Servo Cnr Sydney St	Muswellbrook	Joins and cracks	5	15	75	3
Maitland St	75	Muswellbrook	Cracking	1.2	1.2	1.44	3
Maitland St	75	Muswellbrook	Cracking	1.2	1.2	1.44	3
Maitland St	75	Muswellbrook	Cracking	1.2	1.2	1.44	3
Maitland St	Cnr Francis Street	Muswellbrook	Poorly restored slab	1.3	3	3.9	3
Maitland St	Thompson St to TAFE	Muswellbrook	Cracked and worn	1.2	130	156	3
McGregor St	17	Muswellbrook	Cracking	1.2	3	3.6	3
McGregor St	15	Muswellbrook	Cracking	1.2	2	2.4	3
McGregor St	11	Muswellbrook	Cracking	1.2	5	6	3
McGregor St	5	Muswellbrook	Cracking	1.2	3	3.6	3
Ogilvie St	43	Muswellbrook	Asphalt around Telstra Pit	1	2	2	3
Ogilvie St	Dapkos	Denman	Cracks	3	15	45	3
Ogilvie St	IGA Carpark	Denman	Cracking	1.2	9	10.8	3
Osborn Ave	38	Denman	Cracking	2	2	4	3
Osborn Ave	38	Muswellbrook	Cracking	2	6	12	3
Osborn Ave	38	Muswellbrook	Cracking	2	10	20	3
Osborn Ave	32	Muswellbrook	Cracking	2	8	16	3
Osborn Ave	36	Muswellbrook	Cracking	2	6	12	3
Osborn Ave	4	Muswellbrook	Cracking	2	3	6	3
Osborn Ave	73	Muswellbrook	Trench	2	2	4	3
Osborn Ave	65	Muswellbrook	Crack	2	7	14	3
Osborn Ave	53	Muswellbrook	Cracking	2	2	4	3
Palace St	47	Muswellbrook	Cracks	1.2	10	12	3
Palace St	Bowling Club	Denman	Trench	1.2	2	2.4	3
Palace St	Denman Hotel	Denman	Cracks	1.2	2	2.4	3
Palace St	Denman Hotel	Denman	Cracks	1.2	2	2.4	3
Palace St	44	Denman	Cracks	1.2	2	2.4	3
Palace St	42	Denman	Cracks	1.2	6	7.2	3
Paterson Place	Various locations	Denman	Joins and cracks	1.2	17	20.4	3
Paxton St	22	Muswellbrook	Cracking	1.2	2	2.4	3
Paxton St	24	Denman	Cracks	1.2	4	4.8	3
Paxton St	24	Denman	Cracks	1.2	2	2.4	3
Paxton St	25	Denman	Cracks	2	2	4	3
Paxton St	30	Denman	Street tree - cracks	1.2	2	2.4	3
Paxton St	42	Denman	Poorly restored trench	2	0.5	1	3
Paxton St	42	Denman	Street tree	1.2	8	9.6	3
Paxton St	42/44	Denman	Trench	4	0.5	2	3
Paxton St	46	Denman	Trench	2	10	20	3

Attachment A

FOOTPATH RENEWAL PRIORITIES 2019-20						
Road Name	Number/Locator		Description	Width	Length	m2 Priority
Paxton St	50	Denman	Street tree	2	2	4 3
Paxton St	56	Denman	Cracked	1.2	12	14.4 3
Paxton St	Crinoline St to Denman Public School	Denman	widened path has join/trip edge, tree issues, etc along length	2	220	440 3
Paxton St	Denman Public School	Denman		1.2	5	6 3
Paxton St	29	Denman		1.5	2	3 3
Paxton St	Memorial Park	Denman		2	6	12 3
Plashett Cl	2 Angus Peebles	Denman	Trench filled with A/C	1.2	3	3.6 3
Skellatar Stock Route	3	Muswellbrook		3	3	9 3
Skellatar Stock Route	29	Muswellbrook		2	4	8 3
Skellatar Stock Route	St James School entrance driveway	Muswellbrook	Hydrant surround was cut out and filled - is now cracking	3	2	6 3
Sowerby St	Cnr Manning	Muswellbrook	Undulating A/C footpath	4.4	20	88 3
Sowerby St	Cnr Manning	Muswellbrook	Crack	2	5	10 3
Sowerby St	Marketplace loading dock	Muswellbrook		3	5	15 3
Sowerby St	8	Muswellbrook	Crack	3	2	6 3
St Heliers St	11	Muswellbrook	Damaged trench - possible to premix	1.2	2	2.4 3
Sydney St	80	Muswellbrook	Filled	1.2	4	4.8 3
Sydney St	82	Muswellbrook	Crack	1.5	3	4.5 3
Sydney St	124	Muswellbrook	Street tree	1.2	3	3.6 3
Sydney St	132	Muswellbrook		1.2	3	3.6 3
Sydney St	98	Muswellbrook		2	3	6 3
Sydney St	90	Muswellbrook		1.2	3	3.6 3
Turtle St	22 Paxton St	Muswellbrook	Tree	1.2	6	7.2 3
Turtle St	24	Denman		1.2	2	2.4 3
Turtle St	26	Denman	tree	1.2	5	6 3
Turtle St	26	Denman	driveway	1.2	3	3.6 3
Verdelho Reserve	Just down from Chablis	Denman	Cracks	2	4	8 3
Verdelho Reserve	Cabernet to Shiraz	Muswellbrook	Cracks	2	6	12 3
Verdelho Reserve	Shiraz St	Muswellbrook	Cracks	2	5	10 3
Verdelho Reserve	near seats (Cabernet end)	Muswellbrook	Cracks	2	6	12 3
Virginia St	53	Muswellbrook	Crack	1.2	2	2.4 3
Virginia St	57	Denman		1.2	3	3.6 3
Virginia St	73	Denman	Crack	1.2	2	2.4 3
Virginia St	73	Denman	Crack	1.2	2	2.4 3
Virginia St	75	Denman	Crack	1.2	0.5	0.6 3
Virginia St	83	Denman	Trench - has been filled with premix	1.2	0.5	0.6 3
Virginia St	85 & 87	Denman	Crack	1.2	5	6 3
Virginia St	93	Denman	Crack	2	5	10 3
Virginia St	41	Denman		1.2	2	2.4 3
Virginia St	27	Denman		1.2	3	3.6 3
Virginia St	23	Denman		1.2	3	3.6 3
Wanaruah Cct	3	Denman		1.2	2	2.4 3
Wanaruah Cct	3	Muswellbrook		1.2	2	2.4 3
Wanaruah Cct	25	Muswellbrook		1.2	3	3.6 3
Wanaruah Cct	opp 45	Muswellbrook	cracking	1.2	5	6 3
Wattle St	16/18	Muswellbrook	Failed trench	1.2	2	2.4 3
Wattle St	16	Muswellbrook	Failed trench	1.2	2	2.4 3
Wattle St	14	Muswellbrook	Failed trench	1.2	2	2.4 3
Wattle St	8	Muswellbrook	Failed trench	1.2	2	2.4 3
Henry Dangar Dr	Path across Ridge	Muswellbrook	Cracking	2	2	4 3
Belmore St	12	Muswellbrook	Cracking	1.2	6	7.2 4
Black St	10	Muswellbrook	Cracking	1.2	3	3.6 4
Brook St	104	Muswellbrook	Cracking - various locations	1.2	9	10.8 4
Brook St	100	Muswellbrook	Crack	1.2	3	3.6 4
Brook St	94	Muswellbrook	Crack	1.2	2	2.4 4
Brook St	92	Muswellbrook	Crack	1.2	2	2.4 4
Brook St	90	Muswellbrook	Crack (at driveway)	1.2	2	2.4 4
Brook St	88	Muswellbrook	Crack	1.2	2	2.4 4
King St	1	Muswellbrook	Cracking	1.2	3	3.6 4
King St	3	Muswellbrook	Cracking	1.2	3	3.6 4
King St	Muswellbrook High School	Muswellbrook	Cracking - various locations	1.2	8	9.6 4
Osborn Ave	34	Muswellbrook	Cracking	2	2	4 4
Osborn Ave	40	Muswellbrook	Cracking	2	2	4 4
Sydney St	68	Muswellbrook	Cracking	1.2	3	3.6 4
Sydney St	84	Muswellbrook	Cracking	1.5	3	4.5 4
Sydney St	86	Muswellbrook	Cracking	1.5	3	4.5 4
Sydney St	92	Muswellbrook	Cracking	1.5	3	4.5 4
Sydney St	100	Muswellbrook	Cracking	1.5	5	7.5 4
Sydney St	Brookside	Muswellbrook	Cracking	1.2	6	7.2 4
Wanaruah Cct	opp 47	Muswellbrook	Cracking	1.2	5	6 4
Wanaruah Cct	opp 37	Muswellbrook	Cracking	1.2	15	18 4
Wanaruah Cct	opp 33	Muswellbrook	Cracking	1.2	10	12 4
Wanaruah Cct	opp 1/31	Muswellbrook	Cracking	1.2	15	18 4
Wattle St	6	Muswellbrook	Trench	1.2	2	2.4 4
Wattle St	10	Muswellbrook	Trench	1.2	2	2.4 4
Wattle St	22	Muswellbrook	Trench	1.2	2	2.4 4
Wattle St	3 Chivers	Muswellbrook	Trench	1.2	2	2.4 4
Olympic Park	Various locations	Muswellbrook	Grinding done	208	2	416 4
						7089

Attachment B

Attachment B

NON COMPLIANT ACCESS RAMPS												
Town	Street	Location	Sub Location	Priority	Standard Y/N	Ramp %	Road %	Lip mm	Join?	Wings Y/N	Comment	Extra work needed
Muswellbrook	Market Street	Across Market	Art Gallery to QEII	1	N	6	4	20	Join	N	Observed electric wheel chair had difficulty over lip. Not a proper pram ramp	
Muswellbrook	Osborn Avenue	Corner Skellatar Stock Rt	17 Skellatar Stock Route	1	N	9	3	0		Y	Damaged pram ramp (has premix) needs to be replaced	
Muswellbrook	Hunter Park	Wollombi Rd	108 Wollombi Rd	1	N	10	5	20		Y	Cracked and damaged	
Muswellbrook	Glendinning Street	Glendinning St	Mbk High School	1	N	12	5	50		Y	Path coming from School Hall - mobility issues on school grounds	
Muswellbrook	Market Street	Across Market	QEII to Art Gallery	1	N	11	5	20	Join	N	Not a proper pram ramp	
Muswellbrook	Sydney Street	Traffic Lights	Prince of Wales Hotel	1	N	10	14	0		Y		
Muswellbrook	Sydney Street	Traffic Lights	C&F Electronics	1	N	10	5	0		Y		
Muswellbrook	Sydney Street	Corner Forbes	124 Sydney Street	1	N	19	10	0		N	Not a proper pram ramp	
Muswellbrook	Sydney Street	Corner Forbes	126 Sydney Street	1	N	17	12	5		N	Not a proper pram ramp	
Muswellbrook	Sydney Street	Corner Anzac	140 Sydney Street	1	N	13	7	10		N		Pavement issues
Muswellbrook	Sydney Street	Corner Anzac	FM Mechanical	1	N	11	10	0		Y		Pavement issues
Muswellbrook	Sydney Street	Corner Tarakan	160 Sydney Street	1	N	11	11	0		Y		
Muswellbrook	Sydney Street	Corner Skellatar	100 Sydney Street	1	N	11	8	30		Y	Not a proper pram ramp	
Muswellbrook	Maitland Street	Corner Lorne Street	4 Lorne	1	N	13	6	20		N		
Muswellbrook	Osborn Avenue	Corner Ruth White Avenue	51 Ruth White Avenue	1	N	12	9	0	Join	Y		
Muswellbrook	Osborn Avenue	Corner Ruth White Avenue	40 Ruth White Avenue	1	N	13	7	0	Join	Y		
Muswellbrook	Hunter Park	Wollombi Rd	106 Wollombi Rd	1	N	12	6	20		Y	Cracked	
Denman	Virginia Street	Corner Ogilvie St	Denman Hospital	1	N	11	8	0		Y	Doing with road work	Footpath work
Denman	Ogilvie Street	Corner Virginia St	Denman Hospital	1	N	9	12	5-10		Y	Doing with road work	Footpath work
Denman	Virginia Street	Corner Macauley St	37 Virginia	1	N	10	8	0		Y	Comply with standard	
Denman	Palace Street	Corner Macauley St	22 Palace St	1	N	10	5	0		Y	Footpath not continue	
Denman	Paxton Street	Corner Isobel St	RSL Club	2	N	10	6	0		Y	Filled with Coldmix	Need road work
Denman	Paxton Street	Corner Isobel St	Memorial Park	2	N	9	4	0		Y	Filled with Coldmix	Need road work
Denman	Paxton Street	Corner Crinoline St	11 Crinoline St	2	N	9	6	0		Y	End of path - no corresponding footpath on the other side	
Denman	Virginia Street	Corner Isobel St	95 Virginia	2	N	7	8	0	Join	Y	End of path - no corresponding pram ramp	
Denman	Crinoline St	Corner Virginia St	27 Crinoline	2	N						Path stops at property boundary there is no pram ramp or connecting path	
Denman	Ogilvie Street	Corner Palace St	Denman Hotel	2	N	8	6	0	Join	Y	Pram ramp is constructed of pavers	
Denman	Palace Street	Corner Ogilvie St	Denman Hotel	2	N	8	5	0	Join	Y	Pram ramp is constructed of pavers	
Denman	Palace Street	Corner Ogilvie St	NRMA	2	N	8	5	0	Join	Y	Pram ramp is constructed of pavers	
Denman	Paxton Street	Corner Ogilvie St	Fernandes	2	N	10	6	5-10	Join	Y	Pram ramp is constructed of pavers	
Denman	Ogilvie Street	Corner Paxton St	Edward Higgins Parkinson	2	N	16	5	5-10		Y	Pram ramp is constructed of pavers	
Denman	Paxton Street	Corner Ogilvie St	Edward Higgins Parkinson	2	N	9	6	0		Y	Pram ramp is constructed of pavers	
Denman	Paxton Street	Corner Ogilvie St	Denman Dapkos	2	N	15	17	0		Y		Need road work
Denman	Virginia Street	Corner Ogilvie St	56 Ogilvie	2	N	10	6	5	Join	Y		Need road work
Denman	Paxton Street	Corner Ogilvie St	37 Ogilvie	2	N	14	11	0		Y	Road's angle actually 24%	Need road work
Denman	Ogilvie Street	Corner Paxton St	37 Ogilvie	2	N	11	6	30-40		Y	Filled with Coldmix previously due to service request	Need road work
Denman	Arbor Park	Virginia Street	Opposite 91 Virginia St	2	N	18	5	0	Join	Y		10 m ² Footpath work and more earth work
Denman	Arbor Park	Virginia Street		2	N	14	7	5	Join	Y		5 m ² Footpath work and more earth work
Denman	Paxton Street	Corner Merton St	62 Paxton	2	N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Brook Street	Corner George	122 Brook		N	9	8	5		N	Not a proper pram ramp	
Muswellbrook	Brook Street	Corner George	next to 121 Brook		N	10	7	0		Y	Path extends from George St Culdesac to Brook St	
Muswellbrook	Brook Street	Corner Carl	99 Brook		N	7	6	40-50		N	Not a proper pram ramp	
Muswellbrook	Brook Street	Brook St	79 Brook		N	9	4	0		Y	Path crosses Brook St near Sowerby St	
Muswellbrook	Sowerby Street	Corner Brook St	79 Brook		N	10	8	0		Y		
Muswellbrook	Brentwood Street	Brentwood St	2 King		N	9	9	10		Y	Long slope to path - no other platform	
Muswellbrook	Brentwood Street	Corner Birralee	13 Brentwood		N	8	5	5		Y		
Muswellbrook	Bell Street	Corner Clifford	Hermitage Motel		N	7	13	0		N		
Muswellbrook	Bell Street	Corner Clifford	2 Bell		N	8	11	5-10		N	Small gap at join	Weeds need to be removed
Muswellbrook	Victoria Street	Cnr Dolahenty	Pedestrian crossing		N	8	6	0	Join	Y	No platform	
Muswellbrook	Market Street	Interchange	Centre island		N						The only way to get to the centre island is via the speed hump	Install ramps
Muswellbrook	Sydney Street	Corner Mitchell	Brookside		N	11	6	10		Y	Pram ramp to nowhere - end of constructed path	
Muswellbrook	Sydney Street	Corner Mill	Accidental		N	3	13	20		N	Not a proper pram ramp	
Muswellbrook	Market Street	Across Market	Senior Citizens to Simpson Park		N	8	6	10	Join	Y		
Muswellbrook	Market Street	Corner Camplon	King Cycle Works		N	8	2	0	Join	Y		
Muswellbrook	Haydon Street	Across Haydon	Muscle Creek		N	5	10	0		N	Path leads to the road, there is no corresponding ramp opposite	Road edge to pavers
Muswellbrook	Maitland Street	Traffic Lights	Prince of Wales Hotel		N	7	8	0		Y		
Muswellbrook	Sydney Street	Traffic Lights	Maitilda Service Station		N	11	7	0		Y		
Muswellbrook	Sydney Street	Corner Skellatar	Muswellbrook Motors		N	9	7	20		N		
Muswellbrook	Sydney Street	Corner Fleming	112 Sydney Street		N	5	10	0		N		
Muswellbrook	Sydney Street	Corner Fleming	114 Sydney Street		N	8	7	0		Y		

Attachment B

Attachment B

NON COMPLIANT ACCESS RAMPS												
Town	Street	Location	Sub Location	Priority	Standard Y/N	Ramp %	Road %	Lip mm	Join?	Wings Y/N	Comment	Extra work needed
Muswellbrook	Sydney Street	Corner Barrett	88 Sydney Street		N	7	13	10-15		N	Not a proper pram ramp	
Muswellbrook	Haydon Street	Corner Wilkinson	Fitzgerald Park		N	6	9	0	Join	Y		
Muswellbrook	Haydon Street	Corner Wilkinson	7 Haydon Street		N	9	7	0	Join	Y		
Muswellbrook	Lonhro Place	Corner Jeune	7 Jeune Street		N	8	8	0	Join	Y		
Muswellbrook	Lonhro Place	Corner Sepoy	8 Sepoy Crescent		N	9	7	0	Join	Y		
Muswellbrook	Lonhro Place	Corner Sepoy	6 Sepoy Crescent		N	11	6	0	Join	Y		
Muswellbrook	Queen Street	Across Queen	131 Queen Street		N	8	6	0	Join	Y	Path leads to the road, there is a pram ramp but no path opposite	
Muswellbrook	Queen Street	Across Queen	139 Queen Street		N	9	9	0	Join	Y	Path leads to the road, there is a pram ramp but no path opposite	
Muswellbrook	Northview Circuit	Corner Queen	139 Queen Street		N	4	7	0	Join	Y		
Muswellbrook	Northview Circuit	Corner Queen	141 Queen Street		N	7	9	0	Join	Y		
Muswellbrook	Brook Street	Corner Bridge	ANZ		N	9	2	0		Y		
Muswellbrook	Bridge Street	Corner Bridge	ANZ		N	9	3	0		Y		
Muswellbrook	Bridge Street	Corner Brook	ANZ		N	9	3	0		Y		Cracked gutters
Muswellbrook	Hill Street	Corner Bridge	RMS		N	3	10	30		N	Not a proper pram ramp	
Muswellbrook	Bridge Street	Corner Brook	Commonwealth Bank		N	10	4	0	Join	Y		
Muswellbrook	Brook Street	Corner Bridge	Commonwealth Bank		N	9	4	0	Join	Y		
Muswellbrook	Brook Street	Corner Sowerby	Callex		N	8	7	0		Y		
Muswellbrook	Brook Street	Corner Sowerby	Convent		N	8	7	0		Y		
Muswellbrook	Brook Street	Corner Bridge	Westpac		N	8	4	0	Join	Y		
Muswellbrook	Bridge Street	Corner Brook	Westpac		N	9	4	0		Y		
Muswellbrook	Hill Street	Corner Sowerby	28 Sowerby		N	1	12	0		Y		
Muswellbrook	Sowerby Street	Corner Hill	28 Sowerby		N	7	11	0		Y		
Muswellbrook	Sowerby Street	Corner Brook	Marketplace		N	8	7	0		Y		
Muswellbrook	Sowerby Street	Corner Brook	Convent		N	9	9	0		Y	Pedestrian Crossing	
Muswellbrook	Semillon Street	Karoola Park	Karoola Park East		N	7	8	5	Join	Y	No platform	
Muswellbrook	Queen Street	Drainage Reserve	154/156 Queen		N	8	7	0		Y		
Muswellbrook	Burgundy Street	Drainage Reserve	19/21 Burgundy		N	9	4	40-50		Y		
Muswellbrook	Karoola Park	Netball Courts	Hastings St Carpark		N	8	7	0	Join	Y		
Muswellbrook	Verdelho Reserve	Queen-Cabernet	near 100 Queen		N	7	4	0	Cracked	Y	On fill list	
Muswellbrook	Verdelho Reserve	Queen-Cabernet	near 15 Cabernet		N	8	7	0		Y	Does not line up to path across road	
Muswellbrook	Verdelho Reserve	Cabernet-Shiraz	near 12 Cabernet		N						No pram ramp - does not connect to kerb - foot worn path lines up with other path	
Muswellbrook	Verdelho Reserve	Cabernet-Shiraz	near 79 Shiraz		N	9	7	30		Y	Connects to driveway opposite to Karoola Park - no constructed path	
Muswellbrook	Verdelho Reserve	Chardonnay-Verdelho	33/36 Chardonnay		N						No pram ramp - connects directly to mountable kerb	
Muswellbrook	Queen Street	Queen-Thiess	opposite 62 Queen		N	9	unable	0		Y	Gutter full of dirt	
Muswellbrook	Chardonnay Street	Verdelho Reserve	36/33 Chardonnay		N						No pram ramp - path has steps - does not connect to kerb - does not line up with path opposite	
Muswellbrook	Chablis Close	Verdelho Reserve	17/19 Chablis		N						No pram ramp - path has steps - does not connect to kerb	
Muswellbrook	Chablis Close	Gamay Cl	14/16 Chablis		N						No pram ramp - does not connect to kerb	
Muswellbrook	Gamay Close	Chablis Cl	9/11 Gamay		N						No pram ramp - path has steps - does not connect to kerb	
Muswellbrook	Humphries Steet	Karoola Park	25/27 Humphries		N						No pram ramp - path has steps - does not connect to kerb	
Muswellbrook	Humphries Steet	Karoola Park	5/7 Humphries		N						No pram ramp - path stops at property boundary	
Muswellbrook	Sowerby Ave	Karoola Park	18/83 Sowerby Ave/St		N						No pram ramp - connects directly to barrier kerb - 2 flat entrances to Weeraman	
Muswellbrook	Queen Street	Common	Thiess Crescent		N						No pram ramp - connects directly to barrier kerb - 2 flat entrances to Weeraman	
Muswellbrook	Brook Street	Hunter Terrace	St Aubins		N	13	9	0	Join	N	Ramp connects to A/C path - in poor condition	
Muswellbrook	Brook Street	Hunter Terrace	St Aubins		N	10	10	0	Join	N	Ramp connects to A/C path - in poor condition	
Muswellbrook	Maitland Street	Corner Bell Street	Hermitage Motel (ped xing)		N	8	5	0		Y		
					N						Unconstructed driveway, no pram ramp as such, does not really line up with line marking, some barrier kerb	
Muswellbrook	Maitland Street	Across Maitland Street	52 Maitland Street (ped xing)		N				Join	Y		
Muswellbrook	Maitland Street	Corner Gyarran Street	44 Maitland		N	11	6	40	Join	N		
Muswellbrook	Maitland Street	Corner Gyarran Street	42 Maitland		N	8	6	40	Join	N		
Muswellbrook	Maitland Street	Corner Wilder Street	36 Maitland		N	8	4	0		N	Pits in footpath restrict wings	
Muswellbrook	Maitland Street	Corner Wilder Street	Remington Hotel		N	10	7	0		Y	Does not line up to path across road	
Muswellbrook	Maitland Street	Corner Lorne Street	25 Maitland		N	10	7	0		Y		
Muswellbrook	Maitland Street	Corner Francis Street	ex NPWS office		N	10	5	0		Y		
Muswellbrook	Maitland Street	Across Maitland Street	Mbk South Primary School		N	9	6	50		Y	Pram ramp is not the width of the linemarking on the road, some barrier kerb	
Muswellbrook	Maitland Street	Tafe Driveway	Tafe Western side (ped xing)		N	8	8	0		Y		
Muswellbrook	Maitland Street	Corner Thompson Street	1 Thompson		N	11	7	30		Y		
Muswellbrook	Bridge Street	Corner St Helliers St	147 Bridge St		N	7	9	40	Join	Y	Not a proper pram ramp	
Muswellbrook	Kurrajong Reserve	Beech Street	Kurrajong Reserve East		N	7	3	0		Y		
Muswellbrook	Kurrajong Reserve	Wandoo Cl	Culdesac		N	12	6	0		Y		
Muswellbrook	Kurrajong Reserve	Peppermint Rd	Culdesac		N	9	5	0		Y		
Muswellbrook	Kurrajong Reserve	Goruk Cl	Culdesac		N	8	7	0		Y		
Muswellbrook	Kurrajong Reserve	Melaleuca Cl	Culdesac		N	11	6	0		Y		

Attachment B

Attachment B

NON COMPLIANT ACCESS RAMPS												
Town	Street	Location	Sub Location	Priority	Standard Y/N	Ramp %	Road %	Lip mm	Join?	Wings Y/N	Comment	Extra work needed
Muswellbrook	Kurrajong Reserve	Calgaroo Ave	76/76 Calgaroo Avenue		N						No pram ramp - connects directly to barrier kerb	
Muswellbrook	Lou Fisher Pl	Across Lou Fisher	4 Lou Fisher		N	11	10	0	Join	Y	Mountable Kerb	
Muswellbrook	Lou Fisher Pl	Across Lou Fisher	opposite 4 Lou Fisher		N	9	9	10	Join	Y	Mountable Kerb	
Muswellbrook	Kurrajong Reserve	Cypress Place	9/11 Cypress Place		N						No Pram Ramp - path connects to kerb over KIP	
Muswellbrook	Kurrajong Reserve	Across Woollybutt Way	Woollybutt Way		N	8	6	0		Y		
Muswellbrook	Casuarina Close	Path to Vacant Block	7/9 Casuarina		N						No pram ramp - connects directly to mountable kerb	
Muswellbrook	Casuarina Close	Path to Ironbark	10/12 Casuarina		N						No pram ramp - connects directly to mountable kerb	
Muswellbrook	Rutherford Road	Muswellbrook Fair	Muswellbrook Fair North		N	7	8	0	Join	N	No platform. Has tactile	
Muswellbrook	Ironbark Road	Corner Rutherford Road	22 Ironbark Road		N	8	7	0		Y	Future path	
Muswellbrook	Ironbark Road	Corner Calgaroo Ave	2 Calgaroo Ave		N	8	8	0		N		
Muswellbrook	Rutherford Road	Across Rutherford Road	Wideland Toyota		N	8	5	0		N		
Muswellbrook	Rutherford Road	Corner Acacia Drive	45 Rutherford Road		N	8	7	0		Y		
Muswellbrook	Plashett Close	Across Plashett	3 Plashett Close		N	8	7	5	Join	Y		
Muswellbrook	Plashett Close	Across Plashett	2 Angus Peebles Close		N	10	7	0	Join	Y	Weeds in join	
Muswellbrook	Kinji Reserve	Calgaroo Ave	33/35 Calgaroo		N	8	5	0		Y		
Muswellbrook	Kinji Reserve	Edinglassie Drive	Culdesac		N						No pram ramp - connects directly to mountable kerb	
Muswellbrook	Osborn Avenue	Corner Finnegan Crescent	75 Osborn		N	8	6	0	Join	Y		
Muswellbrook	Finnegan Crescent	Corner Osborn Ave	75 Osborn		N	8	6	0	Join	Y		
Muswellbrook	Finnegan Crescent	Corner Osborn Ave	1 Finnegan		N	8	6	0	Join	Y		
Muswellbrook	Osborn Avenue	Corner Finnegan Crescent	1 Finnegan		N	10	6	0	Join	Y		
Muswellbrook	Mitchell Street	Corner Skellatar Street	52/58 Mitchell St		N	10	7	0	Join	Y		
Muswellbrook	Osborn Avenue	Corner Skellatar Street	2 Osborn Avenue		N	10	5	0	Join	Y		
Muswellbrook	Edinglassie Drive	Path from Angus Peebles	5/7 Edinglassie		N						No pram ramp - path connects to kerb over KIP	
Muswellbrook	Fitzgerald Avenue				N						No pram ramp	
Muswellbrook	Skellatar Street	Bowman Park			N						No pram ramp	
Muswellbrook	Finnegan Crescent	Corner Osborn Ave	49 Osborn Ave		N	11	6	10	Join	Y		
Muswellbrook	Tierney Street	Corner Finnegan Crescent	5 Finnegan Cr		N	8	8	5	Join	Y		
Muswellbrook	Tierney Street	Corner Finnegan Crescent	3 Finnegan Cr		N	9	8	5	Join	Y		
Muswellbrook	Osborn Avenue	Across Osborn	69 Osborn Ave		N	8	6	0		Y		
Muswellbrook	Osborn Avenue	Across Osborn	67 Osborn Ave		N	10	6	0		Y		
Muswellbrook	Osborn Avenue	Corner Tierney	53 Osborn Ave		N	10	6	5	Join	Y		
Muswellbrook	Osborn Avenue	Corner Tierney	55 Osborn Ave		N	8	6	0	Join	Y		
Muswellbrook	Osborn Avenue	Across Osborn	55 Osborn Ave		N	8	6	10	Join	Y		
Muswellbrook	Skellatar Street	Corner Mitchell	52-56 Mitchell St		N	10	7	0	Join	Y		
Muswellbrook	Lorne Street	Corner Barrett	21 Barrett St		N	8	4	0		Y		
Muswellbrook	Lorne Street	Corner Fleming	16 Fleming St		N	6	9	0		Y		
Muswellbrook	Rutherford Road	Corner Maitland St	Mitsubishi		N	9	7	20		Y		
Muswellbrook	Maitland Street	Corner Rutherford Road	Mitsubishi		N	8	6	0	Join	Y		
Muswellbrook	Maitland Street	Corner Thompson Street	McDonalds		N	9	6	0		Y		
Muswellbrook	Maitland Street	Corner Rutherford Road	Toyota		N	5	9	0		Y		
Muswellbrook	Maitland Street	Corner Bimbadeen Drive	1C Bimbadeen		N	9	6	4	Join	Y		
Muswellbrook	Maitland Street	Corner Bimbadeen Drive	Newcastle side of intersection		N	9	5	5	Join	Y		
Muswellbrook	Weemala Pl	Path from Maitland St	34/35 Weemala		N						No pram ramp - path connects to kerb over KIP	
Muswellbrook	Bimbadeen Dr	Across Bimbadeen	45 Bimbadeen		N	7	8	0	Join	Y	Path leads to the road, there is no pram ramp or path opposite	
Muswellbrook	John Howe Circuit	Corner Bimbadeen Drive	1 John Howe		N	6	8	0	Join	Y		
Muswellbrook	Bloodwood Road	Corner Bimbadeen Drive	31 Bimbadeen		N	10	9	0	Join	Y	Path leads to the road, there is no pram ramp or path opposite	
Muswellbrook	John Howe Circuit	Corner Jenkins St	36 John Howe		N	5	8	5	Join	Y		
Muswellbrook	John Howe Circuit	Corner Jenkins St	34 John Howe		N	8	6	0	Join	Y		
Muswellbrook	Day Street	Corner Henry Dangar	Opposite 1 Day		N	8	1	20	Join	Y	Not a proper pram ramp	
Muswellbrook	Day Street	Across Day St	Opposite 17 Day		N	10	1	0	Join	Y	Cracked - not a proper pram ramp	
Muswellbrook	Day Street	Corner Hunt Pl	1 Hunt Pl		N	10	4	0	Join	Y		
Muswellbrook	Day Street	Corner Hunt Pl	2 Hunt Pl		N	12	1	0	Join	Y		
Muswellbrook	Day Street	Across drain	2 Hunt Pl		N	11	2	0	Join	Y		
Muswellbrook	Day Street	Corner Belmore	19 Day		N	8	7	0	Join	Y		
Muswellbrook	Black St	Across Black Street	16 Belmore		N	11	5	5	Join	Y		
Muswellbrook	Cunningham St	Across Cunningham	2 Black		N	8	7	0	Join	Y		
Muswellbrook	Belmore St	at bend	12 Belmore		N	8	7	0	Join	Y		
Muswellbrook	Cunningham St	Across Cunningham	2 Belmore		N	9	9	0	Join	Y		
Muswellbrook	Cunningham St	Across Cunningham	5 Cunningham		N	8	7	0	Join	Y		
Muswellbrook	Wanarah Circuit	Across Wanarah	31 Wanarah		N	6	9	0	Join	Y		
Muswellbrook	Wanarah Circuit	Corner McGregor	18 McGregor		N	8	8	0	Join	Y		
Muswellbrook	Wanarah Circuit	Corner Mussell	23 Wanarah		N	6	8	0	Join	Y		

Attachment B

Attachment B

NON COMPLIANT ACCESS RAMPS												
Town	Street	Location	Sub Location	Priority	Standard Y/N	Ramp %	Road %	Lip mm	Join?	Wings Y/N	Comment	Extra work needed
Muswellbrook	Wanaruah Circuit	Corner Mussell	21 Wanaruah		N	11	7	0	Join	Y		
Muswellbrook	Chivers Circuit	Corner Henry Dangar	43 Henry Dangar		N	7	5	0	Join	Y		
Muswellbrook	Wattle Street	Across Wattle	6 Wattle		N	7	8	5	Join	Y		
Muswellbrook	Wattle Street	Corner Wanaruah	2 Wattle		N	7	9	10	Join	Y		
Muswellbrook	Wattle Street	Across Wattle	5 Wattle		N	10	9	0	Join	Y		
Muswellbrook	Chivers Circuit	Across Chivers	19 Chivers		N	6	8	8	Join	Y		
Muswellbrook	Henry Danger Drive	Ridge	Public Reserve at top		N	8	6	0	Join	Y	Path leads to the road, there is no pram ramp or path opposite	
Muswellbrook	Dixon Cct	Across Dixon	20 Dixon		N				Join		Car parked over pram ramp at time of inspection (28/10/2015)	
Muswellbrook	Loffberg Court	Across Loffberg	2 Loffberg (Opp 22 Dixon)		N	9	8	0	Join	Y		
Muswellbrook	Loffberg Court	Across Loffberg	22 Dixon		N	11	6	0	Join	Y		
Muswellbrook	Dixon Cct	Across Dixon	22 Dixon		N	10	4	0	Join	Y		
Muswellbrook	Grant Miller Street	Corner Dixon Cct	24 Grant Miller		N	8	8	5	Join	Y		
Muswellbrook	Henry Danger Drive	Across Henry Dangar	30 Henry Dangar		N	8	6	0	Join	Y		
Muswellbrook	Henry Danger Drive	Cnr Dixon	40 Henry Dangar		N	7	8	0	Join	Y		
Muswellbrook	Tobruk Ave	Path to Glenbawn Pl	49/51 Tobruk		N	12	6	40	Join	N		
Muswellbrook	Glenbawn Pl	Path to Tobruk Ave	6/7 Glenbawn		N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Hunter Park	Jersey Place to Wollombi	7 Jersey Pl		N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Hunter Park	Jersey Place to Dangar	5 Jersey Pl		N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Hunter Park	Dangar Pl to Jersey Pl	10 Dangar Pl		N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Hunter Park	Dangar Pl to Wollombi	17 Dangar Pl		N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Dangar Pl	Wollombi Rd	7/9 Dangar Pl		N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Wollombi Rd	Dangar Pl	96/94 Wollombi Rd		N	9	7	20		Y	Pram ramp does not connect to path	
Muswellbrook	Paterson Pl	Path to Tindale St	5/6 Paterson St		N						Path stops at property boundary there is no pram ramp or connecting path	
Muswellbrook	Tindale St	Path to Paterson PL	57/MT Providence		N	12	unable			Y	Pram ramp full of dirt from scour next to path - could not measure (5/2/16)	
Muswellbrook	Anzac Pde	Paterson- Tindale path	End of road		N						No pram ramp from connector path	
Muswellbrook	Common	North bound path	Common Rd		N	16	4	0		N	Kerb only	
Muswellbrook	Common	North bound path	53a Queen St		N	7	8	0		Y	Debris in gutter	
Muswellbrook	Common	South bound path	Common Rd		N						Path eroded, pram ramp full of debris - could not measure (5/2/16)	
Muswellbrook	Common	South bound path	opposite 59 Queen St		N						Path stops short of Queen St	
Muswellbrook	Common	South bound path	King St		N						Path stops short of Queen St	
Denman	Palace Street	Corner Ogilvie St	Visitor Information Centre		Y	3	5	0	Join	Y	Pram ramp is constructed of pavers	
Denman	Ogilvie Street	Corner Palace St	Visitor Information Centre		Y	6	6	0	Join	Y	Pram ramp is constructed of pavers	
Denman	Ogilvie Street	Corner Palace St	NRMA		Y	7	4	0	Join	Y	Pram ramp is constructed of pavers	
Denman	Ogilvie Street	Corner Palace St	Royal Hotel		Y	5	6	10	Join	Y	Pram ramp is constructed of pavers	
Denman	Palace Street	Corner Ogilvie St	Royal Hotel		Y	5	6	0	Join	Y	Pram ramp is constructed of pavers	
Denman	Ogilvie Street	Corner Paxton St	Fernandes		Y	6	5	5-10	Join	Y	Pram ramp is constructed of pavers	
Denman	Ogilvie Street	Corner Paxton St	Denman Dapkos		Y	6	6	0		Y		
Denman	Virginia Street	Corner Babbington St	21 Virginia		Y	4	7	0		Y	End of path - no corresponding pram ramp	
Denman	Virginia Street	Corner Macauley St	39 Virginia		Y	7	7	0		Y		
Denman	Virginia Street	Corner Turtle St	17 Turtle		Y	7	6	0		Y		
Denman	Macauley St	Denman Wetlands	next to 10 Macauley St		Y	7	7	10	Join	Y		
Denman	Palace Street	Corner Merino	36 Palace St		Y	4	6	5	Join	Y		
Denman	Palace Street	Corner Turtle St	Parish Hall		Y	4	4	20	Join	Y		
Denman	Paxton Street	Corner Turtle St	22 Paxton St		Y	7	6	0		Y		
Denman	Arbor Park	Ogilvie Street	Corner Virginia St		Y	7	5	5	Join	Y		
Denman	Turner Street	Newton Close	51 Almond St (East)		Y	6	5	0	Join	Y		
Denman	Turner Street	Newton Close	51 Almond St (West)		Y	1	4	0	Join	Y		
Denman	Crinoline St	Corner Paxton St	RSL Club		Y	5	6	0	Join	Y		
Denman	Crinoline St	Corner Paxton St	22 Crinoline St		Y	6	6	0	Join	Y		
Denman	Paxton Street	Across Paxton St	Denman Public School		Y	6	8	40	Join	Y	Layback design	
Muswellbrook	King Street	King Street	2 King	1	Y	4	8	10		Y	No platform - 8% over peak	
Muswellbrook	Bowman Park	Lorne Street	next to 20 Lorne St		Y	6	5	0		Y	Pram ramp cracked and separating from path - needs replacement	
Muswellbrook	Brook Street	Corner Carl	98 Brook		Y	5	12	40		N	Not a proper pram ramp	
Muswellbrook	Brook Street	Corner Carl	100 Brook		Y	4	5	30		N	Not a proper pram ramp	
Muswellbrook	Brook Street	Corner Carl	97 Brook		Y	7	7	0		N		
Muswellbrook	Sowerby Street	Corner Brook St	80 Brook		Y	7	4	0		Y		
Muswellbrook	Brook Street	Brook St	80 Brook		Y	7	4	0		Y	Path crosses Brook St near Sowerby St	
Muswellbrook	George Street	George St	Culdesac		Y	7	4	20		N	Path extends from George St Culdesac to Brook St - 2 x bollards	
Muswellbrook	King Street	King Street	Near Roundabout		Y	7	7	30		Y	Not joined to path, extends across King Street towards Brentwood	Connect to path
Muswellbrook	King Street	Upper William St	7 King		Y	7	6	0		Y		
Muswellbrook	King Street	Upper William St	Mbk High School		Y	5	9	0		Y	Ramp replaced 2016 with Dolahenty footpath	
Muswellbrook	King Street	Clendinning St	Mbk High School		Y	6	6	0		Y	Footpath joins to A/C path from school	Replace A/C with Concrete

Attachment B

Attachment B

NON COMPLIANT ACCESS RAMPS												
Town	Street	Location	Sub Location	Priority	Standard Y/N	Ramp %	Road %	Lip mm	Join?	Wings Y/N	Comment	Extra work needed
Muswellbrook	Brentwood Street	Corner Birralee	11 Brentwood		Y	6	9	5		Y		Road pavement needs repair
Muswellbrook	Bell Street	Bell St	2 Bell (across Bell)		Y	6	7	5-10		N	Small gap at join	
Muswellbrook	Victoria Street	Cnr Bell St	Pedestrian crossing		Y	3	3	0		N		
Muswellbrook	Wilkinson Avenue	Olympic Park	Path near park gates		Y	6	6	5		Y	Path leads to the road, there is no corresponding ramp opposite	
Muswellbrook	Sydney Street	Corner Mill	Rodeo Ranch		Y	6	6	0	Join	Y	Pavement needs repair	
Muswellbrook	Sydney Street	Traffic Lights	Valley Hotel		Y	7	7	0		Y		
Muswellbrook	William Street	Corner Bridge	John Flood		Y	4	5	0	Join	N		
Muswellbrook	William Street	Corner Bridge	Royal Hotel		Y	5	6	0	Join	N		
Muswellbrook	Bridge Street	Traffic Lights	Millers		Y	5	2	0	Join	Y		
Muswellbrook	Bridge Street	Traffic Lights	Court House		Y	4	2	0	Join	Y		
Muswellbrook	Market Street	Corner William	Wellness Chiropractic		Y	4	6	0	Join	Y		
Muswellbrook	Market Street	Corner Campion	TLE		Y	7	2	0	Join	Y		
Muswellbrook	Market Street	Corner Carl	Muswellbrook Hotel		Y	4	5	0		Y		
Muswellbrook	Market Street	Interchange	Simpson Park		Y	4	5	0		Y	Path leads to the road, there is no corresponding ramp opposite	There are no pram ramps on the interchange
Muswellbrook	Market Street	Across Market	Simpson Park to Senior Citizens		Y	7	1	0	Join	Y		
Muswellbrook	Sydney Street	Corner Jordan	Sydney Street Tyres		Y	4	3	10		Y		
Muswellbrook	Sydney Street	Corner Jordan	68 Sydney Street		Y	6	6	10-20		Y		
Muswellbrook	Sydney Street	Corner Barrett	90 Sydney Street		Y	5	5	20		N	Not a proper pram ramp	
Muswellbrook	Sydney Street	Corner Mitchell	78 Sydney Street		Y	7	5	0	Join	Y		
Muswellbrook	Sydney Street	Corner Mitchell	76 Sydney Street		Y	7	6	0	Join	Y		
Muswellbrook	Wilkinson Avenue	Fitzgerald Park	Opposite Pool		Y	6	4	0	Join	Y	Path to nowhere (on new footpath list?)	
Muswellbrook	Sepoy Crescent	Corner Queen	151 Queen Street		Y	5	3	0	Join	N		
Muswellbrook	Sepoy Crescent	Corner Queen	153 Queen Street		Y	7	5	0	Join	Y		
Muswellbrook	Lonhro Place	Corner Queen	163 Queen Street		Y	5	5	0	Join	Y		
Muswellbrook	Lonhro Place	Corner Queen	165 Queen Street		Y	6	6	0	Join	Y		
Muswellbrook	Lonhro Place	Across Lonhro	10 Lonhro Place		Y	7	5	0	Join	Y		
Muswellbrook	Queen Street	Across Queen	129 Queen Street		Y	6	6	5-10	Join	Y	Path leads to the road, there is a pram ramp but no path opposite	Some kerb damaged
Muswellbrook	Queen Street	Across Queen	141 Queen Street		Y	7	7	0	Join	Y		
Muswellbrook	Northview Circuit	Across Northview	4 Northview Circuit		Y	7	6	0	Join	Y	Path leads to the road, there is a pram ramp but no path opposite	
Muswellbrook	Northview Circuit	Across Northview	6 Northview Circuit		Y	6	6	0	Join	Y		
Muswellbrook	Northview Circuit	Corner Northerly	5 Northview Circuit		Y	7	7	0	Join	Y		
Muswellbrook	Northerly Close	Across Northerly	5 Northview Circuit		Y	7	6	0	Join	Y	Path leads to the road, there is a pram ramp but no path opposite	
Muswellbrook	Bridge Street	Across Bridge	Muswellbrook Holden		Y	6	1	0	Join	Y		
Muswellbrook	Hill Street	Corner Bridge	Loxton House		Y	5	7	0		Y		
Muswellbrook	Hill Street	Corner Bridge	Shell		Y	9	7	10	Join	Y		
Muswellbrook	St Heliers St	Corner Bridge	Hungry Jacks		Y	9	7	5	Join	Y		
Muswellbrook	Hill Street	Corner Bridge	Centabrook		Y	7	7	0		Y		
Muswellbrook	Bridge Street	Across Bridge	Happy Tooth		Y	7	2	0	Join	Y		
Muswellbrook	Parkinson Street	Corner Brecht	1 Parkinson		Y	7	4	0		Y		
Muswellbrook	Queen Street	Corner Cook	62 Queen		Y	7	5	0	Join	Y		
Muswellbrook	Semilon Street	Karoola Park	Karoola Park West		Y	6	6	5	Join	Y	Not connected to a constructed path	
Muswellbrook	Carl Street	Corner Cook	68 Carl		Y	4	1	0	Join	Y	No Platform - crosses blister to no constructed path	
Muswellbrook	Carl Street	Corner Cook	23 Cook		Y	8	6	0	Cracked	Y	Cracked	
Muswellbrook	Cook Street	Across Cook	41 Cook		Y	6	5	0		Y		
Muswellbrook	Roger Street	Corner Koombahla	2 Koombahla		Y	6	5	0		N		
Muswellbrook	Verdelho Reserve	Merlot-Verdelho	10/12 Merlot		Y	6	6	0	Join	Y		
Muswellbrook	Maitland Street	Corner Lorne Street	3 Lorne		Y	7	6	60		N	Not a proper pram ramp	
Muswellbrook	Maitland Street	Corner Lorne Street	Pizza Bella		Y	5	6	0		Y		
Muswellbrook	Maitland Street	Corner Francis Street	43 Maitland		Y	6	5	0		Y		
Muswellbrook	Maitland Street	Across Maitland Street	Tafe (ped xing)		Y	7	7	0		Y		
Muswellbrook	Maitland Street	Tafe Driveway	Tafe Eastern side (ped xing)		Y	6	6	0		Y		
Muswellbrook	Bridge Street	Corner Wilkins St	208 Bridge		Y	7	5	10	Join	Y	Leads to 3 steps. Also has a paved path.	
Muswellbrook	Sowerby Street	Corner St Heliers St	11 St Heliers St		Y	7	6	0		N	No platform	
Muswellbrook	Kurrajong Reserve	Beech Street	Kurrajong Reserve West		Y	6	4	0		Y		
Muswellbrook	Kurrajong Reserve	Bowfield Pl	Culdesac		Y	6	6	0		Y		
Muswellbrook	Kurrajong Reserve	Cypress Place	Culdesac		Y	7	4	0		Y		
Muswellbrook	Woollybutt Way	Across Woollybutt Way	Harvey Norman		Y	7	2	0		Y		
Muswellbrook	Rutherford Road	Corner Woollybutt Way	Aldi		Y	7	6	10-15		Y	Small pram ramp pointing diagonally across Rutherford Road	
Muswellbrook	Woollybutt Way	Corner Rutherford Road	Aldi		Y	7	3	0		Y		
Muswellbrook	Woollybutt Way	Corner Rutherford Road	37 Rutherford Road		Y	7	4	0		Y		

Attachment B

Attachment B

NON COMPLIANT ACCESS RAMPS												
Town	Street	Location	Sub Location	Priority	Standard Y/N	Ramp %	Road %	Lip mm	Join?	Wings Y/N	Comment	Extra work needed
Muswellbrook	Rutherford Road	Muswellbrook Fair	Muswellbrook Fair South		Y	5	4	0		N	Has facilities	
Muswellbrook	Ironbark Road	Corner Rutherford Road	1 Rutherford Road		Y	7	7	0		Y		
Muswellbrook	Rutherford Road	Across Rutherford Road	Wideland Mitsubishi		Y	5	3	0		N		
Muswellbrook	Rutherford Road	Corner Acacia Drive	Wideland Toyota		Y	5	6	0		Y		
Muswellbrook	Osborn Avenue	Corner Skellatar Stock Rt	77 Osborn Avenue		Y	7	6	0		Y		
Muswellbrook	Finnegan Crescent	Corner Osborn Ave	51 Osborn Ave		Y	6	7	5	Join	Y		
Muswellbrook	Osborn Avenue	Across Osborn	53 Osborn Ave		Y	7	6	15	Join	Y		
Muswellbrook	Lorne Street	Corner Jordan Street	16-18 Jordan St (Flats)		Y	6	1	0		Y		
Muswellbrook	Lorne Street	Corner Jordan Street	19 Jordan St		Y	7	5	0		Y		
Muswellbrook	Lorne Street	Corner Mitchell Street	18 Mitchell St		Y	7	5	0	Join	Y		
Muswellbrook	Lorne Street	Corner Mitchell Street	25 Mitchell St		Y	7	6	0	Join	Y		
Muswellbrook	Lorne Street	Corner Barrett	20 Barrett St		Y	7	2	4		Y		
Muswellbrook	Lorne Street	Corner Skellatar St	22 Skellatar St		Y	6	4	0		Y		
Muswellbrook	Lorne Street	Corner Skellatar St	15 Skellatar St		Y	6	7	0		Y		
Muswellbrook	Bimbadeen Dr	Across Bimbadeen	43 Bimbadeen		Y	6	6	0	Join	Y	Weeds in join	
Muswellbrook	John Howe Circuit	Corner Bimbadeen Drive	2 John Howe		Y	6	7	0	Join	Y		
Muswellbrook	Bimbadeen Dr	Corner Bloodwood	31 Bimbadeen		Y	7	4	0	Join	Y		
Muswellbrook	Bimbadeen Dr	Across Bimbadeen	24 Bimbadeen		Y	6	5	0	Join	Y	Path leads to the road, there is no pram ramp or path opposite	
Muswellbrook	Bimbadeen Dr	Across Bimbadeen	28 Bimbadeen		Y	5	4	10	Join	Y		
Muswellbrook	Bimbadeen Dr	Across Henry Dangar	Corner Henry Dangar Drive		Y	6	5	5	Join	Y		
Muswellbrook	Henry Dangar Drive	Across Henry Dangar	Corner Day St (Reserve)		Y	7	5	0	Join	Y		
Muswellbrook	Day Street	Across Day St	Opposite 5 Day		Y	5	1	0	Join	Y	Weeds in join - not a proper pram ramp	
Muswellbrook	Day Street	Across Day St	Opposite 19 Day		Y	5	1	0	Join	Y		
Muswellbrook	Day Street	Across drain	2 Day St		Y	7	1	0	Join	Y		
Muswellbrook	Day Street	Corner Belmore	17 Day		Y	2	3	0	Join	Y		
Muswellbrook	Belmore St	Corner Day	17 Day		Y	5	7	5	Join	Y	Path leads to the road, there is no pram ramp or path opposite	
Muswellbrook	Black St	Corner Belmore	11 Black		Y	1	6	0	Join	Y		
Muswellbrook	Cunningham St	Corner Dixon Cct	6 Dixon		Y	5	3	0	Join	Y		
Muswellbrook	Cunningham St	Corner Dixon Cct	4 Dixon		Y	6	4	0	Join	Y		
Muswellbrook	Cunningham St	Across Cunningham	15 Cunningham		Y	5	7	0	Join	Y		
Muswellbrook	Cunningham St	Across Cunningham	5 Day St		Y	7	7	0	Join	Y	Path leads to the road, there is no pram ramp or path opposite	
Muswellbrook	Day Street	Across Day St	5 Day St		Y	2	1	0	Join	Y		
Muswellbrook	Henry Dangar Drive	Across Day St	1 Day St		Y	4	4	5	Join	Y		
Muswellbrook	Henry Dangar Drive	Across Henry Dangar	1 Day St		Y	6	6	0	Join	Y	Path leads to driveway (with lip)	
Muswellbrook	Henry Dangar Drive	Across Henry Dangar	24 Henry Dangar		Y	7	6	0	Join	Y		
Muswellbrook	Henry Dangar Drive	Across Henry Dangar	1 Wanaruah Cct		Y	7	5	0	Join	Y		
Muswellbrook	Mussell St	Across Mussell St	2 Mussell St		Y	6	5	0	Join	Y		
Muswellbrook	Mussell St	Across Mussell St	11 Henry Dangar		Y	5	0	10	Join	Y		
Muswellbrook	McGregor St	Across McGregor St	2 McGregor St		Y	6	1	0	Join	Y		
Muswellbrook	McGregor St	Across McGregor St	5 Henry Dangar Dr		Y	5	0	10	Join	Y		
Muswellbrook	Henry Dangar Drive	Across Henry Dangar	Corner Wanaruah (Reserve)		Y	7	7	0	Join	Y		
Muswellbrook	Wanaruah Circuit	Across Wanaruah	Opposite 31 Wanaruah		Y	4	3	10	Join	Y		
Muswellbrook	Wanaruah Circuit	Corner McGregor	19 McGregor		Y	6	7	0	Join	Y		
Muswellbrook	Wanaruah Circuit	Across Wanaruah	5 Wanaruah		Y	7	4	20	Join	Y		
Muswellbrook	Wanaruah Circuit	Across Wanaruah	1 Wanaruah Cct		Y	7	1	5	Join	Y		
Muswellbrook	Wattle Street	Across Wattle	24 Wattle		Y	7	7	10	Join	Y		
Muswellbrook	Chivers Circuit	Across Chivers	40 Chivers		Y	7	7	0	Join	Y		
Muswellbrook	Chivers Circuit	Across Chivers	45 Henry Dangar		Y	7	7	0	Join	Y		
Muswellbrook	Henry Dangar Drive	Across Wanaruah	2 Wanaruah		Y	7	2	0	Join	Y		
Muswellbrook	Dixon Cct	Corner Henry Dangar	24 Henry Dangar		Y	6	1	0	Join	Y		
Muswellbrook	Dixon Cct	Across Dixon	23 Dixon		Y	4	3	0	Join	Y		
Muswellbrook	Grant Miller Street	Corner Dixon Cct	17 Grant Miller		Y	3	4	0	Join	Y		
Muswellbrook	Henry Dangar Drive	Across Dixon	1 Dixon		Y	6	2	0	Join	Y		
Muswellbrook	Tindale St	7-11 Tindale St			Y						Path goes from driveway to driveway in front of public housing	
Muswellbrook	Bridge Street	Corner Brook	Newcastle Permanent	R						Y	Has been replaced - to be rechecked 31/5/16	
Muswellbrook	Brook Street	Corner Bridge	Newcastle Permanent	R						Y	Has been replaced - to be rechecked 31/5/16	
Sandy Hollow	SH27		1605 Crossover			5	5	0		Y	Gutter full of dirt	
Sandy Hollow	SH27	opp 1605 (bus shelter)	Crossover			10	7	0		Y	Gutter full of dirt	
Sandy Hollow	SH27	1618 (Tourist Park)	Crossover			12	7	10	Join	Y		
Sandy Hollow	SH27	opp 1618	Crossover			11	5	10	Join	Y		
Muswellbrook	Cassidy Avenue	Corner Rutherford Road	ISC		Y	8		0		Y	New with Rutherford/Cassidy path 2016	
Muswellbrook	Rutherford Road	ISC	Crossover		Y	8		0		Y	New with Rutherford/Cassidy path 2016	

Attachment B

Attachment B

NON COMPLIANT ACCESS RAMPS												
Town	Street	Location	Sub Location	Priority	Standard Y/N	Ramp %	Road %	Lip mm	Join?	Wings Y/N	Comment	Extra work needed
Muswellbrook	Rutherford Road	Muswellbrook Fair	Crossover		Y	7		0		Y	New with Rutherford/Cassidy path 2016	
Muswellbrook	Dolahenty Street	Muswellbrook High School	opp 3		N	15		0		N	New path from existing to King St 2016	

Attachment C
Kerb and Gutter Priorities 2019-20

Kerb and Gutter Priorities 2019-20											
LOCATION	Town	Sub Location	LENGTH	Priority	Pvmt Work	Tree Work	TYPE	LAYBACK	WIDTH INC PAV	ADDITIONAL WORK	Comment
Foley St	Muswellbrook	10	20	1				Y		Tree removal	Service request from owners - 940899
King St	Muswellbrook	74	20	1		Y					Large Fig tree has lifted kerb and gutter and driveway
Cypress Pl	Muswellbrook	6	20	1	Y	Y		Y		Possibly needs driveway work.	
Lofberg Ct	Muswellbrook	9/13	15	1							Kerb and gutter has sunk and is retaining water, also a cracked portion
Maitland St	Muswellbrook	38	20	1		Y					street tree causing gutter damage at driveway
Hunter Tce	Muswellbrook	36	10	1		Y					st
Turner St	Denman	24	20	1							
Cabernet St	Muswellbrook	3/5	30	1				2 x	2	Need road work	
Queen St	Muswellbrook	16/18	22	1				2 x	2		2 x driveways
Sowerby Ave	Muswellbrook	11/13	12	1				Y	2		
McClintock Dr	Muswellbrook	26	35	1						Need road work, need tree removal	
McClintock Dr	Muswellbrook	Cnr Millard (2)	10	1		Y				Need road work, need tree removal	st & KIP (being lifted)
Michel St	Muswellbrook	Bowman Park to No 27	130	1				Y	2		
Town St	Muswellbrook	14 to 16	10	1					2		
Bowman St	Muswellbrook	28/32	30	1							
Cabernet St	Muswellbrook	Cnr Mataro Ave	30	1					2	Including Kerb Inlet Pit	
McClintock Dr	Muswellbrook	6	12	1		Y		Y			dw st
Lower William St	Muswellbrook	Cnr Hunter Tce (1 Hunter Tce)	20	1							
Chardonnay St	Muswellbrook	7	20	1							
Chardonnay St	Muswellbrook	17 to 21	50	1				Y	2	Need road work	Need monitoring, temporary work done
Chardonnay St	Muswellbrook	25	25	1		Y					Holding Water - tree removed
Cabernet St	Muswellbrook	9	15	1					2	Street Tree - old layback can be removed	
Cabernet St	Muswellbrook	10	10	1				Y			
Chablis Ct	Muswellbrook	13	10	1		Y	SA Kerb		2.5	Street tree	
Cousins St	Muswellbrook	2	10	1							
Cousins St	Muswellbrook	6	5	1		Y			2		
Koorbatha St	Muswellbrook	18	20	1							
Hunter St	Muswellbrook	Median near sw drain	10	1	Y				2		Water holding from top of median
Hunter St	Muswellbrook	South bound lane	10	1							st - At median
Hunter St	Muswellbrook	North bound lane	10	1		Y					st - At median
Lexia St	Muswellbrook	19	10	1						Monitor	
Lexia St	Muswellbrook	16	15	1				Y			
Palace St	Denman	29-33	50	1							
Palace St	Denman	25	30	1							
Queen St	Muswellbrook	75	2	1							
Foley St	Muswellbrook	15	10	1		Y					St
Foley St	Muswellbrook	24	10	1		Y					st
Sydney Street	Muswellbrook	Cnr Anzac Pde (142/144)	15	1						Replace stormwater pit	Blocking low flow to pit, along with project
Anzac Pde	Muswellbrook	Opp 2 Tindale	30	1		Y					
Anzac Pde	Muswellbrook	19/21	20	1		Y		Y			Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	48	10	1		Y					Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	24	10	1		Y					Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	Sydney to 20	520	1	Y				10		Anzac Parade is on the Rehab program
Palace St	Denman	From 11 to end of gutter	130	1	Y	Y	SA Kerb	Y	4	Pavement work also needed	With pavement rehab
Hyde St	Denman	15/17	9	1						Pavement work also needed	
Osborne Street	Denman	48	10	1							Rehabilitation project
Palace St	Denman	13	30	1							Rehabilitation project
Palace St	Denman	15-17	60	1							Rehabilitation project
Osborn Ave	Muswellbrook	58	5	1							at Inlet
Parkinson Ave	Muswellbrook	13	10	1				Y	2		
Toward St	Muswellbrook	3/5	30	1					2		
Toward St	Muswellbrook	11/15	40	1	2			Y			
Tramper St	Muswellbrook	Opp 4	10	1							
Hill St	Muswellbrook	113	5	1		Y			2		st
Carl St	Muswellbrook	Opposite 49	10	1		Y					
Clifford St	Muswellbrook	Cnr Bell St	2	1							Cracking
McClintock Dr	Muswellbrook	10/12	20	1							
McClintock Dr	Muswellbrook	Opp 26	5	1							
Michel St	Muswellbrook	3	10	1					2		
Bononia Dr	Muswellbrook	10	10	1						Tree removed	
Brecht St	Muswellbrook	43	10	1							
Brecht St	Muswellbrook	45	10	1							
Acacia Dr	Muswellbrook	61	10	1		Y					St
Michel St	Muswellbrook	1	10	1					2		
Brecht St	Muswellbrook	47	10	1							
Brook St	Muswellbrook	107	10	1					2		
Kamilara St	Muswellbrook	15	25	1	Y			Y	2		
Wilder St	Muswellbrook	16	10	1							st
Wilder St	Muswellbrook	11	10	1		Y					st - holding water
Wilder St	Muswellbrook	4	10	1		Y					st - holding water
Wilder St	Muswellbrook	6	10	1		Y					st - holding water
Ruth White Ave	Muswellbrook	45	15	1					2		
Rutherford Rd	Muswellbrook	Aldi	10	1							
Brook St	Muswellbrook	115	10	1							
Brook St	Muswellbrook	117	10	1							
Paxton St	Denman	48 - Public School	80	1		Y				Possibly needs a stormwater pit and pipes rather than replacing the kerb and gutter	Water holding in gutter - also some problems with trees - Service request raised by DDDA 19/7/2014
Paxton St	Denman	Catholic Church	20	1						Possibly needs a stormwater pit and pipes rather than replacing the kerb and gutter	Water holding at gutter - school bus zone - service request raised by DDDA 19/7/2014, service request from Errol George 8/12/14
Maitland St	Muswellbrook	4	5	1						Missing section of sandstone	
McClintock Dr	Muswellbrook	7	30	1				Y			
Anzac Pde	Muswellbrook	11	10	1/2							Anzac Parade is on the Rehab program
Carl St	Muswellbrook	Cnr Bligh Lane (62)	5	1/2					2		
Fleming St	Muswellbrook	1	10	1/2							
Humphries St	Muswellbrook	1	10	1/2							
Maitland St	Muswellbrook	Cnr Bell St	10	1/2							Cracked and chipped
Maitland St	Muswellbrook	48	5	1/2		Y					st
Merton St	Denman	2-16	100	1						Rehab project? - total length to be checked	
Merton St	Denman	2	30	1				Y		Rehab project? - total length to be checked	Across driveway
Merriva Road	Muswellbrook	Sandy Hollow	1615	2	1						Broken K&G completely out of the ground
Osborn Ave	Muswellbrook	102	10	1/2				Y			Cracked and damaged
Queen St	Muswellbrook	144-156	120	1/2				Y	2		with pavement
Rutherford Rd	Muswellbrook	ISC path	10	1/2	Y				2		New kerb??? Turning where pedestrians start the path from carpark
Tindale St	Muswellbrook	44/46	20	1/2					1/2		
Lorne St	Muswellbrook	12	5	1/2				Y			
Acacia Dr	Muswellbrook	42	10	2		Y					ST
Almora Glen	Muswellbrook	4 to 6	14	2					2	Mountable K&G near driveway	
Anzac Pde	Muswellbrook	39	5	2							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	40	10	2							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	56	5	2							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	30	10	2							Anzac Parade is on the Rehab program
Brimley St	Muswellbrook	1	5	2		Y				St	
Bononia Dr	Muswellbrook	3	20	2		Y					Street tree x 2
Bligh St	Muswellbrook	Cnr Richmond	5	2							
Brecht St	Muswellbrook	35/37	20	2				Y			
Brentwood St	Muswellbrook	17	10	2							
Cabernet St	Muswellbrook	Cnr Hermitage Ave	24	2					2		
Cedar Place	Muswellbrook	6	10	2		Y					st
Chablis Ct	Muswellbrook	14	20	2				Y			
Chardonnay St	Muswellbrook	11	10	2							
Chardonnay St	Muswellbrook	7	5	2							
Chardonnay St	Muswellbrook	15-21	50	2							
Chardonnay St	Muswellbrook	9/11	20	2							
Claret Ave	Muswellbrook	Cnr Sylvia St	20	2					2		
Clendinning St	Muswellbrook	27/29	15	2				Y	2		
Cousins St	Muswellbrook	1	20	2				Y	2	Monitor	
Osborne Street	Denman	Denman Pool carpark	50	2							Left side of entrance
Dumaresq St	Muswellbrook	23	16	2					2		
Dumaresq St	Muswellbrook	4	5	2					2		
Fleming St	Muswellbrook	8	5	2					2		
Hill St	Muswellbrook	Marketplace carpark	5	2							ex street tree
Hunter St	Muswellbrook	10	5	2							
Hunter St	Muswellbrook	at median	10	2		Y					
Isobel St	Denman	14	5	2		Y					
Isabella St	Muswellbrook	12 to 14	20	2						Stormwater pit	
Kamilara St	Muswellbrook	32	10	2		Y					st
Karoola Ave	Muswellbrook	4	10	2							

Attachment C
Kerb and Gutter Priorities 2019-20

LOCATION	Town	Sub Location	LENGTH	Priority	Pvmt Work	Tree Work	TYPE	LAYBACK	WIDTH INC PAV	ADDITIONAL WORK	Comment
Lexia St	Muswellbrook	24	10	2				Y	2		
Lexia St	Muswellbrook	48/46	50	2				Y	2		
Lexia St	Muswellbrook	52/34	40	2				Y			
McClintock Dr	Muswellbrook	2	10	2		Y					st
Maitland St	Muswellbrook	Cnr Lorne (Pizza)	5	2							
Manick Pl	Muswellbrook	4	10	2		Y					
Michael St	Muswellbrook	50	20	2	Y			Y	2		Holding water
Palace St	Denman	27	20	2				Y			
Parkinson Ave	Muswellbrook	Cnr Cook Street	5	2				Y	2		st
Queen St	Muswellbrook	44	20	2				Y			
Queen St	Muswellbrook	Cnr Wilson (21 Wilson)	10	2		Y					st
Queen St	Muswellbrook	46	20	2					2		with pavement
Ruth White Ave	Muswellbrook	23	5	2							
St James Cr	Muswellbrook	22	10	2		Y					
St James Cr	Muswellbrook	34	10	2				Y			
Sydney Street	Muswellbrook	Sydney St Tyre Centre	20	2	Y				2		
Sydney Street	Muswellbrook	87	10	2							
Ted Clay St	Muswellbrook	8	1	2						Cracked	
Toward St	Muswellbrook	4	15	2		Y					
Turnmille Ave	Muswellbrook	1	20	2							
Virginia St	Denman	38	10	2				Y			
Virginia St	Denman	Denman Public School	10	2		Y					Cracked layback
Wilder St	Muswellbrook	3	5	2		Y					st - holding water
Isabella St	Muswellbrook	20	10	2/3							
St James Cr	Muswellbrook	15	5	2/3							
St James Cr	Muswellbrook	11/15	30	2/3							
Acacia Dr	Muswellbrook	61	10	3		Y	SA Kerb		2		
Acacia Dr	Muswellbrook	39	5	3		Y					ST
Acacia Dr	Muswellbrook	7/9	10	3						Tree removed	
Acacia Dr	Muswellbrook	23	5	3							ST
Acacia Dr	Muswellbrook	27	5	3							
Acacia Dr	Muswellbrook	37	5	3							
Acacia Dr	Muswellbrook	60	10	3				Y	2		
Acacia Dr	Muswellbrook	35	5	3							
Acacia Dr	Muswellbrook	30	5	3		Y					
Adams St	Muswellbrook	46	5	3							
Adams St	Muswellbrook	20	5	3							
Adams St	Muswellbrook	27	20	3							
Adams St	Muswellbrook	23/25	30	3							
Adams St	Muswellbrook	1 Kamilaroi	5	3		Y					
Adams St	Muswellbrook	51	5	3							
Adams St	Muswellbrook	21	5	3							
Adams St	Muswellbrook	50	5	3					2		
Adams St	Muswellbrook	59	5	3		Y					
Adams St	Muswellbrook	17	5	3							
Almond St	Denman	23	1	3							Cracked and broken
Anzac Pde	Muswellbrook	9	1	3							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	49	10	3							
Anzac Pde	Muswellbrook	32	10	3							
Beech St	Muswellbrook	Cnr Calgaroo	5	3		Y					
Brimbaden Dr	Muswellbrook	43	4	3							Chips
Birralee St	Muswellbrook	9	5	3							
Bligh St	Muswellbrook	45	25	3		Y					
Bligh St	Muswellbrook	Richmond to Durness	50	3							
Bligh St	Muswellbrook	13	5	3		Y					
Bligh St	Muswellbrook	15	7	3		Y			2	Street Tree	
Bligh St	Muswellbrook	23	5	3						Street Tree	
Bligh St	Muswellbrook	30	10	3							
Bligh St	Muswellbrook	Opposite 51	27	3					2	Monitor	
Bloodwood Road	Muswellbrook	opposite 4	2	3		Y					
Bonola Dr	Muswellbrook	7	5	3							
Bonola Dr	Muswellbrook	Cnr Acacia	5	3		Y					
Bowman St	Muswellbrook	22	6	3					2		
Brecht St	Muswellbrook	Possum Gully LHS	10	3							
Brecht St	Muswellbrook	Possum Gully RHS	40	3							
Brentwood St	Muswellbrook	19	5	3							
Brook St	Muswellbrook	Convent	10	3		Y					ST
Brook St	Muswellbrook	Petrol Plus	5	3							Cracked and damaged by vehicle movement
Brook St	Muswellbrook	Petrol Plus	5	3							
Burandyn St	Muswellbrook	18	10	3		Y					
Burandyn St	Muswellbrook	31	5	3							
Cabernet St	Muswellbrook	7	5	3		Y			2		
Cabernet St	Muswellbrook	Opp 31/33	30	3	Y				2		
Cabernet St	Muswellbrook	Cnr Resling	10	3					2		
Cabernet St	Muswellbrook	Cnr Shiraz	20	3					2	Monitor	
Cabernet St	Muswellbrook	11	5	3							
Carl St	Muswellbrook	37	3	3							
Cassidy Avenue	Muswellbrook	Cnr McClintock	10	3		Y					
Cassidy Avenue	Muswellbrook	2	5	3							
Cassidy Avenue	Muswellbrook	14	5	3							
Cassidy Avenue	Muswellbrook	opp 26	5	3							Cracking
Cassidy Avenue	Muswellbrook	20	5	3							Cracking
Charlton St	Muswellbrook	27	10	3							
Claret Ave	Muswellbrook	12	4	3							
Claret Ave	Muswellbrook	22/24	10	3				Y			
Claret Ave	Muswellbrook	19	10	3							
Claret Ave	Muswellbrook	21	5	3							Crack
Claret Ave	Muswellbrook	Cnr Isabella	5	3		Y					
Cousins St	Muswellbrook	3	5	3							
Cousins St	Muswellbrook	34	34	3		Y					st - holding water
Cousins St	Muswellbrook	46	2	3		Y					
Crete St	Muswellbrook	4	10	3							
Croft St	Denman	27	10	3							Cracked and damaged at corner
Donaldson St	Muswellbrook	8	5	3							
Donaldson St	Muswellbrook	3	10	3							
Donaldson St	Muswellbrook	7	10	3							
Donaldson St	Muswellbrook	4	10	3							
Durness St	Muswellbrook	4	5	3					2		st
Flanders Ave	Muswellbrook	3	10	3		Y			2		
Flanders Ave	Muswellbrook	10	20	3							
Fleming St	Muswellbrook	10	10	3		Y			2		
Fleming St	Muswellbrook	8	5	3		Y			2		
Fleming St	Muswellbrook	112 Sydney	5	3							
Foley St	Muswellbrook	13	10	3		Y					st
Foley St	Muswellbrook	14	5	3		Y					st
Foley St	Muswellbrook	16	10	3		Y					st
Foley St	Muswellbrook	17	5	3		Y					st
Foley St	Muswellbrook	35	5	3							
Foley St	Muswellbrook	12	5	3		Y					
Foley St	Muswellbrook	18	5	3		Y					
Forbes St	Muswellbrook	69	5	3							
Forbes St	Muswellbrook	23	5	3		Y					
Forbes St	Muswellbrook	15	5	3							
Ford Street	Muswellbrook	88	10	3		Y					st
Ford Street	Muswellbrook	72	5	3		Y					st
Ford Street	Muswellbrook	74	5	3		Y					st
Ford Street	Muswellbrook	70	5	3		Y					
Glenbawn Pl	Muswellbrook	Culdesac	10	3					2		
Grevillea St	Muswellbrook	3	10	3		Y					
Havdon St	Muswellbrook	10/12	40	3							
Hastings St	Muswellbrook	3	15	3							
Hastings St	Muswellbrook	5	10	3					2		
Hastings St	Muswellbrook	2	10	3		Y					st
Hastings St	Muswellbrook	7	30	3				Y			
Hermilake Place	Muswellbrook	6	5	3		Y					
Hill St	Muswellbrook	Bridge to railway	93	3							
Hill St	Muswellbrook	175	5	3		Y					
Hill St	Muswellbrook	141	5	3		Y					
Hill St	Muswellbrook	94	10	3							
Hill St	Muswellbrook	123	10	3		Y					
Hill St	Muswellbrook	97	5	3		Y					
Hunter St	Muswellbrook	at median	30	3							
Hunter Tce	Muswellbrook	1	10	3							
Hude St	Denman	12	5	3							
Isobell Rd	Muswellbrook	14	5	3		Y					
Isobel St	Denman	13	5	3		Y					

Attachment C
Kerb and Gutter Priorities 2019-20

LOCATION	Town	Sub Location	LENGTH	Priority	Pvmt Work	Tree Work	TYPE	LAYBACK	WIDTH INC PAV	ADDITIONAL WORK	Comment
Isabel St	Denman	5	5	3		Y					
Isabella St	Muswellbrook	15	10	3				Y			
Isabella St	Muswellbrook	3	10	3							
Isabella St	Muswellbrook	13	10	3							
Isabella St	Muswellbrook	18	10	3							
Isabella St	Muswellbrook	12	10	3							
Isabella St	Muswellbrook	7	5	3							
Isabella St	Muswellbrook	17-19	30	3							
Kamilaroi St	Muswellbrook	12	5	3					2		
Kamilaroi St	Muswellbrook	18	5	3		Y					st
Karoola Ave	Muswellbrook	11	5	3		Y					
Karoola Ave	Muswellbrook	13	10	3							
Karoola Ave	Muswellbrook	8	5	3							
Kamilaroi St	Muswellbrook	Culverly	30	3							
Kerilworth St	Denman	10	1	3							Cracked and broken
Kerilworth St	Denman	opp 23	5	3							
Kerilworth St	Denman	21	10	3							
King St	Muswellbrook	36	15	3							
King St	Muswellbrook	44	10	3							st
King St	Muswellbrook	80	5	3		Y					
King St	Muswellbrook	Opp 36	5	3							
King St	Muswellbrook	77	5	3							
Kokoda St	Muswellbrook	37	20	3							
Koonbulla St	Muswellbrook	14	3	3							
Lee St	Muswellbrook	3	5	3		Y					
Lexia St	Muswellbrook	26	20	3				Y	2		
Lexia St	Muswellbrook	28/30	40	3							
Lexia St	Muswellbrook	9	20	3							
Lorne St	Muswellbrook	42	5	3							At spring outlet
Lorne St	Muswellbrook	3	5	3		Y					
Lower Hill St	Muswellbrook	Opp 51	5	3							
Mahogany Ave	Muswellbrook	3/5	10	3		Y					
Maitland St	Muswellbrook	Car Wash	5	3							Street tree removed
Maitland St	Muswellbrook	35	10	3		ex					st
Maitland St	Muswellbrook	41/43	20	3							st
Maitland St	Muswellbrook	25 (onr Lorne)	10	3		Y	Sandstone				st
Maitland St	Muswellbrook	Wanarah	20	3			Sandstone			Holding water	
Maitland St	Muswellbrook	Showground	20	3		Y				Holding water	5 x street trees - various locations
Maitland St	Muswellbrook	Recco	5	3							
Maitland St	Muswellbrook	Remington	5	3							
Maitland St	Muswellbrook	Remington	10	3							
Maitland St	Muswellbrook	26	5	3							
Maitland St	Muswellbrook	98	5	3							
Maitland St	Muswellbrook	37	5	3		Y					st
Marlock Pl	Muswellbrook	6	5	3							Dip in kerb
Martindale Street	Denman	17	5	3							
Martindale Street	Denman	2	10	3							
Melro Ave	Muswellbrook	5 to 13	80	3				Y			
McClintock Dr	Muswellbrook	22	20	3					2		
McClintock Dr	Muswellbrook	20	20	3							
McClintock Dr	Muswellbrook	11	10	3							
McClintock Dr	Muswellbrook	20/22	30	3		Y			2		
McClintock Dr	Muswellbrook	23	10	3							
Merriwa Road	Sandy Hollow	Opp Hotel	40	3		v			2		
Milana Ave	Muswellbrook	7	5	3							
Milard Cr	Muswellbrook	2	15	3							
Mitchell St	Muswellbrook	29	5	3							
Mitchell St	Muswellbrook	31	10	3							
Mitchell St	Muswellbrook	50	5	3							
Mitchell St	Muswellbrook	52	10	3							
Mitchell St	Muswellbrook	52-58	20	3		v			2		
Oaklie Street	Denman	Arbor Park	5	3							st
Oaklie Street	Denman	Denman Pool carpark	20	3							Right side of entrance
Orange St	Muswellbrook	7 Kamilaroi	5	3		Y					
Osborn Ave	Muswellbrook	108	2	3							Chip
Palace St	Denman	19/21	20	3							
Palace St	Denman	21	5	3							
Palace St	Denman	23	20	3							
Palace St	Denman	16	10	3							
Parkinson Ave	Muswellbrook	7	10	3							
Parkinson Ave	Muswellbrook	16/18	5	3							
Paxton St	Denman	33	10	3							
Paxton St	Denman	Catholic Church	5	3							
Paxton St	Denman	Cnr Oaklie (Fernandes)	30	3				Y	2		
Paxton St	Denman	44 to 48	60	3							
Paxton St	Denman	70	10	3							
Paxton St	Denman	20	20	3							
Paxton St	Denman	16	20	3							
Paxton St	Denman	Cnr Crinoline	5	3							
Peppermint St	Muswellbrook	7	5	3							
Pinot St	Muswellbrook	3	5	3							
Queen St	Muswellbrook	114	10	3							
Queen St	Muswellbrook	108	5	3		Y					
Queen St	Muswellbrook	Karoola Park	2	3							
Queen St	Muswellbrook	122	10	3							dw
Queen St	Muswellbrook	126	20	3							redirecting water from pit
Queen St	Muswellbrook	124	20	3							redirecting water from pit
Queen St	Muswellbrook	89	5	3		Y					
Queen St	Muswellbrook	174	10	3		x2					two sections of kerbing damaged
Richmond St	Muswellbrook	7	15	3					2	Monitor	
Ressing St	Muswellbrook	28	10	3		Y			2		
Ressing St	Muswellbrook	6	10	3					2		
Roser St	Muswellbrook	26	5	3				Y	2		
Roser St	Muswellbrook	10	2	3					2		
Roser St	Muswellbrook	25	20	3		Y					ST
Rosemount Road	Denman	7/9	10	3					2		
Rutherford Rd	Muswellbrook	3	5	3							
Rutherford Rd	Muswellbrook	43	1	3							Chip
Ruth White Ave	Muswellbrook	47	10	3							
Ruth White Ave	Muswellbrook	31	5	3							Crack
Ruth White Ave	Muswellbrook	22/24	10	3							
Ruth White Ave	Muswellbrook	20/22	5	3		Y				New Pit needed	
Ruth White Ave	Muswellbrook	3	5	3							
Sauterne Cr	Muswellbrook	5	5	3		Y					
Sauterne Cr	Muswellbrook	2	10	3							
Scott St	Muswellbrook	55	5	3		Y					st
Scott St	Muswellbrook	19	10	3							
Scott St	Muswellbrook	27	10	3							
Scott St	Muswellbrook	45	5	3							
Scott St	Muswellbrook	29	5	3		Y			2		
Shaw Cr	Muswellbrook	136	10	3		Y			2		
Sheppard Ave	Muswellbrook	LHS near gateway to Racecourse	15	3			SA Kerb		2		
Sheppard Ave	Muswellbrook	1	15	3			SA Kerb		2		
Shiraz St	Muswellbrook	95	2	3		Y			2		
Shiraz St	Muswellbrook	3	5	3		Y					
Shiraz St	Muswellbrook	20	5	3				Y	2	Monitor	
Shiraz St	Muswellbrook	24/26	10	3		Y					
Sowerby Ave	Muswellbrook	12/14	10	3		Y		Y	2		st
Sowerby Ave	Muswellbrook	16	5	3		Y			2		st
Sowerby Ave	Muswellbrook	13	5	3		Y			2		
Sowerby St	Muswellbrook	Cnr Dumaresq St East	20	3							
Sowerby St	Muswellbrook	42	5	3							
Sowerby St	Muswellbrook	77	25	3					2		
Sowerby St	Muswellbrook	Presbytery	5	3							
St James Cr	Muswellbrook	37	80	1			Y				
St James Cr	Muswellbrook	4	10	3					2		
St James Cr	Muswellbrook	20	5	3							
St James Cr	Muswellbrook	8/8	10	3				Y			
St James Cr	Muswellbrook	17	5	3		Y					
St James Cr	Muswellbrook	9	5	3							
Sydney Street	Muswellbrook	99	3	3							
Sydney Street	Muswellbrook	105	10	3							
Sydney Street	Muswellbrook	158	5	3		Y					
Sydney Street	Muswellbrook	182	5	3		Y					
Sylvans St	Muswellbrook	2	4	3							

Attachment C
Kerb and Gutter Priorities 2019-20

LOCATION	Town	Sub Location	LENGTH	Priority	Pvmt Work	Tree Work	TYPE	LAYBACK	WIDTH INC PAV	ADDITIONAL WORK	Comment
Silvana St	Muswellbrook	8/10	10	3							
Ted Clay St	Muswellbrook	3	5	3							
Thompson St	Muswellbrook	Cnr Donaldson St	15	3							
Thompson St	Muswellbrook	3	5	3							
Thompson St	Muswellbrook	29	10	3							
Thompson St	Muswellbrook	5	10	3							
Tindale St	Muswellbrook	Cnr Anzac Pde	10	3		Y			2		
Tindale St	Muswellbrook	1	20	3	Y	Y			2	Including KIP	st
Tindale St	Muswellbrook	12	10	3	Y				2		
Tindale St	Muswellbrook	14-16	20	3	Y				2		
Tindale St	Muswellbrook	36	5	3							
Tindale St	Muswellbrook	56	5	3				Y	2		
Tindale St	Muswellbrook	57	10	3							
Tindale St	Muswellbrook	7/11	10	3							
Tindale St	Muswellbrook	27	5	3							
Tindale St	Muswellbrook	51/53	30	3							
Tindale St	Muswellbrook	50	10	3							
Tobruk Ave	Muswellbrook	30	5	3		Y					st
Tobruk Ave	Muswellbrook	73	10	3							
Tobruk Ave	Muswellbrook	49	5	3							
Tobruk Ave	Muswellbrook	43	5	3		Y					st
Tobruk Ave	Muswellbrook	51	10	3		Y					
Tobruk Ave	Muswellbrook	13 Anzac Pde	5	3		Y					
Towart St	Muswellbrook	27/29	30	3							
Towart St	Muswellbrook	20	5	3							
Towart St	Muswellbrook	Cnr Kamilaroi	10	3							
Trimmer St	Muswellbrook	7	20	3							
Tuart Ct	Muswellbrook	13 Hakea	5	3							Water holding in kerbing
Turner St	Denman	22	5	3							
Turner St	Denman	20	10	3		Y					
Turtle St	Denman	15	5	3							
Victoria St	Muswellbrook	ARTC	10	3		Y					Holding water
Virginia St	Denman	14	10	3							
Virginia St	Denman	32 to 34	10	3							
Virginia St	Denman	41 to 43	30	3	Y				2	Rutting next to Kerb and gutter along length	
Virginia St	Denman	67	5	3		Y					
Virginia St	Denman	33	5	3			Y				
Virginia St	Denman	24	10	3							
Virginia St	Denman	22	10	3					2		
Virginia St	Denman	opp 53	20	3					2		
Virginia St	Denman	19	10	3		Y					
Virginia St	Denman	17	1	3					chip		
Virginia St	Denman	36	5	3							
Virginia St	Denman	39	10	3							
Virginia St	Denman	75	5	3							
Virginia St	Denman	91	20	3							
Wilder St	Muswellbrook	Culdesac	5	3							
Wolombia Road	Muswellbrook	36	10	3							
Wolombia Road	Muswellbrook	opp 56	5	3		Y					
Wandoo Ct	Muswellbrook	3/5	10	3							
Woodhull Wav	Muswellbrook	9	10	3		Y					
Woodhull Wav	Muswellbrook	21	5	3		Y					
Kokoda St	Muswellbrook	6	5	3/4							
Acacia Dr	Muswellbrook	57	1.5	4							Cracked and broken
Bloch St	Muswellbrook	11	5	4							
Bronia Dr	Muswellbrook	5	5	4							
Brentwood St	Muswellbrook	68	1	4							Chip
Carl St	Muswellbrook	47	5	4							
Conal St	Muswellbrook	CDS	20	4							Chip
Cunningham St	Muswellbrook	13	1	4							Chip
Dumaresq St	Muswellbrook	38	1	4							Chipped
Foley St	Muswellbrook	19	1	4							Chipped
George St	Muswellbrook	30	20	4							
Hermitage Place	Muswellbrook	13	1	4							Chip
Isabella St	Muswellbrook	3 to 5	15	4							
Isabella St	Muswellbrook	9	5	4							
Isabella St	Muswellbrook	8/10	40	4							
Isabella St	Muswellbrook	2/4	40	4							
Lexia St	Muswellbrook	11	1	4							Chip
Lewis St	Muswellbrook	7	20	4							
Mathac St	Muswellbrook	3/1	5	4							
Newman St	Muswellbrook	Cnr Cook St	1	4							Gap
Paxton St	Denman	Catholic Church	10	4					2	Monitor	
Queen St	Muswellbrook	105	5	4		Y					
Queen St	Muswellbrook	190-192	5	4							Cracked and broken
Queen St	Muswellbrook	88	5	4		Y					
Queen St	Muswellbrook	35	5	4							Cracked and broken
Queen St	Muswellbrook	25	5	4							Cracked and broken
Queen St	Muswellbrook	21	5	4							Cracked and broken
Queen St	Muswellbrook	52	5	4							
Queen St	Muswellbrook	55/56	2	4							Chipped
Queen St	Muswellbrook	164	2	4							Chipped
Queen St	Muswellbrook	117	2	4							Chipped
Richmond St	Muswellbrook	10	1	4							Chipped
Ressing St	Muswellbrook	Cnr Cabernet	1	4							Chipped
Roger St	Muswellbrook	Public School	1	4							Chip
Rutherford Rd	Muswellbrook	Legacy Units	1	4							Chip
Scott St	Muswellbrook	23	5	4							
Sermon St	Muswellbrook	2	2	4							2 x 1m chip
Shaw Cr	Muswellbrook	9	5	4					2		
Shaw Cr	Muswellbrook	1	5	4		Y					
Shiraz St	Muswellbrook	86	2	4							Chip
Shiraz St	Muswellbrook	40	1	4							chip
Shiraz St	Muswellbrook	34	1	4							chip
Shiraz St	Muswellbrook	32	1	4							chip
Shiraz St	Muswellbrook	13	2	4							chip
Shiraz St	Muswellbrook	50	1	4					Chip		
Shiraz St	Muswellbrook	Cnr Trimmer	2	4					Chip		
Sowerby St	Muswellbrook	64	5	4							
St Andrews Pl	Muswellbrook	2	2	4							Chip
Sydney St	Muswellbrook	91-93	20	4							
Sylvania St	Muswellbrook	9	10	4							
Thompson St	Muswellbrook	31	10	4							
Thompson St	Muswellbrook	53	2	4					Chip		
Tobruk Ave	Muswellbrook	20	5	4		Y					st
Tobruk Ave	Muswellbrook	50	5	4							
Tobruk Ave	Muswellbrook	52	5	4		Y					
Virginia St	Denman	10	10	4							
Woomala Pl	Muswellbrook	24	1	4							small chunk missing from layback

Palace St	Denman	From 11 to end of gutter	130	1	Y	Y	SA Kerb	Y	4	Pavement work also needed	With pavement rehab
Anzac Pde	Muswellbrook	Sydney St to No 20	260	1	Y	Y		Y	10		Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	Sydney St to No 20	260	1	Y	Y		Y			Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	22	10	1							
Anzac Pde	Muswellbrook	54	10	1							
Anzac Pde	Muswellbrook	39	10	1							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	40	5	1							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	48	5	1							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	56	5	1							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	11	10	3							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	9	4	3							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	30	10	4							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	21	5	1							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	Corner Sydney St	5	2/3							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	Corner Sydney St	5	2/3							Anzac Parade is on the Rehab program
Anzac Pde	Muswellbrook	24	10	2/3							Anzac Parade is on the Rehab program

Attachment D

Attachment D
Urban Resealing Program 2019_2020

Street	Chainage From	From	To	From Chainage	To Chainage	Segment No	Urban/Rural	Length	Width	Area	Est. Cost
MARTINDALE ST	VIRGINIA ST	PAXTON ST	PALACE ST	0.213	0.433	RD MARTS020	Urban	220	10	2200	\$ 12,320
MERTON ST	VIRGINIA ST	VIRGINIA ST	PAXTON ST	0	0.2	RD WERTS010	Urban	200	5.5	1100	\$ 8,160
ROSEMOUNT RD. DMN	VIRGINIA ST	VIRGINIA ST	SURVEYOR GEN DR	0	0.33	RD ROSE010	Urban	330	10.2	3366	\$ 18,850
HILLVIEW AVE	CARL ST	CARL ST	CULDESAC	0	0.08	RM HILL A010	Urban	80	6.1	488	\$ 2,733
HILLVIEW AVE	CULDESAC	CULDESAC	CULDESAC	0.08	0.16	RM HILL A020	Urban	80	7.2	576	\$ 3,226
KING ST	CLENDINNING ST	CLENDINNING ST	HIGH SCHOOL	0	0.1	RM KINGS040	Urban	102	21.4	2183	\$ 12,224
KING ST	CLENDINNING ST	HIGH SCHOOL	UPPER WILLIAM ST	0.1	0.19	RM KINGS050	Urban	92	11	1012	\$ 5,667
SEMIILLON ST	SHIRAZ ST	SHIRAZ ST	COOK ST	0	0.4	RM SEMIS020	Urban	40	11	440	\$ 2,464
ST JAMES CR	ADAMS ST	ADAMS ST	KAMILAROI ST	0	0.372	RM ST JACO010	Urban	372	9	3348	\$ 18,910
ST JAMES CR	ADAMS ST	KAMILAROI ST	Thomson St	0.372	0.417	RM ST JACO020	Urban	45	9	405	\$ 2,500
THOMPSON ST	Fitzgerald Avenue	ADAMS ST	DONALDSON ST	0.255	0.449	RM THOMS020	Urban	194	9	1746	\$ 9,778
BROOK ST	CARL ST	CARL ST	SOWERBY ST RBT	0	0.215	RM BROOS051	Urban	215	7	1505	\$ 11,288
											\$ 108,119

Attachment E

Attachment E
Rural Resealing Program 2019_2020

Street	Chainage From	From	To	From Chainage	To Chainage	Segment No	Urban/Rural	Length	Width	Area	Est. Cost
BAERAMI CREEK RD	Bylong Valley Way	5.00 KM	6.00 KM	5	6	RLBAECR060	Rural	1000	7.4	7400	\$ 37,801
BAERAMI CREEK RD	Bylong Valley Way	6.00 KM	6.91 KM	6	6.91	RLBAECR070	Rural	910	6.6	6006	\$ 34,398
GIANTS CREEK RD	Golden Highway	13.72 KM	14.00 KM	13.599	13.884	RLGJACR150	Rural	285	4	1140	\$ 10,524
GIANTS CREEK RD	Golden Highway	14.00 KM	14.95 KM	13.884	14.837	RLGJACR160	Rural	953	4	3812	\$ 30,159
MANGOOOLA RD	Golden Highway	12.00 KM	12.41 KM	11.958	12.364	RLMANGR130	Rural	406	5.8	2355	\$ 15,542
MANGOOOLA RD	Golden Highway	12.43 KM	13.00 KM	12.364	12.932	RLMANGR135	Rural	568	5.8	3294	\$ 21,743
ROSEMOUNT RD	Surveyor General Drive	5.00 KM	6.00 KM	5	6	RLROSER060	Rural	1000	8.2	8200	\$ 54,120
WIDDEN VALLEY RD	Bylong Valley Way	10.00 KM	11.00 KM	10.00 KM	11.00 KM	RLWIDVR110	Rural	1000	5.8	5800	\$ 38,280
WIDDEN VALLEY RD	Bylong Valley Way	11.00 KM	12.00 KM	11.00 KM	12.00 KM	RLWIDVR120	Rural	1000	5.8	5800	\$ 38,280
WIDDEN VALLEY RD	Bylong Valley Way	12.00 KM	13.00 KM	12.00 KM	13.00 KM	RLWIDVR130	Rural	1000	5.8	5800	\$ 38,280
WIDDEN VALLEY RD	Bylong Valley Way	13.00 KM	13.58 KM	13.00 KM	13.58 KM	RLWIDVR140	Rural	582	5.8	3376	\$ 22,279
WYBONG RD	Kayuga Road	14.31 KM	15.00 KM	14.295	14.985	RLWYBOR150	Rural	690	9.2	6348	\$ 41,897
WYBONG RD	Kayuga Road	15.00 KM	16.00 KM	14.985	15.985	RLWYBOR160	Rural	1000	9	9000	\$ 59,400
WYBONG RD	Kayuga Road	16.00 KM	16.80 KM	15.985	16.485	RLWYBOR170	Rural	500	9	4500	\$ 29,700
											\$ 472,402

Attachment F

Attachment F
CRACK SEALING PRIORITIES

PRIORITY	Precinct	STREET	DISTANCE FROM	DISTANCE KM		Segment	SEAL WIDTH (m)	SEAL LENGTH	SEAL AREA (m2)	Preparatory Works
				FROM	TO					
1	Denman	Pendula Way	Bell St	0.0km	0.165 km	RDPENDW010-020	8	165	1320	Cracking
1	8	Arlingham Close	Ironbark Road	0.0km	0.130km	RMARLIC010-020	6.9	130	987	Cracking
1	10	Belmore Street	Day Street	0.0km	0.327.6km	RMBELMS010-020	6	327.6	1965.6	Cracking
1	10	Bimbadeen Drive	New England Hwy	0.0km	1.439km	RMIBIMBD010-080	10	1439	14390	Cracking
1	10	Black Street	Belmore Street	0.0km	0.129km	RMBLACS010	7	129	903	Cracking
1	5	Carl Street	Brook Street	0.0km	0.207km	RMCARLS060	8.2	207	1697.4	Cracking
1	10	Chivers Circuit	Henry Dangar Dr	0.0km	0.438km	RMCHIVC010-020	7.5	438	3285	Cracking
1	6	Clifford St	Length	0.0km	0.171km	RMCLIFS010	7.5	171	1282.5	Cracking
1	7	Coral St	Tobruk	0.0km	0.161km	RMCORAS010-020	7	161	1127	Cracking
1	10	Cunningham Street	Henry Dangar Dr	0.0km	0.260km	RMCMUNS010-030	7.5	260	1950	Cracking
1	10	Day Street	Henry Dangar Dr	0.0km	0.361km	RMDAYST010-040	7.5	361	2707.5	Cracking
1	10	Dixon Cct	Henry Dangar Dr	0.0km	0.676.5km	RMDIXOC010-050	7.5	676.5	5073.75	Cracking
1	8	Finnegan Cr	Length	0.0km	0.580km	RMFINNCO010-020	7	580	4080	Cracking
1	10	Grant Miller	Henry Dangar Dr	0.0km	0.254.8km	RMGRANS010	7.5	255	1912.5	Cracking
1	Denman	Grimes Close	Culdesac	0.170km	0.210km	RDGRIMC020	16.5	31	511.5	Cracking
1	10	Henry Dangar	Chivers Cct	0.0km	0.627.5km	RMHENRD010-100	11	627.5	6902.5	Cracking
1	10	Jenkins Street	John Howe Cct	0.0km	0.270km	RMJENKS010	7	270	1890	Cracking
1	10	John Howe Cct	Bimbadeen Dr	0.0km	0.604.5km	RMJOHNC010-050	7	604.5	4231.5	Cracking
1	10	Lofberg Ct	Dixon Cct	0.0km	0.165km	RMLOFB010-020	6.5	165	1072.5	Cracking
1	10	McGregor Street	Henry Dangar Dr	0.0km	0.220km	RMCMGRS010	7.5	220	1650	Cracking
1	10	Mussel Street	Henry Dangar Dr	0.0km	0.220km	RMMUSSS010	7.5	220	1650	Cracking
1	8	Ooranga St	Culdesac	0.0km	0.095km	RMORAS020	6	95.3	571.8	Cracking
1	8	Oshorn Ave	Thompson - SSR	0.0km	0.594km	RMOSBOA040-080	9.5	595	5652.5	Cracking
1	7	Patterson Place	Wollomb Road	0.0km	0.040km	RMPATTP010-020	10	40.6	406	Cracking
1	9	Rutherford Road	Maitland Street	0.0km	0.09km	RMRUTHR010-011	15.6	90	1404	Cracking
1	8	Tierney St	Length	0.0km	0.260km	RMTIERS010	7	260	1820	Cracking
1	8	Towarri Ave	Side Road	0.0km	0.121km	RMTOWAS020	4.7	121	568.7	Cracking
1	10	Wanaruah Circuit	Henry Dangar Dr	0.0km	0.692km	RMWANAC010-040	8	692	5536	Cracking
1	10	Wattle Street	Chivers Cct	0.0km	0.255km	RMWATTS010-020	7.5	255	1912.5	Cracking
1	7	Wollombi Road	Dalwood Place	0.0km	1.636km	RMWOLLR020-030	10.2	706	7201.2	Cracking
	10	Gore Street	Henry Dangar Dr	0.0km	0.14	RMGORES010-020	7.5	140	1050	Cracking
	Denman	Bell St	Almond St	0.0km	0.18	RDBELL020	7.5	180	1350	Cracking
	Denman	Burkhill Close	Almond St	0.0km	0.12	RDBURKC010	6	115	690	Cracking

NEW FOOTPATH PRIORITIES

ROUTE	ROUTE NAME	ROUTE SECTION		APPROX	WIDTH (m)	AREA (m)	FACILITY	PRIORITY
M58-A	New England Hwy / Muswellbrook Golf Course	Thompson St	Bell St	280	2.0	560.0	NP	High
D1-B	Turtle Street	Creek Crossing	Paxton Street	112	1.5	168.0	NP	High
M16-A	Thompson St	Kamilaroi St	New England Highway	290	2.0	580.0	NP	High
M4-D	Ironbark Rd	Adams St	Rutherford Rd	335	2.5	837.5	NP	High
M5-C	Ironbark Rd	Calgaroo Ave	Plashett	172	2.5	430.0	NP	High
	Palace Street	Turtle St	Anglican Church	40	1.5	60.0	NP	High
M15	Kamilaroi St	Cassidy Ave	Thompson St	130	2.0	260.0	NP	High
M9-A	Bloodwood Rd	Acacia Dr	9 Bloodwood	190	1.5	285.0	NP	Medium
	Brook St-Doyle St- Brentwood St	George St	Brentwood St	160	2.0	320.0	NP	
	Karoola Park (FMKAROP913P-02)*	Shiraz St (int)	Newman St (flats)	395	1.5	592.5	NP	
M16-B	Thompson St	Kamilaroi St	Adams St	370	1.5	555.0	NP	Medium
M33	Wilkinson Ave	Haydon St	Olympic Park	380	2.0	760.0	NP	Medium
D9-A	Virginia Street	Isobel Street	Merton Street	330	1.5	495.0	NP	High
M18	Nowland St	Tindale St	Skellatar St	160	1.5	240.0	NP	Medium
D12-B	Palace Street	St Josephs School	Merton Street	195	2.0	390.0	NP	High
	Karoola Park (FMKAROP913P-01)*	Shiraz St	Newman St (school)	250	1.5	375.0	NP	
M16-C	Thompson St	Adams St	Fitzgerald Ave	240	1.5	360.0	NP	Medium
M8	Beech St	Calgaroo Ave	Acacia Dr	320	1.5	480.0	NP	Medium
M7-A	Ironbark Ave	Ironbark Rd	Beech St	495	1.5	742.5	NP	Medium
M42	Semillon St	Shiraz St	Cook St	180	1.5	270.0	NP	Medium
	Karoola Park (FMKAROP913P-03)*	Newman Street	Semilon Street	390	1.5	585.0	NP	
	Karoola Park (FMKAROP913P-00)*	Humphries St steps	Shiraz St (Int)	250	1.5	375.0	NP	
M6-B	Rutherford Rd	Cassidy Ave	Ironbark Rd	238	2.0	476.0	NP	Medium
M10-B	Acacia Dr	Rutherford Rd	Bloodwood Rd	780	2.0	1,560.0	NP	Low Medium Timed with future residential development
D7	Arbor Park	57 Virginia Street	Olgivie Street	420	1.5	630.0	NP	Medium
M53	Bowman St	Victoria Park	Queen St	585	1.5	877.5	NP	Low
	Bridge St	Wilkins St	Aberdeen St	600	1.5	900.0	NP	
M21-A	Ruth White Ave	Osborn Ave	Thompson St	590	1.5	885.0	NP	Medium
M23-B	Mitchell St	Property 48	Francis St	80	1.5	120.0	NP	Medium
M51	George St	Karoola Park	Cook St	155	1.5	232.5	NP	Low
M24	Francis St	Mitchell St	Maitland St	200	1.5	300.0	NP	Medium
M20 - A	Skellatar St	Sydney St	Moosh	235	1.5	352.5	NP	Low
M47-B	Roger St	Muswellbrook Primary School	Dumaresq St	180	2.0	360.0	NP	High
M12-A	Woollybutt Way	Kurrajong Reserve	Casuarina Cl	155	2.0	310.0	NP	Low / High
M44-A2	Cook St	Sowerby St	Carl St	198	2.0	396.0	NP	Medium
M44-A1	Cook St	Queen St	George St	722	2.0	1,444.0	NP	Medium
M22	Adams St	Skellatar Stock Route	Ruth White Ave	740	1.5	1,110.0	NP	Low
D16	Almond Street	16 Almond St	Bray Street	140	1.5	210.0	NP	Timed with future residential development
M12-B	Woollybutt Way	Casuarina Cl	Calgaroo Ave	120	1.5	180.0	NP	High
D8-A	Turner Street	Ogilvie Street/Rail Crossing	Bell St	350	1.5	525.0	NP	Timed with future residential development
M27-A	Carl St	Cook St	Brook St	360	1.5	540.0	NP	Medium
M46-A	Sowerby St	Hastings St (Karoola Park access)	Hill St	700	1.5	1,050.0	NP	Very Low
M26	Osborn Ave	Thompson St	Ruth White Ave	190	2.0	380.0	NP	High
D3-C	Macauley Street	Hyde Park	Virginia Street	220	1.5	330.0	NP	Low
M23-A	Mitchell St	Francis St	Sydney St	370	1.5	555.0	NP	Low
M54-A	Brecht St	Cook St	King St	670	1.5	1,005.0	NP	Medium
M43	Lexia St	Queen St	Verdelho Reserve	715	1.5	1,072.5	NP	Low
M19	Tindale St	Fitzgerald Ave	Nowland St	295	1.5	442.5	NP	Medium
D13	Merton Street	Virginia Street	Palace Street	395	1.5	592.5	NP	Low
M48	Dumaresq St	Sowerby St	Roger St	215	1.5	322.5	NP	High
M30-A	King St	Clendinning St	Queen St	390	1.5	585.0	NP	Low
M35	The Common (Queen St)	King St	Verdelho Reserve	1690	1.5	2,535.0	UP	Medium
M3	Wollombi Rd	Sydney St	Patterson Pl (easement path)	1210	1.5	1,815.0	NP	Medium
	Ironbark Rd#	Plashet Cl	Ironbark Ridge Estate	25	1.5	37.5	NP	Medium
M17	Fitzgerald Ave	St James Primary School	Tindale St	135	1.5	202.5	NP	Medium
D18	Turner Street	Bray Street	Kenilworth Street	120	2.0	240.0	NP	Timed with future residential development
M13	Casuarina Cl	Woollybutt Way	Easement	90	1.5	135.0	NP	Very Low Timed with future development
M40-B	Hunter St	Sowerby Ave	View Pl	90	1.5	135.0	NP	Low
D5	Virginia Street	Babbington Street	Bright Street	205	1.5	307.5	NP	Very Low
M25	Anzac Pde	Sydney St	Easement path (Nowland St)	305	1.5	457.5	NP	Low
M21-B	Ruth White Ave	Easement	-	40	1.5	60.0	UP	Low
D17	Bray Street	Almond Street	Turner Street	130	1.5	195.0	NP	Timed with future residential development
D9-B	Virginia Street	Merton Street	Kenilworth Street	285	1.5	427.5	NP	Low
D3-A	Hyde Park	Macauley Street	Babbington Street	260	2.0	520.0	NP	Medium
D4	Babbington Street	Virginia Street	Hyde Street	290	1.5	435.0	NP	Very Low
M10-A	Acacia Dr (easement)	Acacia Dr	Goruk Cl	175	1.5	262.5	NP	Very Low

Attachment G

M36-A	Queen St	Cook St	Verdelho Reserve	550	1.5	825.0	SZNP	Very Low Low Timed with future residnetial development
M1-D	Sydney Street	Tarakan Ave	Wollombi Road	290	1.5	435.0	NP	High
M4-A	Skellatar Stock Rt	Sydney St	Wollombi Park	1030	2.0	2,060.0	NP	Medium
D15-B	Bell Street	Turner Street	Almond Street	135	1.5	202.5	NP	Timed with future residential development
M40-A	Hunter St	Karoola Park (west)	Sowerby Ave	235	1.5	352.5	NP	Medium
M14	Cassidy Ave	Rutherford Rd	Kamilaroi St	215	1.5	322.5	T	High
10	Sydney Street	Brook Park	Skellatar Stock Rt	25	1.5	37.5	NP	High
D3-B	Macauley Street	Palace Street	Hyde Park	105	1.5	157.5	NP	Low
D6	Rosemount Road	Virginia Street	Surveyor Generals Drive	295	1.5	442.5	NP	Timed with future residential development
M36-B	Queen St	Verdelho Reserve	Property 121	550	1.5	825.0	NP	Very Low Low Timed with future residential development
M36-C	Queen St	Property 145	Property 147	117	1.5	175.5	NP	Very Low Low Timed with future residential development
D10	Kenilworth Street	Virginia Street	Palace Street	400	1.5	600.0	NP	Very Low
NUMBER	From		To	LENGTH (m)			TYPE	



1. Facility access assessment

- 10 Access to only one facility
- 20 2 facilities
- Within access to Mbk south school and Muswellbrook High school (refer to Walk Cycle Plan 2009 survey).
- 30 3 facilities
- 40 >3 facilities
- 50 with in 0.5km radius of CBD or south Shopping centre

* Suggested by Resident Leslie Cutriss 20/2/17

Suggested by Resident Brett Miller 23/3/19 - to connect Ironbark Ridge Estate to future (M4-D & M5-C) and existing footpath

Road name	Segment No	Chainage	Length	Comments	Priority
Bylong Valley Way		1395	150	LHS New Guardrail	1
Bylong Valley Way		37645	40	LHS New Guardrail	1
Bylong Valley Way		31810	40	New guard Rails on both sides	1
Bureen Road		7263	20	LHS New Guardrail	1
Bureen Road		11923	40	RHS New Guardrail	1
Bureen Road		12565	40	LHS New Guardrail	1
Bureen Road		12631	90	RHS New Guardrail	1
Bureen Road		12642	30	LHS New Guardrail	1
Bylong Valley Way		27950	20	New guard Rails on both sides	1
Yarraman Road	RLYARRR070-71	6160-6400	480	Possible guardrail either side of major culvert	1/2
Sandy Creek Road	RLSANDR050	4560-4630	70	LHS possible new guardrail	2
Yarrawa Road	RLYARWR070	6480-6510	30	Possible guardrail LHS	2
Yarrawa Road	RLYARWR080	7000-7300	300	Possible guardrail RHS	2
Yarrawa Road	RLYARWR180	15900-16000	100	Possible guardrail RHS	2
Widden Valley Road	RLWIDVR060	5530-5760	230	Possible guardrail RHS	2/3
Widden Valley Road	RLWIDVR060	5920-6500	580	Possible guardrail RHS	2/3
Widden Valley Road	RLWIDVR070	6890-6980	90	Possible guardrail RHS	2/3
Widden Valley Road	RLWIDVR080	7870-8100	230	Possible guardrail RHS	2/3
Wybong Road	RLWYBOR030	2530		Possible guardrail over major culvert	3
Rosemount Road	RLROSER070	6200-6300	100	Possible guardrail RHS	3
Rosemount Road	RLROSER080	7250-7670	120	Possible guardrail	3
Rosemount Road	RLROSER110	9790-9870	80	Possible site for guardrail - 3m drop either side of major culvert	3
Rosemount Road	RLROSER110	10000-10600	600	Possible guardrail LHS	3
Bylong Valley Way	RLBYLOW180	19000-19130	130	Right - possible site for guardrail	3
Widden Valley Road	RLWIDVR030	2040-2470	430	Possible guardrail RHS	3
Widden Valley Road	RLWIDVR110	10400-10600	200	Possible guardrail RHS	3
Dry Creek Road	RLDRYCR110	9270-9420	150	Possible guardrail LHS	3
Dolahentys Road	RLDOLAR020	1550-1580	30	Possible guardrail LHS - Suggested by local resident	3
Dolahentys Road	RLDOLAR020	1600-1650	50	Possible guardrail LHS - Suggested by local resident	3
Yarrawa Road		9160	50	Possible guardrail over major culvert - 25m each side	3
Edderton Road		10000 LHS		Guardrail required	
Muscle Creek Road		7050 L&R	40	Replace old guardrail with new style ends	3

Attachment I

HEAVY PATCHING PRIORITIES											
Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
06-06-19	Ogilvie St	Denman	Urban		Virginia to Railway Line	Pavement failure	N	7	70	490	1
06-09-19	Ogilvie St	Denman	Urban		Dapkos	Pavement failure	N	3	5	15	1
12-02-18	Scott St	Muswellbrook	Urban		12	Cut trench	N	3	5	15	1
12-02-18	Doyle Street	Muswellbrook	Urban		Near Roundabout	Rippling effect in pavement	N	13	40	520	1
02-02-17	Bylong Valley Way		Rural	LHS	8560	Pavement Failure	N	2	10	20	1
27-08-15	Cabernet St	Muswellbrook	Urban		3	Rut next to kerb and gutter	Y	2	45	90	1
06-06-19	King Street	Muswellbrook	Urban		Brook St Roundabout	Pavement Failure	N	2	15	30	1
09-11-16	Dalswinton Road		Rural	RHS	450	Pavement Failure	N	2.5	26	65	1
09-11-16	Dalswinton Road		Rural	RHS	420	Pavement Failure	N	3	10	30	1
09-11-16	Dalswinton Road		Rural		3905	Pavement Failure	N	2	15	30	1
09-11-16	Dalswinton Road		Rural	F/W	2720	Pavement Failure	N	3	15	45	1
05-04-17	Flanders Avenue	Muswellbrook	Urban		19	Failed patch	N	3	10	30	1
20-06-14	King Street	Muswellbrook	Urban		36	Pavement Failure	N	3	10	30	1
20-02-18	Osborn Ave	Muswellbrook	Urban		44/46	Pavement Failure	Y	65	2	130	1
11-04-17	Nowland St	Muswellbrook	Urban		58 Tindale	Pavement Failure	N	3	3	9	1
20-03-17	Queen Street	Muswellbrook	Urban		81	Pavement Failure	N	2	5	10	1
23-04-13	Sandy Creek Road		Rural	RHS	11625	Pavement Failure	N	15	2.5	37.5	1
11-04-17	Sanray Cr	Muswellbrook	Urban		3	Pavement Failure	N	2	2	4	1
24-06-15	Scott St	Muswellbrook	Urban		Rutherford Park	Trench	N	2	5	10	1
12-04-17	Shaw Cr	Muswellbrook	Urban		37 (Int Thompson)	Trench (W&W)	N	5	20	100	1
18-06-14	Skellatar Street	Muswellbrook	Urban		Cnr Osborn Ave	Pavement Failure	N	3	3	9	1
05-04-17	Sowerby Ave	Muswellbrook	Urban		11113	Pavement Failure	Y	2	10	20	1
05-04-16	Strathmore Road	Muswellbrook	Urban		Freeo	Cracking	N	3	3	9	1
23-05-16	Sydney Street	Muswellbrook	Urban		Brookside/Garlics	Pavement Failure	N	2	20	40	1
22-07-16	Thomas Mitchell Drive		Rural	RHS	50	Pavement Failure	N	3	10	30	1
22-07-16	Thomas Mitchell Drive		Rural	RHS	425	Pavement Failure	N	4	30	120	1
22-07-16	Thomas Mitchell Drive		Rural	RHS	850	Pavement Failure	N	3	30	90	1
07-12-17	Thomas Mitchell Drive		Rural	F/W	1515	Pavement Failure	N	10	20	200	1
18-06-14	Thompson Street	Muswellbrook	Urban		Int Kamilaroi	Pavement Failure	N	9	30	270	1
05-04-17	Turanville Ave	Muswellbrook	Urban		55 Sowerby	Pavement failure	N	2	2	4	1
15-03-17	Turner Street	Denman	Urban		28	Pavement Failure	N	3	10	30	1
23-01-17	Turnermans Road Nth		Rural		610	Pavement Failure	N	2	30	60	1
24-05-16	Victoria St	Muswellbrook	Urban		120	Sunken stormwater drain	Y	2	7	14	1
07-03-17	Wilkins Street	Muswellbrook	Urban		7-9	Pavement failure	N	2	5	10	1
08-01-15	William St	Muswellbrook	Urban		Sowerby to Cuddeas	First 20 m	N	5	20	100	1
21-01-16	Wybong Road		Rural	RHS	23640	Pavement Failure	N	2	2	4	1
11-01-17	Wybong Road		Rural	RHS	33160	Pavement Failure	N	2	5	10	1
11-01-17	Wybong Road		Rural	RHS	18050	Pavement Failure in new pavement	N	2	15	30	1
05-04-17	Hill St	Muswellbrook	Urban		Bridge to Railway Line	Pavement Failure	Y	10	96	960	1
05-04-17	Anzac Pde	Muswellbrook	Urban		17	Pavement Failure	N	5	10	50	1
05-04-17	Anzac Pde	Muswellbrook	Urban		Sydney St to 20	Pavement Failure	Y	10	260	2600	1
20-06-14	Merton Street	Denman	Urban		12	Trench	N	2	14	28	1
20-06-14	Merton Street	Denman	Urban		20	Trench	N	2	6	12	1
20-06-14	Merton Street	Denman	Urban		22	Trench	N	2	6	12	1
20-06-14	Merton Street	Denman	Urban		64 Paxton	Trench	N	2	6	12	1
12-01-15	Merton Street	Denman	Urban		2	Pavement Failure	Y	4	4	16	1
14-03-17	Merton Street	Denman	Urban		4 to 8	Rut along kerb and gutter	Y	2	50	100	1
14-03-17	Merton Street	Denman	Urban		10	Trench	N	2	14	28	1
06-12-17	Heron Lane		Rural	Centre	5150	Pavement failure	N	5	5	25	1
07-12-17	Thomas Mitchell Drive		Rural	RHS	7280	Pavement failure	N	4	10	40	1
20-12-17	Mangoola Road		Rural		7250	Pavement failure	N	2	2	4	1
04-01-18	Castlerock Road		Rural		17580	Pavement failure	N	2	20	40	1
12-02-18	Hunter Terrace	Muswellbrook	Urban		27 (Centre)	Trench	N	3	10	30	1
19-02-18	Palace St	Denman	Urban		11/33	Pavement Failure	Y	11	220	2420	1
19-02-18	Merton Street	Denman	Urban		Jan-00	Trench	N	2	5.5	11	1
19-02-18	Lofberg Ct	Muswellbrook	Urban	F/W	14	Pavement Sink	Y	3	6.5	19.5	1
19-02-18	Turner Street	Denman	Urban		24	Pavement Failure	N	2	10	20	1
22-03-18	Baerami Creek Road		Rural	RHS	8700	Pavement Failure	N	2	10	20	1
15-03-18	Bylong Valley Way		Rural	RHS	9575	Pavement Failure	N	2	3	6	1
27-03-18	Cousins St	Muswellbrook	Urban		4	Trench across road	N	2	8	16	1
27-03-18	Humphries St	Muswellbrook	Urban		7	Dip over stormwater drain	N	2	2	4	1
27-03-18	Malbec St	Muswellbrook	Urban		12	Pavement failure	N	2	2	4	1
27-03-18	Shiraz St	Muswellbrook	Urban		81/Karoola Park	Trench	N	2	10	20	1
19-02-18	Rosemount Road	Denman	Urban		23	Trench	N	8	2	16	1
05-04-18	Brecht St	Muswellbrook	Urban		45	Pavement failure	N	4	20	80	1
05-04-18	Chardonnay St	Muswellbrook	Urban		29	Pavement failure	N	2	2	4	1
05-04-18	Chardonnay St	Muswellbrook	Urban		25	Pavement failure	N	2	5	10	1
05-04-18	Sowerby St	Muswellbrook	Urban		69	Pavement failure	N	3	3	9	1
07-04-17	Foley Street	Muswellbrook	Urban		20	Pavement Failure	N	4	4	16	1
17-04-18	Turanville Ave	Muswellbrook	Urban		11	Pavement Failure	N	3	3	9	1
17-04-18	Turanville Ave	Muswellbrook	Urban		Sowerby to Bligh	Pavement Failure over watermain	Y	20	2	40	1
18-04-18	Clifford Street	Muswellbrook	Urban		7	Trench across the road is failing	N	2	8	16	1
19-02-18	Hyde St	Denman	Urban		17	Pavement failure x 2	N	3	10	30	1
18-04-18	Bligh Street	Muswellbrook	Urban		17	Pavement Failure	N	4	4	16	1
18-04-18	Birralee Street	Muswellbrook	Urban		Int Brentwood Street	Pavement Failure	N	3	10	30	1
18-04-18	Brecht St	Muswellbrook	Urban		From Birralee to Brentwood	5 x trenches	N				1
18-04-18	Bligh Lane	Muswellbrook	Urban		6 to Carl St	Rough surface	N	3	85	255	1
18-04-18	Lower Hill St	Muswellbrook	Urban		64	Trench	N	3	15	45	1
18-04-18	Brentwood Street	Muswellbrook	Urban		Length of road	13 x trenches across road	N	10	26	260	1
18-04-18	Brook Street	Muswellbrook	Urban		105-Carl St		N	3	78	234	1
18-04-18	Campion Ln	Muswellbrook	Urban		Cycle shop	Pavement failure	N	4	10	40	1
18-04-18	Glenbawn Place	Muswellbrook	Urban		Int Wollombi Road	Pavement Failure (Full width)	N	3	12	36	1
18-04-18	Wilkins Street	Muswellbrook	Urban		1/3	Pavement Failure	N	2	40	80	1
18-04-18	Roger St	Muswellbrook	Urban		26	Pavement Failure	N	2	2	4	1
18-04-18	Ruth White Avenue	Muswellbrook	Urban		33	Failed patch next to new kerb and gutter	N	2	25	50	1
09-04-18	Brook St	Muswellbrook	Urban		St Albans	Pavement Failure	N	3	3	9	1
09-04-18	Market St	Muswellbrook	Urban		Interchange	Cracking	N	2	10	20	1
09-04-18	Market St	Muswellbrook	Urban		Interchange	Failed Patch	N	5	10	50	1
16-04-18	Carramere Road	Muswellbrook	Urban		Hanson	Pavement Failure	N	2	2	4	1

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
16-04-18	Skellatar Stock Route	Muswellbrook	Urban		Opp St James Primary School	Pavement failure in school bus stop	N	2	3	6	1
06-06-19	Rutherford Road	Muswellbrook	Urban		Toyota	Cracking	N	2	85	170	1
06-06-19	Rutherford Road	Muswellbrook	Urban		Opp Toyota	Cracking	N	3	10	30	1
01-06-19	St James Cr	Muswellbrook	Urban		Thompson to Kamilaroi	Pavement Failure	N	9	45	405	1
06-03-17	Aberdeen Street		Urban		46	Pavement Failure	N	3	15	45	1/2
07-03-17	Aberdeen Street	Muswellbrook	Urban		Opposite Rest area (46)	Pavement Failure	N	3	3	9	1/2
24-02-16	Bylong Valley Way		Rural	RHS	32648	Pavement Failure	N	2	5	10	1/2
02-02-17	Bylong Valley Way		Rural	RHS	8180	Pavement Failure	N	2	100	200	1/2
09-11-16	Edderton Road		Rural	RHS	2650	Pavement Failure	N	2	60	120	1/2
09-11-16	Edderton Road		Rural	RHS	2850	Pavement Failure	N	2	30	60	1/2
09-11-16	Edderton Road		Rural	F/W	4560	Dip over culvert	N	6	3	18	1/2
2012	Lower William St	Muswellbrook	Urban		6	Rut and shove at gutter/driveway	Y	2	10	20	1/2
16-10-14	Martindale Road		Rural	RHS	8060	Pavement Failure	N	2.5	30	75	1/2
23-01-17	Martindale Road		Rural		23265	Pavement Failure	N	3	4	12	1/2
23-01-17	Martindale Road		Rural		23276	Pavement Failure	N	3	4	12	1/2
21-03-17	Queen Street	Muswellbrook	Urban		144-156	Pavement along k&g line damaged	Y	2	140	280	1/2
13-01-17	Ridglands Road		Rural	RHS	10978	Pavement Failure	N	2.5	10	25	1/2
18-04-18	Rutherford Road	Muswellbrook	Urban		Indoor Sports Centre	Failed Patch	Y	3	40	120	1/2
22-07-16	Thomas Mitchell Drive		Rural	RHS	1530	Pavement Failure	N	3	20	60	1/2
22-07-16	Thomas Mitchell Drive		Rural	RHS	1750	Pavement Failure	N	4	100	400	1/2
06-03-17	Aberdeen Street	Muswellbrook	Urban		PPPS Plumbing	Pavement Failure	N	3	10	30	2
06-03-17	Aberdeen Street	Muswellbrook	Urban		PPPS Plumbing	Pavement Failure	N	3	10	30	2
07-03-17	Aberdeen Street	Muswellbrook	Urban		26-28	Cracking	N	2	30	60	2
07-03-17	Aberdeen Street	Muswellbrook	Urban		45	Pavement Failure	N	3	10	30	2
05-04-17	Acacia Drive	Muswellbrook	Urban		60	Pavement Failure	Y	2	5	10	2
05-04-17	Anzac Pde	Muswellbrook	Urban		27129	Cracking	N	2	10	20	2
25-02-16	Baerami Creek Road		Rural	F/W	10834	Pavement Failure	N	6	5	30	2
09-04-18	Birralee Street	Muswellbrook	Urban		3	Pavement Failure	N	2	5	10	2
05-04-17	Bligh Street	Muswellbrook	Urban		5	Trench	N	2	15	30	2
18-04-18	Bligh Street	Muswellbrook	Urban		53	Pavement Failure	N	3	3	9	2
04-04-16	Brav St	Denman	Urban		8	Shove	N	3	3	9	2
09-01-15	Brecht St	Muswellbrook	Urban		37-39	Failed Patch	N	2	10	20	2
04-04-16	Bright St	Denman	Urban		3	Pavement Failure	N	5	5	25	2
06-04-17	Brook Street	Muswellbrook	Urban		89a	Pavement Failure	N	2	15	30	2
06-04-17	Brook Street	Muswellbrook	Urban		121-Carl Street (WB lane)	Rough Surface	N	7	256	1792	2
06-04-17	Brook Street	Muswellbrook	Urban		Carl-Sowerby	Delamination	N	6	215	1290	2
16-10-14	Bureen Road		Rural	RHS	5950	Pavement Failure	N	2.5	6	15	2
21-03-17	Burgundy St	Muswellbrook	Urban		6	Pavement failure	Y	3	5	15	2
15-03-18	Bylong Valley Way		Rural	LHS	2670	Patch failure	N	2	20	40	2
15-03-18	Bylong Valley Way		Rural	RHS	10940	Pavement Failure	N	2	20	40	2
21-11-13	Bylong Valley Way		Rural	RHS	34790	Pavement Failure	N	5	2	10	2
06-11-14	Bylong Valley Way		Rural	RHS	25540	Pavement Failure	N	2	10	20	2
15-03-18	Bylong Valley Way		Rural	RHS	14395	Pavement Failure	N	4	2	8	2
15-03-18	Bylong Valley Way		Rural	RHS	25660	Pavement Failure	N	20	4	80	2
15-03-18	Bylong Valley Way		Rural	RHS	26290	Pavement Failure	N	4	4	16	2
04-01-18	Castlerock Road		Rural	LHS	4400	Pavement Failure	N	2	5	10	2
04-01-18	Castlerock Road		Rural	LHS	1410	Pavement Failure	N	2	2	4	2
29-03-17	Coal Road	Muswellbrook	Urban		865	Pavement Failure	N	3	3	9	2
10-12-14	Cook St	Muswellbrook	Urban		55	Pavement Failure	N	5	4	20	2
09-11-16	Dalswinton Road		Rural	LHS	120	Pavement Failure	N	5	3	15	2
21-10-13	Dalswinton Road		Rural	LHS	2090	Pavement Failure	N	10	2	20	2
21-10-13	Dalswinton Road		Rural	RHS	2120	Pavement Failure	N	2.5	3	7.5	2
21-10-13	Dalswinton Road		Rural	LHS	2121	Pavement Failure	N	2.5	3	7.5	2
15-01-18	Dalswinton Road		Rural	F/W	3690	Pavement Failure	N	4	30	120	2
27-05-16	Dumaresq St	Muswellbrook	Urban		17	Pavement Failure	N	3	2	6	2
05-04-17	Dumaresq St	Muswellbrook	Urban		4	Pavement Failure	Y	2	5	10	2
09-11-16	Edderton Road		Rural	LHS	480	Pavement Failure	N	2	40	80	2
09-11-16	Edderton Road		Rural	LHS	2780	Pavement Failure	N	2	10	20	2
09-11-16	Edderton Road		Rural	RHS	3080	Pavement Failure	N	2	30	60	2
09-11-16	Edderton Road		Rural	RHS	3785	Pavement Failure	N	2	10	20	2
09-11-16	Edderton Road		Rural	RHS	3830	Pavement Failure	N	3	3	9	2
09-11-16	Edderton Road		Rural	RHS	13390	Pavement Failure	N	2	15	30	2
09-11-16	Edderton Road		Rural	RHS	14160	Pavement Failure	N	2	60	120	2
25-01-16	Ferndale Road		Rural	RHS	1915	Pavement Failure	N	2	5	10	2
25-01-16	Ferndale Road		Rural	RHS	1920	Pavement Failure	N	2	10	20	2
14-01-14	Ferndale Road		Rural	RHS	2790	Pavement Failure	N	10	2.5	25	2
17-01-17	Ferndale Road		Rural	RHS	2855	Pavement Failure	N	2	5	10	2
14-01-14	Ferndale Road		Rural	F/W	3170	Pavement Failure	N	4	20	80	2
20-05-16	Fleming St	Muswellbrook	Urban		315	Pavement Failure	Y	2	20	40	2
11-04-17	Fleming St	Muswellbrook	Urban		4	Pavement Failure	N	5	5	25	2
07-04-17	Foley Lane	Muswellbrook	Urban		Int Carl St	Pavement Failure	N	4	4	16	2
11-04-17	Forbes St	Muswellbrook	Urban		48	Pavement Failure	N	2	10	20	2
05-04-16	Glen Munro Road	Muswellbrook	Urban		Erwin's (number 5)	Cracking	N	2	3	6	2
09-12-14	Hastings Street	Muswellbrook	Urban		7	Pavement Failure	Y	3	3	9	2
2012	Humphries St	Muswellbrook	Urban		1	Pavement Failure	Y	2	8	16	2
26-05-16	Hunter Street	Muswellbrook	Urban		Median near sw drain	Pavement Failure	Y	2	10	20	2
20-01-15	Ironbark Rd	Muswellbrook	Urban		End road	Pavement Failure	N	3	10	30	2
10-10-15	Jordan St	Muswellbrook	Urban		Int Lorne St	Trench	N	6.5	2	13	2
20-01-15	Kamilaroi Street	Muswellbrook	Urban		5	Pavement Failure	N	2	3	6	2
12-04-17	Kamilaroi Street	Muswellbrook	Urban		Cnr Cassidy	Trench along gutter	Y	2	25	50	2
12-11-16	Kayuga Road		Rural	RHS	4080	Pavement Failure	N	3	15	45	2
2012	Lexia St	Muswellbrook	Urban		48146	Failure near K&G	Y	40	2	80	2
18-01-16	Loques Lane		Rural	LHS	380	Pavement Failure	N	2	2	4	2
23-12-14	Lower Hill St	Muswellbrook	Urban		80	Pavement Failure	N	3	15	45	2
21-01-16	Mangoola Road		Rural	LHS	14470	Pavement Failure	N	4	4	16	2
2012	Martindale Road		Rural	LHS	8325	Pavement Failure	N	2.5	5	12.5	2
23-01-17	Martindale Road		Rural		16360	Pavement Failure - at floodway	N	5	5	25	2
07-04-17	Midanga Ave	Muswellbrook	Urban		Intersection King Street	Trench	N	3	12	36	2
12-01-15	Mill Street	Muswellbrook	Urban		Cnr Sydney St	Pavement Failure	N	2	13	26	2
07-04-17	Mitchell Street	Muswellbrook	Urban		Int Francis St	Pavement Failure	N	3	5	15	2
23-08-16	Muscle Creek Road		Rural	LHS	6610	Pavement Failure	N	3	10	30	2

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
07-12-17	Muscle Creek Road		Rural	LHS	3510	Pavement Failure	N	2	20	40	2
17-04-18	Parkinson Ave	Muswellbrook	Urban		Cnr Cook St	Trench	N	2	8	16	2
29-03-17	Parkinson Ave	Muswellbrook	Urban		1	Pavement failure	N	2	10	20	2
29-03-17	Parkinson Ave	Muswellbrook	Urban		3-Cook Street	Along kerb and gutter	Y	2	170	340	2
17-04-18	Paterson Pl	Muswellbrook	Urban		4	Pavement Failure	N	2	2	4	2
30-03-16	Queen Street	Muswellbrook	Urban		22	Pavement Failure	Y	10	3	30	2
30-03-16	Queen Street	Muswellbrook	Urban		48	Pavement Failure	Y	3	10	30	2
20-03-17	Queen Street	Muswellbrook	Urban		16/18	Pavement Failure	Y	3	20	60	2
30-05-16	Riesling St	Muswellbrook	Urban		34	Pavement Failure	N	3	5	15	2
17-11-16	Sandy Creek Road		Rural	RHS	11440	Pavement Failure	N	2	2	4	2
06-02-19	Sandy Creek Road		Rural	CENTRE	3765	Pavement Failure	N	2	20	40	2
16-10-13	Scrumlo Road		Rural		2550	Pavement Failure	N	5	2	10	2
27-03-18	Shiraz St	Muswellbrook	Urban		87	Trench	N	2	10	20	2
07-04-17	Skellatar St	Muswellbrook	Urban		Blooms	Cracking	N	2	9	18	2
05-04-16	Skellatar Stock Route	Muswellbrook	Urban		184	Failed Patch	N	2	20	40	2
05-04-18	Sowerby St	Muswellbrook	Urban		72	Pavement failure	N	3	3	9	2
2012	St Andrews Place	Muswellbrook	Urban		3	Pavement Failure	N	5	5	25	2
07-04-16	St James Cr	Muswellbrook	Urban		11	Trench/Subsidence	N	9	2	18	2
22-07-16	Thomas Mitchell Drive		Rural	RHS	85	Pavement Failure	N	3	3	9	2
22-07-16	Thomas Mitchell Drive		Rural	RHS	480	Pavement Failure	N	3	15	45	2
22-07-16	Thomas Mitchell Drive		Rural	LHS	630	Pavement Failure	N	3	40	120	2
22-07-16	Thomas Mitchell Drive		Rural	RHS	1910	Pavement Failure	N	3	10	30	2
07-12-17	Thomas Mitchell Drive		Rural	FAW	2020	Pavement Failure	N	10	5	50	2
07-12-17	Thomas Mitchell Drive		Rural	LHS	2365	Pavement failure	N	4	10	40	2
19-05-16	Tindale St	Muswellbrook	Urban		39	Failed pavement next to new kerb	N	2	20	40	2
11-04-17	Tindale St	Muswellbrook	Urban		54/56	Pavement Failure	N	2	10	20	2
15-03-18	Turanville Ave	Muswellbrook	Urban		12/16	Pavement Failure	Y	4	35	140	2
23-01-17	Turnermans Road Nth		Rural	RHS	510	Pavement Failure	N	2	2	4	2
23-01-17	Turnermans Road Nth		Rural	RHS	557	Pavement Failure	N	2	2	4	2
23-01-17	Turnermans Road Nth		Rural		585	Pavement Failure	N	2	20	40	2
23-01-17	Turnermans Road Nth		Rural	LHS	740	Pavement Failure	N	2	3	6	2
23-12-14	Wilkins Street	Muswellbrook	Urban		3	Pavement Failure	N	2	4	8	2
25-05-16	Wilkins Street	Muswellbrook	Urban		At Median	Pavement Failure		5	3	15	2
14-01-15	Wollombi Road	Muswellbrook	Urban		Int Sydney Street	Shove at intersection	N	2	3	6	2
11-01-17	Wybong Road		Rural	LHS	Int Kayuga Road	Pavement Failure	N	2	10	20	2
21-01-16	Wybong Road		Rural	RHS	670	Pavement Failure	N	2	10	20	2
12-09-14	Wybong Road		Rural		2945	Pavement Failure	N	2	70	140	2
2012	Wybong Road		Rural	RHS	7080	Pavement Failure	N	2.5	5	12.5	2
08-01-14	Wybong Road		Rural	LHS	21550	Pavement Failure	N	2	5	10	2
25-01-16	Yarra Road		Rural	CENTRE	6365	Pavement Failure	N	2	2	4	2
19-01-18	Yarra Road		Rural	RHS	9590	Pavement Failure	N	2	10	20	2
25-01-16	Yarra Road		Rural	RHS	9640	Pavement Failure	N	5	2.5	12.5	2
25-01-16	Yarra Road		Rural	LHS	9660	Pavement Failure	N	20	2.5	50	2
19-01-18	Yarra Road		Rural	RHS	9670	Pavement Failure	N	2	20	40	2
16-10-14	Yarra Road		Rural	RHS	9970	Pavement Failure	N	2.5	25	62.5	2
19-01-18	Yarra Road		Rural	LHS	10150	Pavement Failure	N	2	30	60	2
16-05-13	Bylong Valley Way		Rural	RHS	16572	Pavement Failure	N	10	4	40	2/3
16-05-13	Bylong Valley Way		Rural	LHS	24130	Pavement Failure	N	10	2.5	25	2/3
16-05-13	Bylong Valley Way		Rural	RHS	31750	Pavement Failure	N	25	2.5	62.5	2/3
14-01-15	Crete St	Muswellbrook	Urban		Cnr Tarakan	Pavement Failure	N	10	10	100	2/3
15-02-16	Duggans Road		Rural	RHS	120	Pavement failure	N	2	130	260	2/3
09-11-16	Edderton Road		Rural	LHS	2280	Pavement Failure	N	2	70	140	2/3
09-11-16	Edderton Road		Rural	FAW	9260	Pavement Failure	N	6	30	180	2/3
2012	Femdale Road		Rural	F/W	3170	Pavement Failure	N	5	15	75	2/3
08-01-15	Gvarran Street	Muswellbrook	Urban		4	Pavement Failure	N	3	5	15	2/3
2012	Hyde St	Denman	Urban		21	Rut along kerb and gutter	N	2	10	20	2/3
12-11-16	Kayuga Road		Rural	RHS	4200	Pavement Failure	N	2	30	60	2/3
2012	Lower William St	Muswellbrook	Urban		4	Shove at driveway	N	2	4	8	2/3
16-10-14	Martindale Road		Rural	LHS	1140	Pavement Failure	N	4	10	40	2/3
16-10-14	Martindale Road		Rural	RHS	1315	Pavement Failure	N	2	3	6	2/3
26-09-14	Ridglands Rd		Rural	RHS	9127	Pavement Failure	N	3	3	9	2/3
17-04-18	Turanville Ave	Muswellbrook	Urban		12	Pavement Failure	N	2	20	40	2/3
23-12-14	Aberdeen Street	Muswellbrook	Urban		25	Cracking	N	2	3	6	3
23-12-14	Aberdeen Street	Muswellbrook	Urban		29	Cracking	N	2	3	6	3
23-12-14	Aberdeen Street	Muswellbrook	Urban		39	Pavement Failure	N	3	3	9	3
06-03-17	Aberdeen Street	Muswellbrook	Urban		31	Cracking	N	2	5	10	3
06-03-17	Aberdeen Street	Muswellbrook	Urban		437	Cracking	N	5	5	25	3
20-01-15	Adams St	Muswellbrook	Urban		Cnr Thompson	Pavement Failure	N	3	3	9	3
19-05-16	Adams St	Muswellbrook	Urban		Various	15 x trenches	N	30	8	240	3
05-04-17	Adams St	Muswellbrook	Urban		2 Kamilaroi	Pavement failure	N	5	5	25	3
05-04-17	Adams St	Muswellbrook	Urban		50	Pavement failure	Y	2	2	4	3
11-01-16	Antienne Road		Rural	RHS	380	Pavement Failure	N	2	2	4	3
06-12-17	Antienne Road		Rural	RHS	290	Pavement Failure	N	2	2	4	3
08-01-19	Antienne Road		Rural	RHS	200	Pavement Failure	N	2	2	4	3
05-04-17	Anzac Pde	Muswellbrook	Urban		43	Trench	N	2	7	14	3
12-01-15	Babbington St	Denman	Urban		Int Hunter St	Trench	N	2	8	16	3
04-04-16	Babbington St	Denman	Urban		Int Palace St	Trench	N	8	3	24	3
25-02-16	Baerami Creek Road		Rural	F/W	480	Pavement Failure	N	8	3	24	3
07-02-17	Baerami Creek Road		Rural	RHS	780	Pavement Failure	N	2	2	4	3
07-02-17	Baerami Creek Road		Rural	RHS	1160	Pavement Failure	N	2	2	4	3
22-03-18	Baerami Creek Road		Rural	F/W	1900	Pavement Failure	N	8	30	240	3
07-02-17	Baerami Creek Road		Rural	RHS	2240	Pavement Failure	N	4	4	16	3
07-02-17	Baerami Creek Road		Rural	F/W	4095	Pavement Failure	N	7	3	21	3
25-02-16	Baerami Creek Road		Rural	F/W	4780	Pavement Failure - over culvert	N	8	2	16	3
07-02-17	Baerami Creek Road		Rural	RHS	7380	Pavement failure	N	2	2	4	3
25-02-16	Baerami Creek Road		Rural	CENTRE	8266	Pavement Failure	N	2	2	4	3
10-12-13	Baerami Creek Road		Rural	F/W	8810	Pavement Failure	N	10	6	60	3
07-02-17	Baerami Creek Road		Rural	LHS	8832	Pavement Failure	N	2	40	80	3
07-02-17	Baerami Creek Road		Rural	RHS	8920	Pavement Failure	N	2	10	20	3
07-02-17	Baerami Creek Road		Rural	RHS	8960	Pavement Failure	N	2	10	20	3
07-02-17	Baerami Creek Road		Rural	RHS	9020	Pavement Failure	N	2	4	8	3
22-03-18	Baerami Creek Road		Rural	RHS	9175	Pavement Failure	N	3	3	9	3
10-12-13	Baerami Creek Road		Rural	RHS	9345	Pavement Failure	N	2	20	40	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
25-02-16	Baerami Creek Road		Rural	RHS	9370	Pavement Failure	N	3	2	6	3
25-02-16	Baerami Creek Road		Rural	RHS	9380	Pavement Failure	N	2	5	10	3
22-03-18	Baerami Creek Road		Rural	LHS	9650	Pavement Failure	N	2	2	4	3
2012	Baerami Creek Road		Rural	LHS	9730	Pavement Failure	N	2.5	2.5	6.25	3
22-03-18	Baerami Creek Road		Rural	LHS	9785	Pavement Failure	N	2	2	4	3
22-03-18	Baerami Creek Road		Rural	LHS	9835	Pavement Failure	N	2	2	4	3
22-03-18	Baerami Creek Road		Rural	RHS	10685	Pavement Failure	N	2	2	4	3
10-12-13	Baerami Creek Road		Rural	LHS	10792	Pavement Failure	N	2	5	10	3
25-02-16	Baerami Creek Road		Rural	LHS	10808	Pavement Failure	N	2	3	6	3
10-12-13	Baerami Creek Road		Rural	LHS	11240	Pavement Failure	N	2	3	6	3
06-11-14	Baerami Creek Road		Rural	RHS	11360	Pavement Failure	N	2	2	4	3
07-02-17	Baerami Creek Road		Rural	LHS	11900	Pavement Failure	N	3	3	9	3
25-02-16	Baerami Creek Road		Rural	F/W	12909	Over culvert	N	3	6	18	3
22-03-08	Baerami Creek Road		Rural	RHS	12965	Pavement failure	N	2	2	4	3
12-01-16	Balmoral Road		Rural	LHS	435	Pavement Failure	N	2.5	2	5	3
16-10-13	Balmoral Road		Rural	F/W	890	Dip near culvert full width	N	6	2.5	15	3
27-05-16	Barrington St	Muswellbrook	Urban		29	Pavement Failure	N	2	3	6	3
21-03-17	Barrington St	Muswellbrook	Urban		23	Trench	N	2	9	18	3
27-03-18	Barrington St	Muswellbrook	Urban		11	Trench	N	2	9	18	3
05-04-01	Beech St	Muswellbrook	Urban		Int Acacia	Trench	N	2	8	16	3
25-11-16	Bengalla Link Road		Rural	LHS	7295	Pavement Failure	N	2	10	20	3
11-01-16	Bengalla Link Road		Rural	LHS	7515	Wheel Ruts	N	4	315	1260	3
25-11-16	Bengalla Link Road		Rural	RHS	7625	Pavement Failure	N	2	20	40	3
21-01-16	Bengalla Link Road		Rural	RHS	7785	Pavement Failure	N	2	10	20	3
11-01-16	Bengalla Link Road		Rural	RHS	9100	Pavement Failure	N	2	200	400	3
21-01-16	Bengalla Link Road		Rural	LHS	9195	Pavement Failure	N	2	10	20	3
06-04-16	Bimbadeen Drive	Muswellbrook	Urban		5	Pavement Failure	N	2	3	6	3
2012	Birralee Street	Muswellbrook	Urban		Various	14 x trenches across road	N	8	28	224	3
09-04-18	Birralee Street	Muswellbrook	Urban		4	Pavement Failure	N	2	5	10	3
05-04-17	Bligh Lane	Muswellbrook	Urban		22	Trench	N	2	8	16	3
10-12-14	Bligh Street	Muswellbrook	Urban		7	Trench	N	4	15	60	3
18-04-18	Bligh Street	Muswellbrook	Urban		41	Pavement Failure	N	3	10	30	3
26-05-16	Bligh Street	Muswellbrook	Urban		9	Trench	N	2	14	28	3
05-04-17	Bligh Street	Muswellbrook	Urban		26 Turanville	Pavement Failure	N	3	3	9	3
05-04-17	Bligh Street	Muswellbrook	Urban		35	Trench 1/2 way	N	2	9	18	3
05-04-18	Bligh Street	Muswellbrook	Urban		5	Patch repair	N	4	5	20	3
05-04-18	Bligh Street	Muswellbrook	Urban		6	Pavement Failure	N	3	20	60	3
05-04-18	Bligh Street	Muswellbrook	Urban		24	Pavement Failure	N	2	2	4	3
01-03-17	Bloodwood Road	Muswellbrook	Urban		29	Trench	N	3	9	27	3
01-03-17	Bloodwood Road	Muswellbrook	Urban		80 Acacia Drive	Pavement failure	N	5	3	15	3
28-01-15	Boronia Dr	Muswellbrook	Urban		10	Trench	N	2	8	16	3
06-01-15	Bowman St	Muswellbrook	Urban	CENTRE	5/7	Pavement Failure	N	2	25	50	3
12-02-18	Bowman St	Muswellbrook	Urban		26	Failed patch	N	3	10	30	3
12-02-18	Bowman St	Muswellbrook	Urban		17	Pavement failure	N	2	3	6	3
12-01-15	Brav St	Denman	Urban		Int Almond St	Trench	N	2	14	28	3
12-01-15	Brav St	Denman	Urban		Int Turner St	Pavement Failure	N	4	4	16	3
04-04-16	Brav St	Denman	Urban		Int Almond St	Pavement Failure	N	3	5	15	3
04-04-16	Brav St	Denman	Urban		Int Turner St	Trench	N	8	2	16	3
04-04-16	Brav St	Denman	Urban		34 Turner St	Pavement Failure	N	2	3	6	3
05-04-18	Brecht St	Muswellbrook	Urban		Intersection Wilson St	Pavement failure	N	2	2	4	3
06-01-15	Brentwood Street	Muswellbrook	Urban		57	Pavement Failure	N	3	2	6	3
29-03-17	Brentwood Street	Muswellbrook	Urban		47	Failed Patch	N	2	2	4	3
29-03-17	Brentwood Street	Muswellbrook	Urban		Int Nardoo	Pavement failure	N	3	3	9	3
29-03-17	Brentwood Street	Muswellbrook	Urban		Int Queen	Trench	N	2	9	18	3
09-04-18	Brentwood Street	Muswellbrook	Urban		37	Pavement failure	N	2	3	6	3
09-04-18	Brentwood Street	Muswellbrook	Urban		33	Pavement failure	N	3	5	15	3
12-01-15	Bright St	Denman	Urban		1 to 3	Trench along gutter - recently sealed 19/2/18	N	2	70	140	3
19-05-16	Bronte St	Muswellbrook	Urban		6/8	Pavement Failure	N	4	4	16	3
09-04-18	Brook St	Muswellbrook	Urban		Verlie Weidmann Village	Pavement failure	N	3	10	30	3
15-01-14	Bureen Road		Rural	RHS	6040	Pavement Failure	N	2	5	10	3
15-01-14	Bureen Road		Rural	LHS	8530	Pavement failure	N	2	3	6	3
22-02-16	Bureen Road		Rural	F/W	2420	Pavement Failure	N	8	5	40	3
23-01-17	Bureen Road		Rural	LHS	3050	Pavement failure	N	2	3	6	3
22-01-18	Bureen Road		Rural	LHS	6680	Pavement failure	N	2	10	20	3
27-03-18	Burgundy St	Muswellbrook	Urban		8	Pavement failure	N	2	2	4	3
15-03-18	Bylong Valley Way		Rural	F/W	440	Pavement Failure - either side of railway lines	N	2	20	40	3
24-02-16	Bylong Valley Way		Rural	RHS	2500	Patch failure	N	2	15	30	3
24-02-16	Bylong Valley Way		Rural	LHS	2790	Pavement Failure	N	2	40	80	3
16-05-13	Bylong Valley Way		Rural	LHS	2905	Pavement Failure	N	2	2	4	3
24-02-16	Bylong Valley Way		Rural	RHS	3050	Pavement Failure	N	2	100	200	3
24-02-16	Bylong Valley Way		Rural	CENTRE	3230	Pavement Failure	N	3	3	9	3
15-03-18	Bylong Valley Way		Rural	CENTRE	4020	Pavement Failure	N	2	3	6	3
16-05-13	Bylong Valley Way		Rural	RHS	4140	Pavement Failure	N	5	2.5	12.5	3
15-03-18	Bylong Valley Way		Rural	RHS	4450	Pavement Failure	N	2	5	10	3
31-01-14	Bylong Valley Way		Rural	LHS	4506	Pavement Failure	N	4	4	16	3
15-03-18	Bylong Valley Way		Rural	RHS	6040	Pavement Failure	N	2	2	4	3
15-03-18	Bylong Valley Way		Rural	CENTRE	6105	Pavement Failure	N	3	10	30	3
24-02-16	Bylong Valley Way		Rural	F/W	6778	Trench across road	N	2	8	16	3
24-02-16	Bylong Valley Way		Rural	LHS	6940	Pavement Failure	N	2	5	10	3
24-02-16	Bylong Valley Way		Rural	RHS	6940	Failed pavement	N	2	80	160	3
15-03-18	Bylong Valley Way		Rural	RHS	7055	Pavement failure	N	2	3	6	3
24-02-16	Bylong Valley Way		Rural	LHS	7220	Pavement Failure	N	2	3	6	3
24-02-16	Bylong Valley Way		Rural	LHS	7330	Pavement Failure	N	2	40	80	3
24-02-16	Bylong Valley Way		Rural	LHS	7410	Failed patch	N	3	10	30	3
06-11-14	Bylong Valley Way		Rural	LHS	7510	Pavement Failure	N	2	2	4	3
31-01-14	Bylong Valley Way		Rural	LHS	7550	Pavement Failure	N	2	2	4	3
02-02-17	Bylong Valley Way		Rural	LHS	7880	Pavement Failure	N	3	3	9	3
24-02-16	Bylong Valley Way		Rural	LHS	8300	Pavement Failure	N	2	3	6	3
24-02-16	Bylong Valley Way		Rural	RHS	8510	Pavement Failure	N	2	10	20	3
02-02-17	Bylong Valley Way		Rural	LHS	8510	Pavement Failure	N	2	2	4	3
15-03-18	Bylong Valley Way		Rural	RHS	8545	Pavement Failure	N	2	5	10	3
15-03-18	Bylong Valley Way		Rural	RHS	8850	Pavement Failure	N	2	2	4	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
24-02-16	Bylong Valley Way		Rural	RHS	10071	Pavement Failure	N	2	2	4	3
24-02-16	Bylong Valley Way		Rural	LHS	10560	Pavement Failure	N	2	5	10	3
15-03-18	Bylong Valley Way		Rural	RHS	10990	Pavement Failure	N	2	10	20	3
06-11-14	Bylong Valley Way		Rural	RHS	11030	Pavement Failure	N	2	5	10	3
15-03-18	Bylong Valley Way		Rural	LHS	11410	Pavement Failure	N	4	20	80	3
15-03-18	Bylong Valley Way		Rural	RHS	13650	Pavement Failure	N	4	60	240	3
02-02-17	Bylong Valley Way		Rural	F/W	13740	Over culvert	N	8	3	24	3
06-11-14	Bylong Valley Way		Rural	RHS	14015	Pavement Failure	N	2	5	10	3
06-11-14	Bylong Valley Way		Rural	RHS	14095	Pavement Failure	N	2	15	30	3
24-02-16	Bylong Valley Way		Rural	RHS	14246	Pavement Failure	N	2	2	4	3
02-02-17	Bylong Valley Way		Rural	RHS	14275	Pavement Failure	N	2	2	4	3
15-03-18	Bylong Valley Way		Rural	LHS	14475	Pavement Failure	N	2	20	40	3
15-03-18	Bylong Valley Way		Rural	LHS	14700	Pavement Failure	N	3	40	120	3
15-03-18	Bylong Valley Way		Rural	LHS	14950	Trench	N	2	8	16	3
24-02-16	Bylong Valley Way		Rural	LHS	15065	Pavement Failure	N	2	20	40	3
06-11-14	Bylong Valley Way		Rural	RHS	15200	Pavement Failure	N	2	4	8	3
24-02-16	Bylong Valley Way		Rural	RHS	15215	Pavement Failure	N	2	2	4	3
15-03-18	Bylong Valley Way		Rural	RHS	15270	Pavement Failure	N	3	3	9	3
24-02-16	Bylong Valley Way		Rural	LHS	16600	Pavement Failure	N	2	10	20	3
02-02-17	Bylong Valley Way		Rural	LHS	16780	Pavement Failure	N	2	2	4	3
06-11-14	Bylong Valley Way		Rural	LHS	17067	Pavement Failure	N	2	2	4	3
06-11-14	Bylong Valley Way		Rural	LHS	17480	Pavement Failure	N	2	2	4	3
02-02-17	Bylong Valley Way		Rural	F/W	18470	Pavement Failure	N	8	2	16	3
15-03-18	Bylong Valley Way		Rural	LHS	18980	Pavement Failure	N	4	10	40	3
15-03-18	Bylong Valley Way		Rural	RHS	19500	Pavement Failure	N	2	2	4	3
02-02-17	Bylong Valley Way		Rural	LHS	19910	Pavement Failure	N	2	5	10	3
31-01-14	Bylong Valley Way		Rural	LHS	21183	Pavement Failure	N	2	2	4	3
02-02-17	Bylong Valley Way		Rural	F/W	21450	Pavement Failure	N	8	20	160	3
15-03-18	Bylong Valley Way		Rural	LHS	22100	Pavement Failure	N	3	15	45	3
15-03-18	Bylong Valley Way		Rural	F/W	22840	Trench	N	2	8	16	3
15-03-18	Bylong Valley Way		Rural	LHS	23300	pavement Failure	N	2	2	4	3
15-03-18	Bylong Valley Way		Rural	LHS	23340	pavement Failure	N	2	5	10	3
15-03-18	Bylong Valley Way		Rural	RHS	25600	pavement Failure	N	2	5	10	3
02-02-17	Bylong Valley Way		Rural	LHS	24120	Pavement Failure	N	2	30	60	3
16-05-13	Bylong Valley Way		Rural	LHS	30000	Pavement Failure	N	5	2.5	12.5	3
15-03-18	Bylong Valley Way		Rural	LHS	30215	Pavement Failure	N	2	3	6	3
15-03-18	Bylong Valley Way		Rural	RHS	31920	Pavement Failure	N	3	5	15	3
02-02-17	Bylong Valley Way		Rural	RHS	31570	Pavement Failure	N	30	2	60	3
06-11-14	Bylong Valley Way		Rural	RHS	31720	Pavement Failure	N	2	5	10	3
02-02-17	Bylong Valley Way		Rural	RHS	31860	Pavement Failure	N	2	3	6	3
24-02-16	Bylong Valley Way		Rural	CENTRE	34720	Pavement Failure	N	2	5	10	3
27-08-15	Cabernet St	Muswellbrook	Urban		Cnr Shiraz	Rippling effect in pavement	N	2.5	20	50	3
20-03-17	Cabernet St	Muswellbrook	Urban		35-37	Pavement failure	N	2	20	40	3
20-03-17	Cabernet St	Muswellbrook	Urban		26-28	Pavement failure	N	2	20	40	3
20-03-17	Cabernet St	Muswellbrook	Urban		Cnr Reisling St	Pavement failure	Y	2	10	20	3
20-03-17	Cabernet St	Muswellbrook	Urban		Opp 31133	Pavement failure	Y	2	30	60	3
05-04-16	Calgaroo Ave	Muswellbrook	Urban		34-38	Trench next to gutter	Y	2	20	40	3
05-04-16	Calgaroo Ave	Muswellbrook	Urban		13 Grevillea	Trench next to gutter	Y	2	10	20	3
08-01-15	Campion Ln	Muswellbrook	Urban		near Int Market Ln	Pavement Failure	N	3	2	6	3
29-03-17	Carl Ln	Muswellbrook	Urban		4	Pavement Failure	N	2	2	4	3
18-04-18	Carl St	Muswellbrook	Urban		66	Pavement Failure	N	2	2	4	3
07-04-16	Cassidy Ave	Muswellbrook	Urban		12	Depression	N	2	2	4	3
09-09-14	Castlerock Road		Rural		1010	Pavement Failure	N	2	60	120	3
15-11-16	Castlerock Road		Rural	LHS	2290	Pavement Failure	N	2	20	40	3
15-11-16	Castlerock Road		Rural	RHS	2540	Pavement Failure	N	2	50	100	3
05-10-12	Castlerock Road		Rural	LHS	3470	Pavement Failure	N	2	10	20	3
04-01-18	Castlerock Road		Rural	LHS	5375	Pavement Failure	N	2	10	20	3
15-11-16	Castlerock Road		Rural	LHS	5400	Pavement Failure	N	2	2	4	3
27-01-16	Castlerock Road		Rural	RHS	8170	Pavement Failure	N	2	30	60	3
04-01-18	Castlerock Road		Rural	LHS	8700	Pavement Failure	N	3	5	15	3
15-11-16	Castlerock Road		Rural	LHS	9135	Pavement Failure	N	2	5	10	3
15-11-16	Castlerock Road		Rural	LHS	9160	Pavement Failure	N	2	3	6	3
04-01-18	Castlerock Road		Rural	RHS	9770	Pavement Failure	N	2	10	20	3
15-11-16	Castlerock Road		Rural	RHS	9925	Pavement Failure	N	2	10	20	3
04-01-18	Castlerock Road		Rural	LHS	10090	Pavement Failure	N	2	20	40	3
15-11-16	Castlerock Road		Rural	LHS	13850	Pavement Failure	N	2	2	4	3
15-11-16	Castlerock Road		Rural	RHS	14270	Pavement Failure	N	2	10	20	3
04-01-18	Castlerock Road		Rural	RHS	14830	Pavement Failure	N	2	2	4	3
04-12-13	Castlerock Road		Rural	RHS	17520	Pavement Failure	N	2	50	100	3
04-01-18	Castlerock Road		Rural		17600	Pavement Failure	N	2	40	80	3
27-01-16	Castlerock Road		Rural	F/W	18020	Trench	N	2	6	12	3
27-01-16	Castlerock Road		Rural		18395	Pavement Failure	N	2	10	20	3
15-11-16	Castlerock Road		Rural	RHS	18890	Pavement Failure	N	2	5	10	3
04-07-05	Chardonnay St	Muswellbrook	Urban		30	Pavement Failure	N	2	2	4	3
31-03-17	Chardonnay St	Muswellbrook	Urban		11	Pavement Failure	N	3	3	9	3
08-12-14	Claret Avenue	Muswellbrook	Urban		Various	7 x trenches across road	N	14	8	112	3
09-04-18	Coal Road	Muswellbrook	Urban	LHS	Ch 130	Pavement failure	N	2	3	6	3
08-01-15	Coal Road	Muswellbrook	Urban	LHS	Ch 320	Pavement Failure	N	2	2	4	3
08-01-15	Coal Road	Muswellbrook	Urban	LHS	Ch 450	Pavement Failure	N	2	60	120	3
08-01-15	Coal Road	Muswellbrook	Urban	LHS	Ch 640	Pavement Failure	N	2	20	40	3
08-01-15	Coal Road	Muswellbrook	Urban	LHS	Ch 695	Pavement Failure	N	2	3	6	3
08-01-15	Coal Road	Muswellbrook	Urban	CENTRE	Ch 735	Pavement Failure	N	3	10	30	3
08-01-15	Coal Road	Muswellbrook	Urban	LHS	Ch 745	Pavement Failure	N	2	10	20	3
08-01-15	Coal Road	Muswellbrook	Urban	RHS	Ch 785	Pavement Failure	N	2	5	10	3
08-01-15	Coal Road	Muswellbrook	Urban	RHS	Ch 1185	Pavement Failure	N	5	5	25	3
08-01-15	Coal Road	Muswellbrook	Urban	LHS	Ch 1260	Pavement Failure	N	2	4	8	3
08-01-15	Coal Road	Muswellbrook	Urban	RHS	Ch 1420	Pavement Failure	N	2	20	40	3
08-01-15	Coal Road	Muswellbrook	Urban	LHS	Ch 1530	Pavement Failure	N	2	5	10	3
29-03-17	Cook St	Muswellbrook	Urban		2	Pavement Failure	N	2	5	10	3
2012	Cousins St	Muswellbrook	Urban		Int Humphries (west)	Pavement Failure	N	5	4	20	3
08-12-14	Cousins St	Muswellbrook	Urban		Various	Trench across road	N				3
21-03-17	Cousins St	Muswellbrook	Urban		30	Trench	N	2	8	16	3
21-03-17	Cousins St	Muswellbrook	Urban		40	Trench	N	2	8	16	3
19-02-18	Crinoline St	Denman	Urban		12	W&W pit?	N	2	3	6	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
19-02-18	Crinoline St	Denman	Urban		27	W&W pit?	N	3	4	12	3
2012	Dalswinton Road		Rural	LHS	3387	Pavement Failure	N	2	2	4	3
09-11-16	Dalswinton Road		Rural	LHS	90	Pavement Failure	N	2	5	10	3
15-02-16	Dalswinton Road		Rural	RHS	360	Pavement Failure	N	2	30	60	3
15-02-16	Dalswinton Road		Rural	RHS	700	Pavement Failure	N	2	2	4	3
09-11-16	Dalswinton Road		Rural	RHS	920	Pavement Failure	N	2	5	10	3
09-11-16	Dalswinton Road		Rural	RHS	980	Pavement Failure	N	2	5	10	3
15-02-16	Dalswinton Road		Rural	RHS	1060	Pavement Failure	N	2	20	40	3
15-02-16	Dalswinton Road		Rural	LHS	1500	Pavement Failure	N	2	25	50	3
09-11-16	Dalswinton Road		Rural	RHS	1980	Pavement Failure	N	2	20	40	3
15-01-18	Dalswinton Road		Rural	RHS	870	Pavement Failure	N	3	40	120	3
15-01-18	Dalswinton Road		Rural	LHS	900	Pavement Failure	N	2	10	20	3
15-01-18	Dalswinton Road		Rural	RHS	1010	Pavement Failure	N	2	3	6	3
15-01-18	Dalswinton Road		Rural	RHS	1960	Pavement Failure	N	2	30	60	3
20-05-16	Dalwood Place	Muswellbrook	Urban		7	Trench x 2	N	2	14	28	3
18-12-17	Dartbrook Road		Rural	F/W	78	Trench	N	4	6	24	3
08-09-14	Dartbrook Road		Rural	F/W	300	Trench	N	2	6	12	3
19-01-16	Dartbrook Road		Rural	F/W	476	Trench	N	2	6	12	3
12-11-16	Dartbrook Road		Rural	F/W	750	Trench	N	2	6	12	3
12-11-16	Dartbrook Road		Rural	F/W	880	Trench	N	2	6	12	3
12-11-16	Dartbrook Road		Rural	F/W	1070	Trench	N	2	6	12	3
12-11-16	Dartbrook Road		Rural	RHS	1375	pavement Failure	N	2	5	10	3
12-11-16	Dartbrook Road		Rural	RHS	1520	Pavement Failure	N	2	10	20	3
04-10-12	Dartbrook Road		Rural	LHS	1560	Pavement Failure	N	2	2	4	3
08-09-14	Dartbrook Road		Rural	F/W	1580	Trench	N	6	2	12	3
2012	Donaldson St	Muswellbrook	Urban		Various	6 trenches across road	N	12	9	108	3
18-04-18	Donaldson St	Muswellbrook	Urban		3	Pavement Failure	N	2	5	10	3
18-04-18	Donaldson St	Muswellbrook	Urban		7	Pavement Failure	N	2	7	14	3
2012	Dorset Road		Rural	LHS	160	Pavement Failure	N	2	2	4	3
09-09-14	Dorset Road		Rural		109	Pavement Failure	N	2	2	4	3
09-09-14	Dorset Road		Rural		260	Pavement Failure	N	2	2	4	3
19-03-19	Dorset Road		Rural	RHS	325	Pavement Failure	N	2	2	4	3
09-09-14	Dorset Road		Rural		470	Pavement Failure	N	2	20	40	3
19-01-16	Dorset Road		Rural	LHS	635	Pavement Failure	N	2	2	4	3
15-11-16	Dorset Road		Rural	F/W	1370	Pavement Failure	N	3	6	18	3
15-11-16	Dorset Road		Rural	F/W	2880	Pavement Failure	N	3	6	18	3
15-11-16	Dorset Road		Rural	LHS	3575	Pavement Failure	N	2	35	70	3
15-11-16	Dorset Road		Rural	RHS	3600	Pavement Failure	N	2	3	6	3
15-11-16	Dorset Road		Rural	RHS	3680	Pavement Failure	N	2	30	60	3
12-02-18	Doyle Lane	Muswellbrook	Urban		11	Pavement Failure	N	2	5	10	3
29-03-17	Doyle Lane	Muswellbrook	Urban		1	Trench	N	2	4	8	3
12-02-18	Doyle Lane	Muswellbrook	Urban		5	Pavement Failure	N	2	3	6	3
12-02-18	Doyle Lane	Muswellbrook	Urban		cnr George	Pavement Failure	N	2	3	6	3
10-02-16	Dry Creek Road		Rural		1478	Pavement Failure	N	2	4	8	3
15-02-16	Duggans Road		Rural	RHS	Int Dalswinton	Pavement Failure	N	2	5	10	3
15-02-16	Duggans Road		Rural	LHS	120	Pavement Failure	N	2	30	60	3
15-02-16	Duggans Road		Rural	LHS	210	Pavement Failure	N	2	15	30	3
15-02-16	Duggans Road		Rural	RHS	304	Pavement Failure	N	2	60	120	3
15-02-16	Duggans Road		Rural	LHS	435	Pavement Failure	N	2	40	80	3
15-02-16	Duggans Road		Rural	F/W	595	Pavement Failure	N	5	20	100	3
09-12-14	Dumaresq St	Muswellbrook	Urban		2	Trench	N	2	9	18	3
26-05-16	Dumaresq St	Muswellbrook	Urban		14	Trench x 2	N	4	10	40	3
05-04-17	Dumaresq St	Muswellbrook	Urban		Int Sowerby	Trench	N	2	10	20	3
09-11-16	Edderton Road		Rural	RHS	50	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	LHS	670	Pavement Failure	N	2	10	20	3
09-11-16	Edderton Road		Rural	RHS	730	Pavement Failure	N	2	40	80	3
09-11-16	Edderton Road		Rural	RHS	890	Pavement Failure	N	3	5	15	3
09-11-16	Edderton Road		Rural	F/W	950	Pavement Failure - over culvert	N	5.6	10	56	3
09-11-16	Edderton Road		Rural	LHS	1230	Failed Patch	N	3	15	45	3
09-11-16	Edderton Road		Rural	RHS	1230	Pavement Failure	N	2	3	6	3
09-11-16	Edderton Road		Rural	RHS	1380	Pavement Failure	N	2	50	100	3
09-11-16	Edderton Road		Rural	LHS	1445	Pavement Failure	N	5	5	25	3
09-11-16	Edderton Road		Rural	RHS	1470	Pavement Failure	N	5.6	10	56	3
09-11-16	Edderton Road		Rural	LHS	1500	Pavement Failure	N	2	50	100	3
09-11-16	Edderton Road		Rural	RHS	1500	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	RHS	1650	Pavement Failure	N	2	140	280	3
09-11-16	Edderton Road		Rural	RHS	1840	Pavement Failure	N	2	25	50	3
09-11-16	Edderton Road		Rural	RHS	2050	Pavement Failure	N	2	50	100	3
09-11-16	Edderton Road		Rural	RHS	2200	Pavement Failure	N	2	250	500	3
09-11-16	Edderton Road		Rural	LHS	2500	Pavement Failure	N	2	60	120	3
09-11-16	Edderton Road		Rural	RHS	2740	Pavement Failure	N	2	40	80	3
09-11-16	Edderton Road		Rural	RHS	2950	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	RHS	3040	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	RHS	3420	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	LHS	4200	Failed Patch	N	3	6	18	3
09-11-16	Edderton Road		Rural	LHS	4490	Pavement Failure	N	2	3	6	3
09-11-16	Edderton Road		Rural	LHS	4800	Pavement Failure	N	3	3	9	3
09-11-16	Edderton Road		Rural	RHS	4870	Pavement Failure	N	2	40	80	3
09-11-16	Edderton Road		Rural	F/W	5140	Failed Patch	N	6	25	150	3
09-11-16	Edderton Road		Rural	RHS	6900	Pavement Failure	N	2	210	420	3
09-11-16	Edderton Road		Rural	RHS	7240	Pavement Failure	N	2	60	120	3
09-11-16	Edderton Road		Rural	Centre	7765	Dip	N	3	3	9	3
09-11-16	Edderton Road		Rural	LHS	7840	Pavement Failure	N	2	40	80	3
09-11-16	Edderton Road		Rural	LHS	8040	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	RHS	11810	Pavement Failure	N	2	30	60	3
09-11-16	Edderton Road		Rural	Centre	11860	Pavement Failure	N	2	30	60	3
09-11-16	Edderton Road		Rural	LHS	11930	Pavement Failure	N	2	50	100	3
09-11-16	Edderton Road		Rural	RHS	11930	Pavement Failure	N	2	30	60	3
09-11-16	Edderton Road		Rural	RHS	11995	Pavement Failure	N	3	20	60	3
09-11-16	Edderton Road		Rural	RHS	12075	Pavement Failure	N	3	3	9	3
09-11-16	Edderton Road		Rural	LHS	12100	Pavement Failure	N	2	220	440	3
09-11-16	Edderton Road		Rural	RHS	12180	Pavement Failure	N	2	110	220	3
09-11-16	Edderton Road		Rural	RHS	12320	Pavement Failure	N	2	50	100	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
09-11-16	Edderton Road		Rural	LHS	12370	Pavement Failure	N	2	70	140	3
09-11-16	Edderton Road		Rural	LHS	12470	Pavement Failure	N	2	40	80	3
09-11-16	Edderton Road		Rural	RHS	12500	Pavement Failure	N	2	290	580	3
09-11-16	Edderton Road		Rural	LHS	12920	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	RHS	12940	Pavement Failure	N	2	70	140	3
09-11-16	Edderton Road		Rural	LHS	13065	Pavement Failure	N	2	50	100	3
09-11-16	Edderton Road		Rural	RHS	13100	Pavement Failure	N	2	150	300	3
09-11-16	Edderton Road		Rural	LHS	13200	Pavement Failure	N	2	110	220	3
09-11-16	Edderton Road		Rural	LHS	13340	Pavement Failure	N	2	80	160	3
09-11-16	Edderton Road		Rural	LHS	13500	Pavement Failure	N	2	20	40	3
09-11-16	Edderton Road		Rural	LHS	13610	Pavement Failure	N	2	25	50	3
09-11-16	Edderton Road		Rural	RHS	13800	Pavement Failure	N	2	50	100	3
09-11-16	Edderton Road		Rural	LHS	13880	Pavement Failure	N	2	100	200	3
09-11-16	Edderton Road		Rural	RHS	13960	Pavement Failure	N	2	40	80	3
19-01-16	Elv St	Kavuaa	Rural	F/W		Pavement Failure	N	3	3	9	3
2012	Eucalypt Ave	Muswellbrook	Urban		Carpark Entrance	Badly restored trench - width of pavement	N	2	8	16	3
04-04-16	Fern Close	Denman	Urban		2	Trench next to gutter	N	5	2	10	3
09-05-13	Ferndale Road		Rural	RHS	3205	Pavement Failure	N	2	2.5	5	3
17-01-17	Ferndale Road		Rural	LHS	1830	Pavement Failure	N	2	10	20	3
17-01-17	Ferndale Road		Rural	RHS	1865	Pavement Failure	N	2	3	6	3
17-01-17	Ferndale Road		Rural	RHS	1960	Pavement Failure	N	2	10	20	3
15-10-14	Ferndale Road		Rural	F/W	2865	Pavement Failure	N	4	4	16	3
15-10-14	Ferndale Road		Rural	LHS	2420	Pavement Failure	N	2	2	4	3
25-01-16	Ferndale Road		Rural	F/W	2500	Pavement Failure	N	4	4	16	3
25-01-16	Ferndale Road		Rural	LHS	3200	Pavement Failure	N	2	2	4	3
25-01-16	Ferndale Road		Rural	RHS	3260	Pavement Failure	N	2	10	20	3
25-01-16	Ferndale Road		Rural	RHS	3280	Pavement Failure	N	2	2	4	3
25-01-16	Ferndale Road		Rural	RHS	3290	Pavement Failure	N	2	2	4	3
17-01-17	Ferndale Road		Rural	RHS	3060	Pavement Failure	N	2	3	6	3
17-01-17	Ferndale Road		Rural	LHS	3080	Pavement Failure	N	2	3	6	3
27-05-16	Flanders Avenue	Muswellbrook	Urban		16	Pavement Failure	N	2	10	20	3
05-04-17	Flanders Avenue	Muswellbrook	Urban		1a-3	Pavement Failure	N	2	30	60	3
05-04-17	Flanders Avenue	Muswellbrook	Urban		Int Dumaresq	Pavement Failure	N	3	7	21	3
05-04-17	Flanders Avenue	Muswellbrook	Urban		14	Pavement Failure	N	3	3	9	3
05-04-17	Flanders Avenue	Muswellbrook	Urban		15	Pavement Failure	N	3	5	15	3
2012	Fleming St	Muswellbrook	Urban		4/6	Pavement Failure	N	2	10	20	3
20-05-16	Fleming St	Muswellbrook	Urban		12	Pavement Failure	N	3	3	9	3
20-05-16	Fleming St	Muswellbrook	Urban		14	Pavement Failure	N	5	10	50	3
11-04-17	Fleming St	Muswellbrook	Urban		16	Pavement Failure	N	3	3	9	3
11-04-17	Fleming St	Muswellbrook	Urban		8	Pavement Failure	Y	2	5	10	3
11-04-17	Fleming St	Muswellbrook	Urban		3	Pavement Failure	N	2	2	4	3
08-01-15	Foley Street	Muswellbrook	Urban		Various	Trenches	N				3
16-04-18	Foley Street	Muswellbrook	Urban		8	Pavement Failure	N	2	10	20	3
2012	Forbes St	Muswellbrook	Urban		50	2 x Pavement Failures	N	4	4	16	3
14-01-15	Forbes St	Muswellbrook	Urban		15	2 x trenches across road	N	4	8	32	3
14-01-15	Forbes St	Muswellbrook	Urban		20	2 x trenches across road	N	4	8	32	3
14-01-15	Forbes St	Muswellbrook	Urban		39	Pavement Failure	N	2	2	4	3
14-01-15	Forbes St	Muswellbrook	Urban		13	Failed Patch	N	3	10	30	3
14-01-15	Forbes St	Muswellbrook	Urban		77	Pavement failure	N	10	7	70	3
14-01-15	Forbes St	Muswellbrook	Urban		Cnr Nowland	Pavement Failure	N	2	2	4	3
14-01-15	Forbes St	Muswellbrook	Urban		Int Lorne	Pavement Failure	N	3	10	30	3
11-04-17	Forbes St	Muswellbrook	Urban		7	Trench	N	2	10	20	3
11-04-17	Forbes St	Muswellbrook	Urban		9	Pavement Failure	N	4	4	16	3
11-04-17	Forbes St	Muswellbrook	Urban		18	Trench	N	2	7	14	3
11-04-17	Forbes St	Muswellbrook	Urban		20	Trench	N	2	7	14	3
11-04-17	Forbes St	Muswellbrook	Urban		55	Trench	N	2	7	14	3
11-04-17	Forbes St	Muswellbrook	Urban		71-73	Failed Patch	N	3	30	90	3
12-02-18	Ford St	Muswellbrook	Urban		opp 52	Failed Patch	N	2	30	60	3
2012	Ford St	Muswellbrook	Urban		72	Trench	N	2	2	4	3
23-12-14	Ford St	Muswellbrook	Urban		72	Trench	N	2	12	24	3
06-03-17	Ford St	Muswellbrook	Urban		Scout Hall	Pavement Failure	N	5	5	25	3
06-03-17	Ford St	Muswellbrook	Urban		6	Trench	N	2	10	20	3
06-03-17	Ford St	Muswellbrook	Urban		Int Wilkins	Pavement Failure	N	3	3	9	3
12-02-18	Ford St	Muswellbrook	Urban		44-66	Failed Patch	N	2	200	400	3
12-02-18	Ford St	Muswellbrook	Urban		78	Trench	N	2	8	16	3
12-02-18	Ford St	Muswellbrook	Urban		63	Failed patch	N	2	2	4	3
12-02-18	Ford St	Muswellbrook	Urban		39-41	Pavement Failure	N	2	40	80	3
2012	George St	Muswellbrook	Urban		Cnr Bligh Ln	Failure near K&G	N	4	4	16	3
18-02-16	Giants Creek Road		Rural	RHS	94	Depression	N	2	2	4	3
18-02-16	Giants Creek Road		Rural	LHS	1230	Pavement Failure	N	2	2	4	3
17-01-17	Giants Creek Road		Rural	LHS	1630	Pavement Failure	N	3	3	9	3
17-01-17	Giants Creek Road		Rural	RHS	2870	Pavement Failure	N	3	3	9	3
24-01-18	Giants Creek Road		Rural	RHS	7750	Pavement Failure	N	3	3	9	3
17-01-17	Giants Creek Road		Rural	RHS	9770	Pavement Failure	N	2	2	4	3
17-01-17	Giants Creek Road		Rural	F/W	12340	Pavement Failure	N	2	5	10	3
18-02-16	Giants Creek Road		Rural	RHS	14040	Pavement Failure	N	2	2	4	3
24-01-18	Giants Creek Road		Rural	F/W	14060	Pavement Failure	N	2	4	8	3
18-02-16	Giants Creek Road		Rural	RHS	16125	Heavy patch needed	N	5	10	50	3
10-04-17	Glen Munro Road	Muswellbrook	Urban	LHS	Int Thomas Mitchell Drive	Pavement Failure	N	3	3	9	3
05-04-16	Grevillea St	Muswellbrook	Urban		12	Pavement Failure	N	2	10	20	3
12-01-15	Grey Gum Road	Denman	Urban		Various	Trenches x 6	N	8	12	96	3
2012	Gyarran Street	Muswellbrook	Urban		Int Maitland Street	Trench 1/2 way across	N	4	2	8	3
08-01-15	Gyarran Street	Muswellbrook	Urban		Int Maitland Street	Pavement Failure	N	3	5	15	3
17-04-18	Hakea Drive	Muswellbrook	Urban		18	Pavement Failure	N	2	3	6	3
05-04-17	Hastings Street	Muswellbrook	Urban		11/13	Pavement Failure	N	9	20	180	3
06-12-17	Hebden Road		Rural	F/W	0-20	Pavement Failure	N	8	20	160	3
06-12-17	Hebden Road		Rural	LHS	930	Pavement Failure	N	3	2	6	3
06-12-17	Hebden Road		Rural	LHS	1240	Pavement Failure	N	3	2	6	3
06-12-17	Hebden Road		Rural	LHS	2760	Pavement Failure	N	3	2	6	3
06-12-17	Hebden Road		Rural	RHS	2800	Pavement Failure	N	2	40	80	3
06-12-17	Hebden Road		Rural	LHS	3770	Pavement Failure	N	2	5	10	3
06-12-17	Hebden Road		Rural	LHS	4960	Pavement Failure	N	2	80	160	3
16-02-18	Henry Danqar Rd	Muswellbrook	Urban		Roundabout Day St	Pavement Failure	N	3	2	6	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
2012	Hill St	Muswellbrook	Urban		115/117	Trench 1/2 way across road		2	10	20	3
06-01-15	Hill St	Muswellbrook	Urban		122	Trench (W&W)	N	2	8	16	3
06-01-15	Hill St	Muswellbrook	Urban		123	Trench	N	2	18	36	3
18-04-18	Hill St	Muswellbrook	Urban		Opp 173	Pavement Failure	N	2	3	6	3
18-04-18	Hill St	Muswellbrook	Urban		124	Pavement Failure	N	2	5	10	3
2012	Hillview Avenue	Muswellbrook	Urban		4	4x2 Heavy Patch Failure		4	2	8	3
10-12-14	Hillview Avenue	Muswellbrook	Urban		5/3	Pavement Failure	N	2	2	4	3
05-04-17	Hillview Avenue	Muswellbrook	Urban		2	Pavement Failure	N	3	3	9	3
05-04-17	Hillview Avenue	Muswellbrook	Urban		3	Pavement Failure	N	3	3	9	3
04-12-13	Horseshoe Road		Rural	F/W	3975	Pavement Failure	N	6	75	450	3
23-01-17	Horseshoe Road		Rural	F/W	680	Over culvert	N	6	2	12	3
23-01-17	Horseshoe Road		Rural	F/W	708	Pavement Failure	N	6	20	120	3
23-01-17	Horseshoe Road		Rural	F/W	1090	Over culvert	N	6	10	60	3
23-01-17	Horseshoe Road		Rural	F/W	2020	Over culvert	N	6	4	24	3
23-01-17	Horseshoe Road		Rural	RHS	2070	Pavement failure	N	2	3	6	3
22-02-16	Horseshoe Road		Rural	F/W	2220	Over culvert	N	6	5	30	3
23-01-17	Horseshoe Road		Rural	F/W	2350	Pavement Failure	N	6	5	30	3
22-02-16	Horseshoe Road		Rural	F/W	2360	Pavement Failure	N	6	5	30	3
23-01-17	Horseshoe Road		Rural	F/W	2480	Pavement Failure	N	6	30	180	3
22-02-16	Horseshoe Road		Rural	F/W	2485	Centre shove	N	6	20	120	3
22-02-16	Horseshoe Road		Rural		2670	Pavement Failure	N	2	300	600	3
23-01-17	Horseshoe Road		Rural	RHS	2740	Pavement Failure	N	2	400	800	3
22-02-16	Horseshoe Road		Rural	F/W	3090	Pavement Failure	N	6	50	300	3
21-03-17	Humphries St	Muswellbrook	Urban		6	Pavement Failure	N	3	3	9	3
07-02-17	Hungerford Road		Rural	F/W	1690	Over culvert	N	4	5	20	3
09-12-14	Hunter Street	Muswellbrook	Urban		Karoola Park	Dip over stormwater drain	N	2	23	46	3
19-02-18	Hunter Street	Denman	Urban		Int Bright	Pavement Failure	N	3	6	18	2
19-02-18	Hunter Street	Denman	Urban		32	Pavement Failure	N	3	3	9	3
23-12-14	Hunter Terrace	Muswellbrook	Urban		3	Trench x 2	N	4	18	72	3
23-12-14	Hunter Terrace	Muswellbrook	Urban		36	Pavement Failure	N	2	10	20	3
23-12-14	Hunter Terrace	Muswellbrook	Urban		Int Lower Hill Street	2 x Pavement Failures	N	4	4	16	3
07-03-17	Hunter Terrace	Muswellbrook	Urban		26 (Centre)	Pavement Failure	N	3	10	30	3
04-04-16	Hyde St	Denman	Urban		14	Pavement Failure	N	3	3	9	3
04-04-16	Hyde St	Denman	Urban		2	Trench	N	8	2	16	3
04-04-16	Hyde St	Denman	Urban		Int Maculey St	Pavement Failure	N	3	3	9	3
04-04-16	Hyde St	Denman	Urban		13	Pavement Failure	N	5	10	50	3
15-03-17	Hyde St	Denman	Urban		Cnr Merino	Pavement Failure	N	3	2	6	3
2012	Industrial Close	Muswellbrook	Urban		SES	Trench across road		2	11	22	3
05-04-16	Ironbark Rd	Muswellbrook	Urban		Lot 127	Trench	N	8	3	24	3
05-04-16	Ironbark Rd	Muswellbrook	Urban		Int Calgaroo	Trench	N	8	2	16	3
10-04-17	Ironbark Rd	Muswellbrook	Urban		1 Rutherford Road	Rippling effect in pavement	N	3	2	6	3
10-04-17	Ironbark Rd	Muswellbrook	Urban		42	Trench	N	2	10	20	3
10-04-17	Ironbark Rd	Muswellbrook	Urban		1-1c	Failed patch	N	2	20	40	3
08-12-14	Isobella St	Muswellbrook	Urban		15	Pavement Failure	Y	2	80	160	3
16-02-18	Jeans St	Muswellbrook	Urban		5	Trench	N	2	3	6	3
15-01-15	Jordan St	Muswellbrook	Urban		Length of road	Pavement Failure	Y	2	140	280	3
20-01-15	Kamilaroi Street	Muswellbrook	Urban		8	Pavement Failure	N	2	3	6	3
07-04-16	Kamilaroi Street	Muswellbrook	Urban		36	Trench x 2	N	16	2	32	3
12-04-17	Kamilaroi Street	Muswellbrook	Urban		6	Patch needed		2	3	6	3
12-04-17	Kamilaroi Street	Muswellbrook	Urban		1	Trench	N	2	9	18	3
05-04-16	Karri Place	Muswellbrook	Urban		3	Pavement Failure	N	3	3	9	3
18-12-17	Kayuga Road		Rural	LHS	3790	Pavement Failure	N	2	20	40	3
12-11-16	Kayuga Road		Rural	LHS	3970	Pavement Failure	N	2	30	60	3
12-11-16	Kayuga Road		Rural	RHS	4050	Pavement Failure	N	2	10	20	3
12-11-16	Kayuga Road		Rural	RHS	4130	Pavement Failure	N	2	10	20	3
06-01-14	Kayuga Road		Rural	LHS	4190	Pavement Failure	N	2	3	6	3
12-11-16	Kayuga Road		Rural	RHS	4250	Pavement Failure	N	2	50	100	3
12-11-16	Kayuga Road		Rural	RHS	4440	Pavement Failure	N	2	30	60	3
12-11-16	Kayuga Road		Rural	LHS	4710	Pavement Failure	N	2	10	20	3
18-12-17	Kayuga Road		Rural	LHS	4810	Pavement Failure	N	2	5	10	3
24-04-15	Kayuga Road		Rural	RHS	4830	Pavement Failure	N	2	2	4	3
19-01-16	Kayuga Road		Rural	RHS	4840	Pavement Failure	N	2	7	14	3
12-11-16	Kayuga Road		Rural	F/W	4920	Trench	N	2	7	14	3
18-12-17	Kayuga Road		Rural	LHS	4960	Pavement Failure	N	3	10	30	3
18-12-17	Kayuga Road		Rural	RHS	4990	Pavement Failure	N	2	10	20	3
12-11-16	Kayuga Road		Rural	RHS	5010	Pavement Failure	N	2	70	140	3
12-11-16	Kayuga Road		Rural	LHS	5040	Pavement Failure	N	2	10	20	3
12-11-16	Kayuga Road		Rural	RHS	5050	Pavement Failure	N	2	100	200	3
12-11-16	Kayuga Road		Rural	LHS	5090	Pavement Failure	N	2	20	40	3
12-11-16	Kayuga Road		Rural	LHS	6150	Pavement Failure	N	2	20	40	3
12-11-16	Kayuga Road		Rural	RHS	6300	Pavement Failure	N	3	5	15	3
04-04-16	Kenilworth St	Denman	Urban		21	Trench	N	8	2	16	3
2012	King St	Muswellbrook	Urban		3	2x2 heavy patch		2	2	4	3
2012	King St	Muswellbrook	Urban		Int Upper William Street	Pavement Failure		2	2	4	3
06-01-15	King St	Muswellbrook	Urban		62	Pavement Failure	N	3	5	15	3
06-01-15	King St	Muswellbrook	Urban		63	Trench	N	2	11	22	3
06-01-15	King St	Muswellbrook	Urban		65	Trench	N	2	11	22	3
06-01-15	King St	Muswellbrook	Urban		80	Pavement Failure	N	2	2	4	3
27-05-16	King Street	Muswellbrook	Urban		opp 34	Pavement Failure	N	3	10	30	3
27-05-16	King Street	Muswellbrook	Urban		2/4	Pavement Failure	N	2	2	4	3
27-05-16	King Street	Muswellbrook	Urban		70-72	Pavement Failure	N	2	10	20	3
14-01-15	Kokoda St	Muswellbrook	Urban		Int Tarakan	Trench	N	2	10	20	3
27-05-16	Koombahla St	Muswellbrook	Urban		Cnr Roger St	Trench x 2	N	2	18	36	3
20-05-16	Lae St	Muswellbrook	Urban		Cul de sac	Pavement Failure	N	2	2	4	3
20-03-17	Lexia St	Muswellbrook	Urban		14	Pavement Failure	N	3	3	9	3
27-03-18	Lexia St	Muswellbrook	Urban		18	Trench	N	2	8	16	3
15-11-16	Loques Lane		Rural	LHS	2100	Pavement Failure	N	2	2	4	3
15-01-15	Lorne St	Muswellbrook	Urban		36	Pavement Failure	N	2	5	10	3
15-01-15	Lorne St	Muswellbrook	Urban		42	Trench along gutter	N	2	10	20	3
11-04-17	Lorne St	Muswellbrook	Urban		3	Pavement failure	N	3	2	6	3
11-04-17	Lorne St	Muswellbrook	Urban		Cnr Forbes	Pavement failure	N	3	3	9	3
18-04-18	Lorne St	Muswellbrook	Urban		32	Pavement failure	N	3	5	15	3
09-04-18	Lorne St	Muswellbrook	Urban		14	Pavement failure	N	3	3	9	3
23-12-14	Lower Brook St	Muswellbrook	Urban		17	Trench	N	2	5	10	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
06-03-17	Lower Brook St	Muswellbrook	Urban		High School Farm	Failed patch	N	3	20	60	3
23-12-14	Lower Hill St	Muswellbrook	Urban		51	Trench	N	2	10	20	3
23-12-14	Lower Hill St	Muswellbrook	Urban		79 (at corner)	Cracking	N	2	2	4	3
07-03-17	Lower Hill St	Muswellbrook	Urban		62	Pavement Failure	N	2	3	6	3
12-02-18	Lower William St	Muswellbrook	Urban		6	Pavement Failure	N	2	10	20	3
12-02-18	Lower William St	Muswellbrook	Urban		8	Rut at gutter	Y	2	15	30	3
11-04-17	Maitland St	Muswellbrook	Urban		Repco	Cracking	N	2	5	10	3
20-03-17	Malbec St	Muswellbrook	Urban		Int Cabernet	Trench	N	2	15	30	3
20-12-17	Mangoola Road		Rural	LHS	45	Pavement Failure	N	3	3	9	3
21-01-16	Mangoola Road		Rural	RHS	1150	Pavement Failure	N	2	2	4	3
2012	Mangoola Road		Rural	LHS	1620	Pavement Failure	N	4	5	20	3
08-01-14	Mangoola Road		Rural	LHS	1960	Pavement Failure	N	2	2	4	3
20-12-17	Mangoola Road		Rural	F/W	2095	Pavement Failure	N	4	2	8	3
08-01-14	Mangoola Road		Rural	F/W	2275	Trench	N	2	6	12	3
2012	Mangoola Road		Rural	RHS	2409	Pavement Failure	N	2.5	30	75	3
20-12-17	Mangoola Road		Rural	F/W	2720	Pavement Failure	N	4	2	8	3
2012	Mangoola Road		Rural	LHS	2865	Pavement Failure	N	2.5	2.5	6.25	3
20-12-17	Mangoola Road		Rural	F/W	2935	Pavement Failure	N	4	2	8	3
26-08-16	Mangoola Road		Rural	LHS	4740	Pavement Failure	N	2.5	5	12.5	3
21-01-16	Mangoola Road		Rural	F/W	8417	Trench	N	2	4	8	3
10-09-14	Mangoola Road		Rural	LHS	10630	Pavement Failure	N	2	3	6	3
21-01-16	Mangoola Road		Rural	LHS	12157	Pavement Failure	N	2	5	10	3
21-01-16	Mangoola Road		Rural	RHS	12460	Pavement Failure	N	2	2	4	3
21-01-16	Mangoola Road		Rural	RHS	12560	Pavement Failure	N	2	3	6	3
21-01-16	Mangoola Road		Rural	LHS	12603	Pavement Failure	N	2	20	40	3
21-01-16	Mangoola Road		Rural	RHS	12620	Pavement Failure	N	2	15	30	3
07-04-17	Market Lane	Muswellbrook	Urban		Zacks Automotive	Trench	N	2	11	22	3
09-04-18	Market St	Muswellbrook	Urban		Interchange	Cracking	N	2	3	6	3
16-10-14	Martindale Road		Rural	RHS	1080	Pavement Failure	N	2	60	120	3
16-10-14	Martindale Road		Rural	RHS	1180	Pavement Failure	N	2	5	10	3
23-01-17	Martindale Road		Rural	RHS	1220	Pavement Failure	N	2	10	20	3
23-01-17	Martindale Road		Rural	LHS	2790	Pavement Failure	N	2	3	6	3
23-01-17	Martindale Road		Rural	LHS	4080	Pavement Failure	N	2	5	10	3
18-02-16	Martindale Road		Rural	RHS	4425	Pavement Failure	N	2	3	6	3
18-02-16	Martindale Road		Rural	RHS	4570	Pavement Failure	N	2	15	30	3
18-02-16	Martindale Road		Rural	RHS	4610	Pavement Failure	N	2	20	40	3
18-02-16	Martindale Road		Rural	RHS	4790	Pavement Failure	N	2	20	40	3
23-01-17	Martindale Road		Rural	LHS	7810	Pavement Failure	N	2	5	10	3
15-01-14	Martindale Road		Rural	LHS	7860	Pavement Failure	N	2	3	6	3
16-10-14	Martindale Road		Rural	LHS	8085	Pavement Failure	N	3	20	60	3
2012	Martindale Road		Rural	LHS	8187	Pavement Failure	N	2.5	5	12.5	3
18-02-16	Martindale Road		Rural	F/W	8220	Pavement Failure	N	6	10	60	3
18-02-16	Martindale Road		Rural	RHS	8650	Pavement Failure	N	2	5	10	3
15-01-14	Martindale Road		Rural	F/W	8780	Trench	N	2	8	16	3
22-02-16	Martindale Road		Rural	RHS	8910	Pavement Failure	N	2	5	10	3
23-01-17	Martindale Road		Rural	RHS	9580	Pavement Failure - over culvert	N	2	5	10	3
16-10-14	Martindale Road		Rural	F/W	9860	Over culvert	N	2	7	14	3
23-01-17	Martindale Road		Rural	RHS	13455	Pavement failure	N	2	2	4	3
18-02-16	Martindale Road		Rural	LHS	14400	Pavement Failure	N	3	3	9	3
22-01-18	Martindale Road		Rural	LHS	16490	Pavement Failure	N	2	2	4	3
16-10-14	Martindale Road		Rural	RHS	17330	Pavement Failure	N	2	10	20	3
23-01-17	Martindale Road		Rural		17760	Pavement Failure	N	2	5	10	3
23-01-17	Martindale Road		Rural	F/W	18384	Pavement Failure	N	6	10	60	3
22-01-18	Martindale Road		Rural	F/W	19160	Pavement Failure	N	2	6	12	3
15-01-14	Martindale Road		Rural	RHS	19640	Pavement Failure	N	2	3	6	3
15-01-14	Martindale Road		Rural	F/W	20260	Pavement Failure	N	5	30	150	3
23-01-17	Martindale Road		Rural	LHS	21000	Pavement Failure	N	2	5	10	3
15-01-14	Martindale Road		Rural	RHS	21140	Pavement Failure	N	3	20	60	3
04-04-16	Martindale Street	Denman	Urban		30	Pavement Failure	N	2	2	4	3
14-03-17	Martindale Street	Denman	Urban		16	Failed patch	N	2	15	30	3
15-03-17	Martindale Street	Denman	Urban		4	Pavement Failure	N	3	5	15	3
19-02-18	Martindale Street	Denman	Urban		26128	Pavement Failure	N	2	20	40	3
19-02-18	Martindale Street	Denman	Urban		20	Failed patch	N	3	8	24	3
12-04-17	McClintock Dr	Muswellbrook	Urban		20122	Pavement Failure	Y	2	30	60	3
12-04-17	McClintock Dr	Muswellbrook	Urban		16	Pavement Failure	N	2	10	20	3
19-02-18	Merino Street	Denman	Urban		1	Failed patch	N	2	5	10	3
19-02-18	Merino Street	Denman	Urban		1	Trench	N	2	7	14	3
23-05-16	Merriva Road	Sandy Hollow	Urban		Service Station	Pavement Failure	N	2	2	4	3
23-05-16	Merriva Road	Sandy Hollow	Urban		Opp Hotel	Pavement Failure	Y	2	20	40	3
2012	Merlon Street	Denman	Urban		9	Pavement Sink	N	2	2	4	3
2012	Merlon Street	Denman	Urban		12	Pavement Sink	Y	2	2	4	3
2012	Merlon Street	Denman	Urban		16	Pavement Sink	Y	2	2	4	3
07-04-17	Midanga Ave	Muswellbrook	Urban		3	Pavement failure	N	2	3	6	3
07-04-17	Mill Street	Muswellbrook	Urban		9	Pavement failure	N	4	12	48	3
16-10-13	Milpera Drive		Rural		167	Trench	N	2	6	12	3
16-10-13	Milpera Drive		Rural		515	Trench	N	2	6	12	3
16-10-13	Milpera Drive		Rural		550	Trench	N	2	6	12	3
16-10-13	Milpera Drive		Rural		745	Pavement Failure	N	2	2	4	3
11-01-16	Milpera Drive		Rural		95	Trench	N	2	6	12	3
15-01-15	Mitchell Street	Muswellbrook	Urban		27	2 x trenches across road	N	4	10	40	3
15-01-15	Mitchell Street	Muswellbrook	Urban		30	Pavement Failure x 2	N	2	6	12	3
23-05-16	Mitchell Street	Muswellbrook	Urban		26	Pavement Failure	N	3	2	6	3
07-04-17	Mitchell Street	Muswellbrook	Urban		50	Pavement failure	N	2	2	4	3
11-04-17	Mitchell Street	Muswellbrook	Urban		34	Pavement failure	N	3	3	9	3
09-04-18	Mitchell Street	Muswellbrook	Urban		81 Sydney St	Pavement failure	N	2	5	10	3
22-05-13	Mt Dangar Road		Rural		3260	Pavement Failure	N	2	2	4	3
24-01-18	Mt Dangar Road		Rural	F/W	5170	Pavement Failure	N	3	5	15	3
07-12-17	Muscle Creek Road		Rural	RHS	3520	Pavement Failure	N	2	5	10	3
23-04-13	Muscle Creek Road		Rural	RHS	3540	Pavement Failure	N	2	5	10	3
07-12-17	Muscle Creek Road		Rural	F/W	3665	Trench	N	6	2	12	3
17-10-13	Muscle Creek Road		Rural	LHS	4880	Pavement Failure	N	2	5	10	3
23-08-16	Muscle Creek Road		Rural	RHS	6665	Pavement Failure	N	3	10	30	3
23-08-16	Muscle Creek Road		Rural	LHS	6910	Pavement Failure	N	4	20	80	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
23-08-16	Muscle Creek Road		Rural	RHS	7530	Heavy Patch	N	2	10	20	3
12-01-16	Muscle Creek Road		Rural	RHS	7600	Pavement Failure	N	4	2.5	10	3
12-01-16	Muscle Creek Road		Rural	LHS	8740	Pavement Failure	N	2	2	4	3
17-10-13	Muscle Creek Road		Rural	RHS	9000	Pavement Failure - at floodway	N	2	2	4	3
11-04-17	Nowland St	Muswellbrook	Urban		7	Pavement Failure	N	2	3	6	3
11-04-17	Nowland St	Muswellbrook	Urban		Cnr Forbes	Pavement Failure	N	2	2	4	3
16-04-18	Nowland St	Muswellbrook	Urban		2/4	Pavement Failure	N	2	20	40	3
09-04-16	Nowland St	Muswellbrook	Urban		6-10	Pavement Failure	N	2	40	80	3
04-04-16	Ogilvie Street	Denman	Urban		Denman Hotel	Cracking/shove at driveway	N	15	2.5	37.5	3
04-04-16	Ogilvie Street	Denman	Urban		1	Pavement Failure	N	2	2	4	3
04-04-16	Ogilvie Street	Denman	Urban		3	Trench	N	10	2	20	3
04-04-16	Ogilvie Street	Denman	Urban		7	Trench	N	10	2	20	3
04-04-16	Ogilvie Street	Denman	Urban		9	Pavement Failure	N	2	2	4	3
04-04-16	Ogilvie Street	Denman	Urban		Paxton-Virginia	6 x Trenches	N	8	12	96	3
17-04-18	Ooranga St	Muswellbrook	Urban		8	Pavement failure	N	2	2	4	3
17-04-18	Ooranga St	Muswellbrook	Urban		7	Pavement failure	N	2	2	4	3
15-01-15	Osborn Ave	Muswellbrook	Urban		77	Pavement Failure - join in seal??	N	3	9.2	27.6	3
11-04-17	Osborn Ave	Muswellbrook	Urban		Int Ruth White Ave	Trench	N	2	10	20	3
15-11-16	Overton Road		Rural	LHS	705	Pavement failure	N	2	2	4	3
04-04-16	Palace Street	Denman	Urban		4	Pavement Failure	N	2	2	4	3
15-03-17	Palace Street	Denman	Urban		7-33	Trenches x 5?	N	8	10	80	3
16-10-13	Pamper Drive		Rural	RHS	57	Pavement Failure	N	2	2	4	3
11-01-16	Pamper Drive		Rural	LHS	1545	Pavement Failure	N	3	3	9	3
27-05-16	Parkinson Ave	Muswellbrook	Urban		11	Pavement Failure next to new kerb and gutter	N	2	20	40	3
20-05-16	Paterson Pl	Muswellbrook	Urban		Int Wollombi Road	Pavement Failure	N	3	3	9	3
04-04-16	Paxton St	Denman	Urban		23	Pavement Failure	N	3	3	9	3
15-03-17	Paxton St	Denman	Urban		64	Trench	N	4	12	48	3
19-02-18	Paxton St	Denman	Urban		26	Pavement failure	N	2	2	4	3
19-02-18	Paxton St	Denman	Urban		Cnr Crinoline	Pavement failure	Y	2	5	10	3
19-02-18	Paxton St	Denman	Urban		School	Trench	N	2	5	10	3
19-02-18	Paxton St	Denman	Urban		opp 49	Pavement failure	N	3	3	9	3
19-02-18	Paxton St	Denman	Urban		68	Trench	N	2	12	24	3
02-12-14	Queen Street	Muswellbrook	Urban		52	Pavement Failure	N	3	10	30	3
02-12-14	Queen Street	Muswellbrook	Urban		53	Trench	N	2	8	16	3
30-03-16	Queen Street	Muswellbrook	Urban		65	Pavement Failure	N	2	3	6	3
30-03-16	Queen Street	Muswellbrook	Urban		Corner Cook Street	Trench	N	3	12	36	3
30-03-16	Queen Street	Muswellbrook	Urban		18	Pavement Failure	N	3	5	15	3
20-03-17	Queen Street	Muswellbrook	Urban		81 King St	2 x Pavement Failures	N	4	4	16	3
20-03-17	Queen Street	Muswellbrook	Urban		Cnr King	Trench	N	2	7	14	3
20-03-17	Queen Street	Muswellbrook	Urban		82 King	Trench	N	2	7	14	3
20-03-17	Queen Street	Muswellbrook	Urban		Int Bowman St	Pavement failure	N	3	9	27	3
20-03-17	Queen Street	Muswellbrook	Urban		74	Pavement failure	N	2	2	4	3
20-03-17	Queen Street	Muswellbrook	Urban		147	Trench	N	2	12	24	3
04-04-18	Queen Street	Muswellbrook	Urban		10	Pavement failure	N	7	70	490	3
14-01-15	Racecourse Road	Muswellbrook	Urban		11	Trench	N	2	6	12	3
11-01-17	Reedy Creek Road		Rural	RHS	755	Pavement failure	N	2	5	10	3
11-01-17	Reedy Creek Road		Rural	LHS	1145	Pavement failure	N	2	5	10	3
2012	Richmond Grove Road		Rural	F/W	0-20	Pavement Failure	N	8	20	160	3
15-01-14	Richmond Grove Road		Rural	RHS	1710	Pavement Failure	N	2	2	4	3
15-01-14	Richmond Grove Road		Rural	RHS	2047	Pavement Failure	N	2	2	4	3
15-01-14	Richmond Grove Road		Rural	LHS	2395	Pavement Failure	N	2	2	4	3
22-10-14	Richmond Grove Road		Rural	RHS	2780	Pavement Failure	N	2	2	4	3
25-02-16	Richmond Grove Road		Rural	RHS	2582	Pavement Failure	N	2	2	4	3
05-04-17	Richmond Street	Muswellbrook	Urban		Int Bligh St	Trench	N	2	9	18	3
04-01-18	Ridglands Road		Rural	RHS	100	Pavement failure	N	2	25	50	3
10-02-16	Ridglands Road		Rural	F/W	1090	Trench	N	2	7	14	3
26-09-14	Ridglands Road		Rural	F/W	1720	Pavement Failure	N	6	2	12	3
10-02-16	Ridglands Road		Rural	RHS	2600	Pavement Failure	N	2	2	4	3
26-09-14	Ridglands Road		Rural	LHS	3092	Pavement Failure	N	2	3	6	3
10-02-16	Ridglands Road		Rural	LHS	4228	Pavement Failure	N	3	3	9	3
10-02-16	Ridglands Road		Rural	RHS	4390	Pavement Failure	N	2	2	4	3
26-09-14	Ridglands Road		Rural	RHS	6413	Pavement Failure	N	4	4	16	3
2012	Ridglands Road		Rural	LHS	7906	Pavement Failure	N	2.5	2.5	6.25	3
04-01-18	Ridglands Road		Rural	LHS	8010	Pavement failure	N	2	2	4	3
10-02-16	Ridglands Road		Rural	LHS	9000	Pavement Failure	N	3	3	9	3
10-02-16	Ridglands Road		Rural	RHS	9180	Pavement Failure	N	3	3	9	3
09-12-14	Riesling St	Muswellbrook	Urban		14	Trench	N	2	9	18	3
30-05-16	Riesling St	Muswellbrook	Urban		28	Pavement Failure	Y	2	10	20	3
30-05-16	Riesling St	Muswellbrook	Urban		8	Pavement Failure	N	2	5	10	3
15-11-16	Rosebrook Lane		Rural	F/W	540	Pavement Failure	N	6	30	180	3
15-11-16	Rosebrook Lane		Rural	LHS	605	Pavement Failure	N	3	2	6	3
25-01-16	Rosemount Road		Rural	RHS	139	Pavement Failure	N	2	3	6	3
22-01-18	Rosemount Road		Rural	LHS	2660	Pavement Failure	N	2	3	6	3
22-01-18	Rosemount Road		Rural	RHS	2660	Pavement Failure	N	2	3	6	3
22-01-18	Rosemount Road		Rural	LHS	2930	Pavement Failure	N	2	2	4	3
22-01-18	Rosemount Road		Rural	RHS	3100	Pavement Failure	N	2	3	6	3
25-01-16	Rosemount Road		Rural	F/W	3140	Trench	N	2	8	16	3
22-01-18	Rosemount Road		Rural	CENTRE	3290	Pavement Failure	N	4	4	16	3
22-01-18	Rosemount Road		Rural		3300	Pavement Failure	N	2	20	40	3
22-01-18	Rosemount Road		Rural		3340	Pavement Failure	N	2	20	40	3
22-01-18	Rosemount Road		Rural		3900	Pavement Failure	N	2	60	120	3
22-01-18	Rosemount Road		Rural		8075	Pavement Failure	N	2	20	40	3
22-01-18	Rosemount Road		Rural	RHS	8260	Pavement Failure	N	2	3	6	3
22-01-18	Rosemount Road		Rural	LHS	8345	Pavement Failure	N	2	20	40	3
22-01-18	Rosemount Road		Rural	RHS	8345	Pavement Failure	N	2	100	200	3
22-01-18	Rosemount Road		Rural	RHS	8600	Pavement Failure	N	2	5	10	3
22-01-18	Rosemount Road		Rural	RHS	8650	Pavement Failure	N	2	10	20	3
22-01-18	Rosemount Road		Rural	RHS	8850	Pavement Failure	N	2	60	120	3
2012	Rosemount Road		Rural	LHS	9579	Pavement Failure	N	2.5	10	25	3
2012	Rosemount Road		Rural	RHS	9637	Pavement Failure	N	7	15	105	3
22-01-18	Rosemount Road		Rural	RHS	9750	Pavement Failure	N	2	20	40	3
2012	Rosemount Road		Rural	LHS	9761	Pavement Failure	N	2.5	25	62.5	3
2012	Rosemount Road		Rural	RHS	9869	Pavement Failure	N	3	15	45	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
01-10-14	Rosemount Road		Rural	RHS	13890	Pavement Failure	N	2	10	20	3
2012	Roxburgh Road		Rural	RHS	620	Pavement Failure	N	3	3	9	3
25-01-16	Roxburgh Road		Rural		4250	Trench	N	2.5	5	12.5	3
25-01-16	Roxburgh Road		Rural	LHS	980	Pavement Failure	N	2	5	10	3
20-12-17	Roxburgh Road		Rural	F/W	2570	Pavement Failure	N	4	10	40	3
25-01-16	Roxburgh Road		Rural	LHS	6950	Pavement Failure	N	3	3	9	3
20-12-17	Roxburgh Road		Rural	LHS	6510	Pavement Failure	N	3	3	9	3
20-12-17	Roxburgh Road		Rural	F/W	7190	Trench	N	4	2	8	3
20-12-17	Roxburgh Road		Rural	LHS	7630	Pavement Failure	N	3	2	6	3
14-10-13	Ruth White Avenue	Muswellbrook	Urban		Sanray Crescent	Trench	N	8	2.5	20	3
20-01-15	Ruth White Avenue	Muswellbrook	Urban		21	Pavement Failure	N	3	3	9	3
20-01-15	Ruth White Avenue	Muswellbrook	Urban		Cnr Thompson	Pavement Failure	N	2	10	20	3
19-05-16	Ruth White Avenue	Muswellbrook	Urban		Int Thompson	Trench	N	15	2	30	3
19-05-16	Ruth White Avenue	Muswellbrook	Urban		5	Trench/Subsidence	N	8	2	16	3
19-05-16	Ruth White Avenue	Muswellbrook	Urban		7	Trench	N	8	2	16	3
19-05-16	Ruth White Avenue	Muswellbrook	Urban		11	2 x trenches across road	N	16	2	32	3
19-05-16	Ruth White Avenue	Muswellbrook	Urban		16	Trench	N	8	2	16	3
19-05-16	Ruth White Avenue	Muswellbrook	Urban		29	Trench	N	8	2	16	3
11-04-17	Ruth White Avenue	Muswellbrook	Urban		45	Pavement failure	N	3	3	9	3
18-04-18	Ruth White Avenue	Muswellbrook	Urban		49	Pavement failure	N	2	3	6	3
12-04-17	Rutherford Road	Muswellbrook	Urban		Entry to ISC Carpark	Pavement Failure	N	3	3	9	3
01-05-19	Sandy Creek Road	Muswellbrook	Urban		cnr Ironbark	trench	N	2	7	14	3
17-11-16	Sandy Creek Road		Rural	RHS	6280	Pavement Failure	N	2	100	200	3
17-11-16	Sandy Creek Road		Rural	RHS	6810	Pavement Failure	N	2	50	100	3
17-11-16	Sandy Creek Road		Rural	CENTRE	7120	Pavement Failure	N	2	10	20	3
17-11-16	Sandy Creek Road		Rural	LHS	7510	Pavement Failure	N	3	20	60	3
17-11-16	Sandy Creek Road		Rural	CENTRE	8820	Pavement Failure	N	2	10	20	3
17-11-16	Sandy Creek Road		Rural	RHS	10960	Pavement Failure	N	2	5	10	3
17-11-16	Sandy Creek Road		Rural	RHS	11245	Pavement Failure	N	2	10	20	3
14-11-13	Sandy Creek Road		Rural	RHS	11350	Pavement Failure	N	2	10	20	3
17-11-16	Sandy Creek Road		Rural	RHS	11460	Pavement Failure	N	2	5	10	3
2012	Sandy Creek Road		Rural	RHS	11570	Pavement Failure	N	2.5	10	25	3
15-01-15	Sanray Cr	Muswellbrook	Urban		4	Pavement Failure	N	3	2	6	3
23-12-14	Scott St	Muswellbrook	Urban		10	Trench	N	2	10	20	3
23-12-14	Scott St	Muswellbrook	Urban		14	Pavement Failure	N	2	2	4	3
23-12-14	Scott St	Muswellbrook	Urban		15	Trench	N	2	10	20	3
23-12-14	Scott St	Muswellbrook	Urban		17	Trench	N	2	10	20	3
23-12-14	Scott St	Muswellbrook	Urban		18	Pavement Failure	N	2	2	4	3
07-03-17	Scott St	Muswellbrook	Urban		5	Pavement Failure	N	2	2	4	3
12-02-18	Scott St	Muswellbrook	Urban		51	Pavement Failure	N	2	2	4	3
07-03-17	Scott St	Muswellbrook	Urban	F/W	45	Trench	N	2	10	20	3
07-03-17	Scott St	Muswellbrook	Urban	F/W	43	Trench	N	2	10	20	3
07-03-17	Scott St	Muswellbrook	Urban	F/W	29	Trench	N	2	10	20	3
07-03-17	Scott St	Muswellbrook	Urban		25	Pavement Failure	N	2	2	4	3
07-03-17	Scott St	Muswellbrook	Urban	F/W	16	trench	N	2	10	20	3
11-01-16	Scrumlo Road		Rural	LHS	2050	Pavement Failure	N	2	2	4	3
11-01-16	Scrumlo Road		Rural	LHS	2250	Pavement Failure	N	2	2	4	3
07-04-16	Shaw Cr	Muswellbrook	Urban		15/17	Subsidence at new kerb	N	2	20	40	3
07-04-16	Shaw Cr	Muswellbrook	Urban		1 (int Thompson)	Trench (W&W)	N	2	8	16	3
27-03-18	Shiraz St	Muswellbrook	Urban		Opp 31	Pavement failure	N	4	4	16	3
27-03-18	Shiraz St	Muswellbrook	Urban		10/12	Pavement failure	N	3	5	15	3
27-05-16	Shiraz St	Muswellbrook	Urban		Karoola Park	Trench	N	3	10	30	3
20-03-17	Shiraz St	Muswellbrook	Urban		83	Trench	N	2	10	20	3
20-03-17	Shiraz St	Muswellbrook	Urban		81	Trench	N	2	10	20	3
20-03-17	Shiraz St	Muswellbrook	Urban		48	Pavement failure	N	5	5	25	3
20-03-17	Shiraz St	Muswellbrook	Urban		46	Trench	N	2	11	22	3
20-03-17	Shiraz St	Muswellbrook	Urban		44	Trench	N	2	11	22	3
20-03-17	Shiraz St	Muswellbrook	Urban		26	Trench	N	2	11	22	3
20-03-17	Shiraz St	Muswellbrook	Urban		19	Pavement failure	N	2	2	4	3
12-02-18	Silky Oak Cl	Muswellbrook	Urban		10	Pavement failure	N	2	20	40	3
12-01-15	Skellatar St	Muswellbrook	Urban		Blooms	Cracking	N	3	20	60	3
07-04-17	Skellatar St	Muswellbrook	Urban		1	Pavement failure	N	3	5	15	3
10-04-17	Skellatar Stock Route	Muswellbrook	Urban		15	Pavement failure	N	3	3	9	3
10-04-17	Skellatar Stock Route	Muswellbrook	Urban		1	Cracking	N	2	3	6	3
05-04-17	Sowerby Ave	Muswellbrook	Urban		6	Pavement failure	N	2	10	20	3
05-04-18	Sowerby Ave	Muswellbrook	Urban		20	Pavement failure	N	3	3	9	3
2012	Sowerby St	Muswellbrook	Urban		66	Pavement Failure	N	2.5	20	50	3
05-04-18	Sowerby St	Muswellbrook	Urban		Int St Heliers SB	Pavement failure	N	4	4	16	3
05-04-18	Sowerby St	Muswellbrook	Urban		Int St Heliers NB	Pavement failure	N	2	5	10	3
05-04-18	Sowerby St	Muswellbrook	Urban		54	Trench	N	2	9	18	3
14-01-16	St Heliers Road		Rural		780	Pavement Failure	N	7	20	140	3
17-11-16	St Heliers Road		Rural	LHS	680	Pavement failure	N	3	3	9	3
07-04-16	St James Cr	Muswellbrook	Urban		31	Pavement Failure	N	2	2	4	3
18-04-18	St James Cr	Muswellbrook	Urban		2	Pavement Failure	N	2	2	4	3
19-01-16	Stair St	Kayuga	Rural			Pavement Failure	N	3	3	9	3
07-04-17	Sydney Street	Muswellbrook	Urban		Sydney St Tyre Centre	Pavement Failure	Y	2	20	40	3
07-04-17	Sydney Street	Muswellbrook	Urban		Upper Hunter Fire Protection	Pavement Failure	N	2	10	20	3
08-12-14	Sylvania St	Muswellbrook	Urban		Various	2 x trenches across road	N	2	20	40	3
20-05-16	Tarakan Ave	Muswellbrook	Urban		5	Trench (poorly restored water trench)	N	2	7	14	3
22-07-16	Thomas Mitchell Drive		Rural	LHS	100	Pavement Failure	N	3	30	90	3
07-12-17	Thomas Mitchell Drive		Rural	RHS	260	Pavement failure	N	2	5	10	3
07-12-17	Thomas Mitchell Drive		Rural	RHS	500	Pavement failure	N	2	10	20	3
22-07-16	Thomas Mitchell Drive		Rural	LHS	740	Pavement Failure	N	3	10	30	3
07-12-17	Thomas Mitchell Drive		Rural	RHS	810	Pavement failure	N	2	5	10	3
22-07-16	Thomas Mitchell Drive		Rural	LHS	990	Pavement failure	N	3	10	30	3
07-12-17	Thomas Mitchell Drive		Rural	RHS	1150	Pavement failure	N	2	5	10	3
07-12-17	Thomas Mitchell Drive		Rural	RHS	1540	Pavement failure	N	2	5	10	3
22-07-16	Thomas Mitchell Drive		Rural	RHS	1590	Pavement Failure	N	3	10	30	3
22-07-16	Thomas Mitchell Drive		Rural	LHS	1920	Pavement Failure	N	2	10	20	3
2012	Thompson St	Muswellbrook	Urban		Various	Several trenches across road					3
11-04-17	Thompson St	Muswellbrook	Urban		44	Trench	N	5	7	35	3
11-04-17	Thompson St	Muswellbrook	Urban		26	Trench	N	2	9	18	3
11-04-17	Thompson St	Muswellbrook	Urban		22	Pavement failure	N	2	5	10	3
11-04-17	Thompson St	Muswellbrook	Urban		29	Pavement failure	Y	2	10	20	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
11-04-17	Thompson St	Muswellbrook	Urban		10	Pavement failure	Y	2	5	10	3
16-04-18	Thompson St	Muswellbrook	Urban		31 to Ruth White Ave	Failed Patch at new kerb and gutter	N	2	90	180	3
14-01-15	Tindale St	Muswellbrook	Urban		14	Pavement Failure	N	2	10	20	3
11-04-17	Tindale St	Muswellbrook	Urban		3	Pavement Failure	N	2	5	10	3
12-04-17	Towarri St	Muswellbrook	Urban		24	Pavement failure	N	2	10	20	3
06-04-16	Tuart Cl	Muswellbrook	Urban		7	Pavement Failure	N	2	2	4	3
06-04-16	Tuart Cl	Muswellbrook	Urban		Int Hakea	Trench	N	2	8	16	3
2012	Turanville Ave	Muswellbrook	Urban		22	Pavement Failure	N	2	2	4	3
17-04-18	Turanville Ave	Muswellbrook	Urban		10	Pavement Failure	N	3	3	9	3
27-05-16	Turanville Ave	Muswellbrook	Urban		7/11	Pavement Failure	N	2	20	40	3
05-04-17	Turanville Ave	Muswellbrook	Urban		18	Pavement Failure	N	3	10	30	3
05-04-17	Turanville Ave	Muswellbrook	Urban		26	Pavement Failure	N	3	5	15	3
17-04-18	Turanville Ave	Muswellbrook	Urban		24	Pavement Failure	N	4	2	8	3
05-04-17	Turanville Ave	Muswellbrook	Urban		Int Sowerby	Trench	N	2	8	16	3
17-04-18	Turanville Ave	Muswellbrook	Urban		20	Pavement failure	N	2	2	4	3
17-04-18	Turanville Ave	Muswellbrook	Urban		16	Pavement failure	N	2	2	4	3
04-04-16	Turner Street	Denman	Urban		Water Tank	Pavement Failure	N	3	30	90	3
04-04-16	Turner Street	Denman	Urban		22	Pavement Failure	N	2	5	10	3
23-01-17	Turnermans Road Nth	Denman	Rural	LHS	1090	Pavement Failure	N	2	5	10	3
07-04-17	Upper William St	Muswellbrook	Urban		Int King St	Trench	N	2	17	34	3
07-04-17	Upper William St	Muswellbrook	Urban		93	Pavement failure	N	3	2	6	3
08-01-15	Victoria St	Muswellbrook	Urban		108	Trench x 2	N	6	5	30	3
08-01-15	Victoria St	Muswellbrook	Urban		120	Trench x 3	N	2	15	30	3
07-04-17	Victoria St	Muswellbrook	Urban		114	Trench	N	2	5	10	3
2012	Virginia St	Denman	Urban		9	Heavy Patch	Y	2	2	4	3
12-01-15	Virginia St	Denman	Urban		9	Trench x 2	N	4	10	40	3
19-02-18	Virginia St	Denman	Urban		39	Heavy Patch	Y	2	10	20	3
12-01-15	Virginia St	Denman	Urban		Cnr Ogilvie Street	Trench x 2	N	4	12	48	3
04-04-16	Virginia St	Denman	Urban		Works Depot	Failed patch (Water?)	N	3	3	9	3
04-04-16	Virginia St	Denman	Urban		15	Failed patch (Water?)	N	2	2	4	3
15-03-17	Virginia St	Denman	Urban		Works Depot	Trench	N	2	12	24	3
15-03-17	Virginia St	Denman	Urban		55	Pavement failure	N	3	3	9	3
19-02-18	Virginia St	Denman	Urban		16	Pavement failure	N	3	2	6	3
19-02-18	Virginia St	Denman	Urban		31	Pavement failure	N	3	2	6	3
19-02-18	Virginia St	Denman	Urban		38	Trench	N	2	10	20	3
19-02-18	Virginia St	Denman	Urban		35	Failed patch	N	2	3	6	3
19-02-18	Virginia St	Denman	Urban		41-43	Pavement failure	N	2	30	60	3
19-02-18	Virginia St	Denman	Urban		93	Pavement failure	N	2	3	6	3
05-04-17	Waratah Cl	Muswellbrook	Urban		1	Trench	N	2	8	16	3
24-02-16	Widden Valley Road		Rural	LHS	10	Pavement Failure	N	3	3	9	3
15-03-18	Widden Valley Road		Rural	RHS	1990	Pavement Failure	N	2	5	10	3
15-03-18	Widden Valley Road		Rural	LHS	5335	Pavement Failure	N	2	10	20	3
06-11-14	Widden Valley Road		Rural	RHS	7538	Pavement Failure	N	2	5	10	3
2012	Widden Valley Road		Rural	LHS	7662	Pavement Failure	N	2	10	20	3
07-02-17	Widden Valley Road		Rural	F/W	7880	Pavement Failure	N	2	6	12	3
2012	Widden Valley Road		Rural	LHS	11060	Pavement Failure	N	2	5	10	3
2012	Widden Valley Road		Rural	LHS	11094	Pavement Failure	N	2	5	10	3
2012	Widden Valley Road		Rural	RHS	11102	Pavement Failure	N	2	5	10	3
07-02-17	Widden Valley Road		Rural	RHS	11404	Pavement Failure	N	3	25	75	3
21-03-18	Widden Valley Road		Rural	F/W	11655	Pavement Failure	N	5	6	30	3
21-03-18	Widden Valley Road		Rural	LHS	11845	Pavement Failure	N	2	2	4	3
21-03-18	Widden Valley Road		Rural	LHS	13150	Pavement Failure	N	3	3	9	3
21-03-18	Widden Valley Road		Rural	LHS	20068	Pavement Failure	N	2	5	10	3
16-05-13	Widden Valley Road		Rural	LHS	20530	Pavement Failure	N	2	2	4	3
16-05-13	Widden Valley Road		Rural	LHS	20630	Pavement Failure	N	2	2	4	3
16-05-13	Widden Valley Road		Rural	LHS	20690	Pavement Failure	N	2	2	4	3
21-03-18	Widden Valley Road		Rural	LHS	22100	Pavement Failure	N	2	2	4	3
07-04-17	Wilder St	Muswellbrook	Urban		7	Trench	N	2	5	10	3
06-03-17	Wilkins Street	Muswellbrook	Urban		9	Pavement failure	N	3	3	9	3
06-03-17	Wilkins Street	Muswellbrook	Urban		1	Pavement failure	N	3	3	9	3
06-03-17	Wilkins Street	Muswellbrook	Urban		Lot 3	Pavement failure	N	2	2	4	3
06-03-17	Wilkins Street	Muswellbrook	Urban		Lot 3	W&W Trench	N	2	10	20	3
06-03-17	Wilkins Street	Muswellbrook	Urban		Int Ford St	Cracking	N	5	5	25	3
27-03-18	Wilkins Street	Muswellbrook	Urban		Hunter Valley Print	Trench	N	2	12	24	3
2012	Wilkinson Ave	Muswellbrook	Urban		Penguin Club to Olympic Park	80 x 1 Along Gutter	Y	2	80	160	3
07-04-17	Wilkinson Ave	Muswellbrook	Urban		Boronia Building	Pavement failure	N	2	2	4	3
07-04-17	Wilkinson Ave	Muswellbrook	Urban		Guides Hut	Pavement failure	N	2	3	6	3
2012	Wollombi Road	Muswellbrook	Urban		26	Trench 1/3 way across road	N	2	5	10	3
14-01-15	Wollombi Road	Muswellbrook	Urban		10	Pavement failure	N	2	3	6	3
14-01-15	Wollombi Road	Muswellbrook	Urban		Tamar Way	Pavement failure (Trench?)	N	2	3	6	3
20-05-16	Wollombi Road	Muswellbrook	Urban		18	Trench	N	3	5	15	3
20-05-16	Wollombi Road	Muswellbrook	Urban		32	Pavement failure	N	2	2	4	3
20-05-16	Wollombi Road	Muswellbrook	Urban		38	Trench	N	10	2	20	3
18-04-18	Wollombi Road	Muswellbrook	Urban		2 Patterson Place (123??)	Failed patch next to kerb and gutter	N	2	10	20	3
08-04-13	Woodlands Ridge Road		Rural	RHS	1340	Pavement Failure	N	2	2	4	3
21-01-15	Woollybutt Way	Muswellbrook	Urban		11	2 x trenches across road	N	4	8	32	3
05-04-16	Woollybutt Way	Muswellbrook	Urban		Aldi (near Rutherford Road)	Pavement failure/Cracking	N	2	5	10	3
18-04-18	Woollybutt Way	Muswellbrook	Urban		49	Trench (failed Ausgrid patching)	Y	2	9	18	3
2012	Wybong PO Road		Rural	LHS	626	Pavement Failure	N	2	10	20	3
2012	Wybong PO Road		Rural	RHS	715	Pavement Failure	N	2	5	10	3
2012	Wybong PO Road		Rural	LHS	4017	Pavement Failure	N	2	5	10	3
14-01-14	Wybong PO Road		Rural		4025	Pavement Failure	N	2	50	100	3
14-01-14	Wybong PO Road		Rural	F/W	4125	Pavement Failure	N	5	5	25	3
14-01-14	Wybong PO Road		Rural	LHS	4150	Pavement Failure	N	2	2	4	3
14-01-14	Wybong PO Road		Rural	F/W	4180	Pavement Failure	N	5	3	15	3
20-01-16	Wybong Road		Rural	LHS	670	Pavement Failure	N	2	3	6	3
20-01-16	Wybong Road		Rural	LHS	1895	Pavement Failure	N	2	2	4	3
20-01-16	Wybong Road		Rural	RHS	2540	Pavement Failure	N	2	2	4	3
21-01-16	Wybong Road		Rural		2905	Pavement Failure	N	2	5	10	3
2012	Wybong Road		Rural	RHS	4550	Pavement Failure	N	2.5	150	375	3
2012	Wybong Road		Rural	LHS	4565	Pavement Failure	N	2.5	25	62.5	3
08-01-14	Wybong Road		Rural	RHS	6450	Pavement Failure	N	2	3	6	3

Attachment I

Date	Street/Road Name	Town Urban	Urban/Rural	LHS/RHS/FW	Location/Chainage	Defect	With K&G?	Width	Length	Area	Priority
11-01-17	Wybong Road		Rural	RHS	6610	Pavement Failure	N	2	25	50	3
2012	Wybong Road		Rural	CENTRE	6645	Pavement Failure	N	2.5	20	50	3
2012	Wybong Road		Rural	LHS	6850	Pavement Failure	N	2	2	4	3
08-01-14	Wybong Road		Rural	RHS	6850	Pavement Failure	N	2	10	20	3
12-09-14	Wybong Road		Rural	LHS	20050	Pavement Failure	N	2	20	40	3
21-01-16	Wybong Road		Rural	LHS	20330	Pavement Failure	N	5	3	15	3
12-09-14	Wybong Road		Rural	LHS	21030	Pavement Failure	N	2	3	6	3
21-01-16	Wybong Road		Rural	RHS	21050	Pavement Failure	N	3	3	9	3
21-01-16	Wybong Road		Rural	RHS	21270	Pavement Failure	N	2	70	140	3
12-09-14	Wybong Road		Rural	LHS	21500	Pavement Failure	N	2	2	4	3
20-01-16	Wybong Road		Rural	LHS	21570	Pavement Failure	N	2	20	40	3
11-01-17	Wybong Road		Rural	LHS	21640	Pavement Failure	N	2	5	10	3
11-10-12	Wybong Road		Rural	CENTRE	21650	Pavement Failure	N	2.5	5	12.5	3
20-01-16	Wybong Road		Rural	LHS	22020	Pavement Failure	N	2	5	10	3
11-01-18	Wybong Road		Rural	RHS	22180	Pavement Failure	N	2	2	4	3
12-09-14	Wybong Road		Rural	LHS	22409	Pavement Failure	N	2	2	4	3
12-09-14	Wybong Road		Rural	LHS	22530	Failed patch	N	2	3	6	3
20-01-16	Wybong Road		Rural	LHS	22725	Pavement Failure	N	2	2	4	3
08-01-14	Wybong Road		Rural	LHS	22775	Pavement Failure	N	2	2	4	3
11-01-18	Wybong Road		Rural	RHS	22970	Pavement Failure	N	2	2	4	3
20-01-16	Wybong Road		Rural	RHS	23090	Pavement Failure	N	2	10	20	3
08-01-14	Wybong Road		Rural	RHS	23160	Pavement Failure	N	2	10	20	3
21-01-16	Wybong Road		Rural	RHS	23200	Pavement Failure	N	2	90	180	3
12-09-14	Wybong Road		Rural	RHS	23790	Pavement Failure	N	2	5	10	3
12-09-14	Wybong Road		Rural	LHS	24220	Pavement Failure	N	4	10	40	3
11-01-18	Wybong Road		Rural	CENTRE	24900	Pavement Failure	N	2	2	4	3
11-01-18	Wybong Road		Rural	CENTRE	25270	Pavement Failure	N	2	5	10	3
11-01-17	Wybong Road		Rural	CENTRE	25400	Pavement Failure	N	3	3	9	3
11-01-18	Wybong Road		Rural	RHS	30060	Pavement Failure	N	2	2	4	3
14-01-14	Yarraman Road		Rural	LHS	250	Pavement Failure	N	2	2	4	3
14-01-14	Yarraman Road		Rural	LHS	5060	Pavement Failure	N	3	5	15	3
01-10-14	Yarraman Road		Rural	F/W	8112	Pavement Failure	N	3	5	15	3
01-10-14	Yarraman Road		Rural	F/W	8266	Pavement Failure	N	2	5	10	3
19-01-18	Yarrawa Deviation Road		Rural	LHS	3050	Pavement Failure	N	2	10	20	3
16-10-14	Yarrawa Road		Rural	LHS	0	Pavement Failure	N	2	30	60	3
09-05-13	Yarrawa Road		Rural	LHS	1305	Pavement Failure	N	3	3	9	3
08-11-12	Yarrawa Road		Rural	LHS	1750	Pavement Failure	N	2.5	3	7.5	3
25-01-16	Yarrawa Road		Rural	RHS	2100	Pavement Failure	N	2	20	40	3
09-05-13	Yarrawa Road		Rural	RHS	2155	Pavement Failure	N	5	2.5	12.5	3
25-01-16	Yarrawa Road		Rural	LHS	2185	Pavement Failure	N	2	10	20	3
17-01-17	Yarrawa Road		Rural	RHS	2210	Pavement Failure	N	2	2	4	3
10-12-13	Yarrawa Road		Rural	RHS	2450	Pavement Failure	N	2	15	30	3
08-11-12	Yarrawa Road		Rural	LHS	2556	Pavement Failure	N	2.5	3	7.5	3
17-01-17	Yarrawa Road		Rural	LHS	3170	Pavement Failure	N	2	5	10	3
25-01-16	Yarrawa Road		Rural	RHS	5060	Pavement Failure	N	2	20	40	3
17-01-17	Yarrawa Road		Rural	RHS	9490	Pavement Failure	N	2	20	40	3
25-01-16	Yarrawa Road		Rural	RHS	9520	Pavement Failure	N	2	10	20	3
25-01-16	Yarrawa Road		Rural	LHS	9560	Pavement Failure	N	2	40	80	3
15-10-14	Yarrawa Road		Rural	LHS	9850	Pavement Failure	N	2	5	10	3
15-10-14	Yarrawa Road		Rural	RHS	9860	Pavement Failure	N	2	30	60	3
09-05-13	Yarrawa Road		Rural	LHS	9970	Pavement Failure	N	5	2.5	12.5	3
15-10-14	Yarrawa Road		Rural	RHS	10270	Pavement Failure	N	2	5	10	3
25-01-16	Yarrawa Road		Rural	LHS	10285	Pavement Failure	N	2	10	20	3
19-01-18	Yarrawa Road		Rural	F/W	10465	Pavement Failure	N	7	30	210	3
07-04-16	Bell St	Muswellbrook	Urban		Cnr Victoria	Trench	N	10	2	20	4
17-04-18	Cassidy Ave	Muswellbrook	Urban		36	Trench	N	2	8	16	4
10-12-14	Cook St	Muswellbrook	Urban		Brecht to Queen	Several trenches across road	N				4
01-12-14	Queen Street	Muswellbrook	Urban		186	Pavement Failure	N	2	2	4	4
30-05-16	Semillon St	Muswellbrook	Urban		Karoola Park	2 x trenches across road	N	4	10	40	4
24-05-16	Victoria St	Muswellbrook	Urban		108	Pavement Failure	N	5	10	50	4

12 CORPORATE AND COMMUNITY SERVICES

12.11 FUTURE FUND POLICY

Attachments:	A. MSC03E Future Fund Policy
Responsible Officer:	Fiona Plesman - General Manager
Author:	Joshua Brown - Manager - Integrated Planning & Governance
Community Plan Issue:	<i>Collaborative and responsive community leadership that meets the expectations and anticipates the needs of the community</i>
Community Plan Goal:	<i>Enhanced collaboration with Council's community and stakeholders to ensure Council and its elected arm is best placed to make decisions in the best interest of the community.</i>
Community Plan Strategy:	<i>Implement and maintain a diverse range of communication channels between Council and community stakeholders..</i>

PURPOSE

This report provides Councillors with details of submissions received and recommended amendments to the Future Fund Policy, which has been subject to review and public exhibition.

OFFICER'S RECOMMENDATION

Council adopt as amended the reviewed Future Fund Policy.

Moved: _____ **Seconded:** _____

BACKGROUND

The following report aligns with Council's commitment to reduce its governance risk and follows recommendations outlined in the Internal Auditor's report.

CONSULTATION

The Future Fund Policy has been reviewed by staff and was endorsed by Council for public exhibition at the June 2019 ordinary meeting of Council. The reviewed Future Fund Policy was placed on public exhibition for 28 days in June and July 2019. No submissions were received.

REPORT

The Future Fund Policy (Policy F28-1) was due to be reviewed in June 2018. The internal committee has now reviewed the policy and proposed changes in the administration of the Future Fund were endorsed by Council for the purposes of public exhibition at its June 2019 ordinary meeting. The Future Fund will no longer be administered in two divisions and, consequently, there is only one Schedule of assets. Furthermore, the Schedule has been amended and consolidated to reflect investment properties that are held for sale by Council. These properties on this Schedule will not be depreciated and this will be applied retrospectively from 1 July 2018.

The updated policy sets out provisions for ensuring the good governance of the Future Fund. Under s355 of the Local Government Act 1993 a Future Fund Committee (the Committee) will be established. The Committee shall be constituted by not less than three persons with relevant qualifications and substantial experience. The Committee will regularly review the budget and assets in the Future Fund and make recommendation to Council for acquisition, development, demolition or disposal of any asset. The Committee shall provide a report to Council each year.

The Committee will ensure that the budget and the assets in the Future Fund are consistent with the primary and secondary purposes of the Future Fund. The updated policy sets out the primary purposes of the Future Fund:

1. To generate a commercial dividend to Council's General Fund
2. To grow the Future Fund
3. To maintain a diversified portfolio of assets including, but not limited to, the diversification of assets by character and geography

During the period of public exhibition a further review was undertaken by staff and have recommended a further amendment which will permit the Future Fund to invest in a business, provided that the business is held for the purpose of tenanting an asset or creating employment within the Muswellbrook Shire and provided that the business is held with a view to its sale upon receipt of a reasonable offer of purchase.

A further amendment has been recommended to change financial reporting from August to November in each year to align the reporting with the finalisation of Council's Financial Statements (including the Future Fund).

It is noted that the address details of the staff housing portfolio have been redacted to maintain the privacy of staff.

The amended Future Fund Policy is also presented in line with the requirements of Council's Governance policy, that requires all existing and new policies to be adapted to a new style and format. The intention is to have a comprehensive policy, inclusive of all required elements and also standardise the style and align it with all other Council policies.

OPTIONS

Council may or may not adopt the reviewed Future Fund Policy.

CONCLUSION

It is recommended that the policy be adopted as recommended.

SOCIAL IMPLICATIONS

No known social implications.

FINANCIAL IMPLICATIONS

No known financial implications.

POLICY IMPLICATIONS

No known policy implications.

STATUTORY IMPLICATIONS

No known statutory implications.

LEGAL IMPLICATIONS

No known legal implications.

OPERATIONAL PLAN IMPLICATIONS

No known Operational Plan implications.

RISK MANAGEMENT IMPLICATIONS

No known risk management implications.



muswellbrook shire council

DRAFT Future Fund Policy MSC03E

This document is a controlled document. Before using this document, check it is the latest version by referring to Council's EDRMS and ensuring you are using the Last Approved Version. Printed or downloaded versions of this document are uncontrolled.

Policy Background (Preamble)

For almost 150 years, coal mining in the Shire has been as a key local industry and employer. Coal mining, and particularly thermal coal mining, has increased substantially from the turn of the millennium and, together with thermal coal power generation, accounts for a significant proportion of Shire employment.

Council acknowledges:

- the employment benefits derived from local coal mining;
- the importance of sustaining local employment and economic activity in the long-term after the period of intensive local coal mining finishes;
- the impact of intensive coal mining on local liveability; and
- the long-term sterilisation of land and the compromising of agricultural productivity following soil, vegetation and water disturbance associated with coal mining.

As thermal coal mining and thermal coal power generation become less significant as a local industry and employer, Council wishes to ensure that future generations enjoy some of the benefits of mining that occurred within the Shire by investing revenues associated with coal mining to generate a permanent dividend and, more particularly, to ensure that Council is in a position to:

- offset half the mining category of its general rating with dividends derived from investments associated with coal mining revenues;
- support local industry and facilitate new and emerging industries;
- improve landscape native vegetation connectivity and agricultural productivity.

So as to more transparently document how Council proposes to achieve these aims and these objectives, to most appropriately manage the investments of such revenues and to ensure the proper and orderly expenditure of such dividends, Council has resolved to create this Policy.

Policy Objective

1. The objective of this Policy is to:
 - (a) establish a Future Fund from;
 - (i) certain assets held in Council's Commercial Fund as at the date of the first adoption of this Policy,
 - (ii) certain other buildings held in the General Fund, and
 - (iii) such revenues as Council may from time to time determine to allocate to the Future Fund;
 - (b) set out the purposes of the Future Fund; and
 - (c) set out the provisions for ensuring the good governance of the Future Fund.

Risks being addressed

2. This policy aims to achieve the efficient, effective and responsible use of its present revenues associated with coal mining to address, or partly address, risks associated with the decline of thermal coal mining and thermal coal power generation in the longer term.

Policy Statement

Constitution of the Future Fund

3. There is to be a Shire Future Fund (the **Future Fund**).
4. The Future Fund is to comprise the assets set out in the Schedule of this Policy as amended from time to time in accordance with this Policy.

Future Fund limited to holding and/or operating certain assets

5. The Future Fund is only to hold and/or operate the following types of assets:
 - (a) land;
 - (b) improvements to land;
 - (c) cash investments made in accordance with the Local Government Act, 1993 (the Act), or
 - (d) a business, provided that the business is held for the purpose of tenancing an asset or creating employment within the Muswellbrook Shire and provided that the business is held with a view to its sale upon receipt of a reasonable offer of purchase.

Assets, which are residential, not to have street addresses disclosed

6. Assets which are residential dwellings are not to have street addresses disclosed in the Schedule.

Administration of the Future Fund

Primary purposes of the Future Fund

7. The primary purposes of Future Fund are to:
- (a) generate a commercial dividend to Council's General Fund;
 - (b) grow the Future Fund; and
 - (c) maintain a diversified portfolio of assets including, but not limited to, the diversification of assets by character and geography.

Secondary purposes

8. The Future Fund is to have the following secondary purposes:
- (a) the improvement of the quality of commercial and residential buildings in the Shire having regard to, without limitation;
 - (i) principles of equal access,
 - (ii) principles of health and safety (including fire safety), and
 - (iii) energy efficiency.
 - (b) the maintenance of an appropriate number of carpark in the commercial precincts of the Shire;
 - (c) the reduction of the public subsidisation of car-parking provided to commercial activities in the Shire by the consolidation of publicly provided car-parking with adjoining privately provided car-parking;
 - (d) the preservation and maintenance of significant heritage items;
 - (e) the construction of planned public infrastructure, drainage, liveability or environmental facilities or embellishments (as the case may be);
 - (f) the development of;
 - (i) the aged care industry in the Shire,
 - (ii) liveability infrastructure and businesses in the Shire,
 - (iii) the tourism and, particularly, the eco-tourism industry in the Shire,
 - (iv) the intensive agricultural industry in the Shire,
 - (v) the renewable energy industry in the Shire,
 - (vi) innovative and growth industries, and
 - (vii) a town square in Muswellbrook's central business precinct;
 - (g) any matter set out in Council's Integrated Planning and Reporting Framework; and
 - (h) the furtherance of a function of Council set out in the Act.

Future Fund to have a Committee

9. There is to be a Future Fund Committee (the **Committee**) established under s355 of the *Local Government Act*, 1993.
10. The Committee shall be constituted by not less than three persons with an appropriate mix of the professional skills set out in section 11 of this Policy.
11. A Committee member must have relevant qualifications and substantial experience in any of the following professions:
 - (a) Strategic or development assessment planning;
 - (b) Accounting or finance;
 - (c) The law;
 - (d) Property management or real estate;
12. A Councillor or staff member who is serving as a Committee member must not be remunerated except for the reasonable expenses relating to the work of the Committee.
13. A Committee member must agree that it is a condition of the appointment that they are bound by Council's Code of Conduct in the same way that a Councillor would be bound.

Acquisition, development and disposal of assets in the Future Fund

14. The Committee shall review, not less than quarterly, the budget and assets in the Future Fund to ensure consistency with 7 and the purposes set out in 8 of this Policy.
15. The Committee may, after considering the matters set out in 7 and 8 and subject to the matters set out in 5 of this Policy, make such recommendation as to the acquisition, development, demolition or disposal of (whether or whole or in part) any asset (whether set out in the Schedule or not)—or anything properly incidental to those activities—to Council as it thinks fit.
16. Nothing in this policy prevents the Committee from recommending the use of loans to finance the activities of the Fund.
17. Council may choose to adopt, vary or reject the Committee's recommendation.

Reporting

18. In November each year, the Committee shall provide a report to Council and Council shall provide a report to the community which sets out the performance of the Future Fund against its purposes.

Protocols

19. Council's General Manager may make protocols dealing with any aspect of this Policy not inconsistent with this Policy including, without limitation, the conduct of Committee members.

Review

20. This Policy is to be reviewed within the first twelve months and not less than every four years thereafter.

THE SCHEDULE

No.	Common Name of Asset	Lot and Deposited Plan No.
1.	5 Stanton Road, Seven Hills	LOT: 16 DP: 209284
2.	88 Bridge Street, Muswellbrook	LOT: 3 DP: 219503
3.	93A Hills Street, Muswellbrook	LOT: 1 DP: 1183406
4.	98 Bridge St, Muswellbrook	LOT: 11 DP: 511889
5.	63 Palace St, Denman	LOT: 55 DP: 869289
6.	Brook Street Plaza, 30 Brook Street Muswellbrook	LOT: 1 DP: 76058 & LOT 6 DP: 219503
7.	Campbell's Corner, Ground Floor, 60 Bridge Street, Muswellbrook	LOT: 101 DP: 606303
8.	Glen Munro Road, Muswellbrook	LOT: 9 DP: 1131270
9.	Glen Munro Road, Muswellbrook	LOT: 13 DP: 1131270
10.	Glen Munro Road, Muswellbrook	LOT: 14 DP: 1131270
11.	Glen Munro Road, Muswellbrook	LOT: 15 DP: 1131270
12.	Glen Munro Road, Muswellbrook	LOT: 16 DP: 1131270
13.	Glen Munro Road, Muswellbrook	LOT: 18 DP: 1131270
14.	HACC Building, 155 Maitland Street, Muswellbrook	LOT: 2 DP: 118310
15.	Land Development – Queen St, Muswellbrook	LOT: 589 DP: 835738
16.	Land Development – Adams St, Muswellbrook	LOT: 319 DP: 1131731
17.	Land Development - Industrial East, Muswellbrook	LOT: 10 & 11 DP: 883694
18.	Land Development – Turner St, Denman	LOT: 42 DP: 771226
19.	Market House, 2-4 Market Street, Muswellbrook	LOT: 1 DP: 229730
20.	Marketplace, 72-78 Brook St,	LOT: 11 DP: 1046939

No.	Common Name of Asset	Lot and Deposited Plan No.
	Muswellbrook	
21.	Residential Subdivision, 157 Maitland Street, Muswellbrook	LOT: 2 DP: 118310
Staff Housing Muswellbrook		
22.	[REDACTED] [REDACTED]	[REDACTED]
23.	[REDACTED] [REDACTED]	[REDACTED]
24.	[REDACTED]	[REDACTED]
25.	[REDACTED]	[REDACTED]
26.	[REDACTED] [REDACTED]	[REDACTED]
27.	[REDACTED]	[REDACTED]
Staff Housing Denman		
28.	[REDACTED]	[REDACTED]
29.	[REDACTED]	[REDACTED]
30.	[REDACTED] [REDACTED]	[REDACTED]
31.	[REDACTED] [REDACTED]	[REDACTED]
32.	[REDACTED] [REDACTED] [REDACTED] [REDACTED]	[REDACTED]
33.	[REDACTED] [REDACTED]	[REDACTED]

Authorisation Details

Authorised by:	Council
Minute No:	XXXXXX
Date:	XXXXXX
Review timeframe:	1 Year
Department:	Planning & Building Services
Document Owner:	Manager, Planning & Building Services

Details History

Version No.	Date changed	Policy type	Modified by	Amendments made
F28/1	XXXXXX	External		New format/Revised Policy

18 ADJOURNMENT INTO CLOSED COUNCIL

In accordance with the Local Government Act 1993, and the Local Government (General) Regulation 2005, in the opinion of the General manager, the following business is of a kind as referred to in Section 10A(2) of the Act, and should be dealt with in a Confidential Session of the Council meeting closed to the press and public.

RECOMMENDATION

That Council adjourn into Closed Session and members of the press and public be excluded from the meeting of the Closed Session, and access to the correspondence and reports relating to the items considered during the course of the Closed Session be withheld unless declassified by separate resolution. This action is taken in accordance with Section 10A(2) of the Local Government Act, 1993 as the items listed come within the following provisions:

19.10 MANGOOLA COAL CONTINUED OPERATIONS PROJECT

Item 19.10 is classified CONFIDENTIAL under the provisions of Section 10A(2)(d)(i) of the local government act 1993, as it deals with commercial information of a confidential nature that would, if disclosed prejudice the commercial position of the person who supplied it, and Council considers that discussion of the matter in an open meeting would be, on balance, contrary to the public interest.

19.11 EDDERTON ROAD CLOSURE

Item 19.11 is classified CONFIDENTIAL under the provisions of Section 10A(2)(c) of the local government act 1993, as it deals with information that would, if disclosed, confer a commercial advantage on a person with whom the council is conducting (or proposes to conduct) business, and Council considers that discussion of the matter in an open meeting would be, on balance, contrary to the public interest.

Moved: _____ **Seconded:** _____