

Nationwide House Energy Rating Scheme — Multiple Class1-dwelling summary NatHERS Certificate No. 0008515600

Generated on 22 Mar 2023 using BERS Pro v4.4.1.5d (3.21)

Property

Address 59 Tindale Street , Muswellbrook
, NSW , 2333

Lot/DP 2/1070178

NatHERS climate zone 65

Accredited assessor



David Gradwell


Gradwell Consulting

info@gradwellconsulting.com

1800 11 24 25

Accreditation No. DMN/12/1451

Assessor Accrediting Organisation Design Matters
National



Verification



To verify this certificate, scan the QR code or visit hstar.com.au/QR/Generate?p=GxRvuyUTs.
When using either link, ensure you are visiting hstar.com.au

Summary of all dwellings

Certificate number and link	Unit Number	Heating load (MJ/m ² /p.a.)	Cooling load (MJ/m ² /p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0008515298	1	229	9.2	238.2	5.7
0008515306	2	183	8.8	191.8	6.4
0008515314	3	183.9	8	191.9	6.4
0008515322	4	186.2	14	200.3	6.3
0008515330	5	230.4	14.6	245.1	5.6

Continued Over

National Construction Code (NCC) requirements

The NCC's requirements for NatHERS-rated buildings are detailed in 3.12.0(a)(i) and 3.12.5 of the NCC Volume Two. For apartments the requirements are detailed in J0.2 and J5 to J8 of the NCC Volume One.

In NCC 2019, these requirements include minimum star ratings and separate heating and cooling load limits that need to be met by buildings and apartments through the NatHERS assessment. Requirements additional to the NatHERS assessment that must also be satisfied include, but are not limited to: insulation installation methods, thermal breaks, building sealing, water heating and pumping, and artificial lighting requirements. The NCC and NatHERS Heating and Cooling Load Limits (Australian Building Codes Board Standard) are available at www.abcb.gov.au.

State and territory variations and additions to the NCC may also apply.

Summary of all dwellings (continued)

Certificate number and link	Unit Number	Heating load (MJ/m ² /p.a.)	Cooling load (MJ/m ² /p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0008515348	6	222.5	11.1	233.6	5.8
0008515355	7	187.7	13.3	201	6.3
0008515363	8	183.2	8.3	191.5	6.4
0008515371	9	182.3	8.9	191.2	6.4
0008515389	10	230.1	9.7	239.8	5.7
0008515397	11	172.7	24.4	197.1	6.4
0008515405	12	170.3	23.9	194.1	6.4
0008515413	13	172.7	24.2	197	6.4
0008515421	14	171.7	23.1	194.8	6.4
0008515439	15	207.7	23.1	230.8	5.8
0008515447	16	203.5	22.8	226.3	5.9
0008515454	17	178.5	24.4	202.9	6.3
0008515462	18	239.7	16.1	255.8	5.4
0008515470	19	202.7	22.1	224.8	5.9
0008515488	20	172.7	24.2	197	6.4
0008515496	21	171.7	23.1	194.8	6.4
0008515504	22	207.7	23.1	230.8	5.8
0008515512	23	208.7	9.8	218.5	6
0008515520	24	168.3	11.9	180.2	6.6
0008515538	25	169.6	10	179.6	6.7
0008515546	26	167.9	9.6	177.6	6.7
0008515553	27	169.6	10	179.6	6.7
0008515561	28	168.3	11.9	180.2	6.6
0008515579	29	184.4	10	194.4	6.4
0008515587	30	235.4	11.9	247.3	5.5

Explanatory Notes

About this report

This is a summary of NCC Class 1 dwellings in a development. The individual dwellings' ratings are a comprehensive, dynamic computer modelling evaluation of a home, using the floorplans, elevations and specifications to estimate the energy load. It addresses the building layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings), but does not cover the water or energy use of appliances, or energy production of solar panels. For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link).

Accredited Assessors

To ensure the NatHERS Certificate is of a high quality, always use an accredited or licenced assessor. NatHERS accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO). AAOs have specific quality assurance processes in place, and continuing professional development requirements, to maintain a high and consistent standard of assessments across the country.

Any questions or concerns about this report should be directed to the assessor in the first instance. If the assessor is unable to address these questions or concerns, the AAO specified on the front of this certificate should be contacted.

Disclaimer

The format of the NatHERS Certificate was developed by the NatHERS Administrator. However the content, input and creation of the NatHERS Certificate is by the assessor. It is the responsibility of the assessor who prepared this certificate to use NatHERS accredited software correctly and follow the NatHERS Technical Notes to produce a NatHERS Certificate.